

GENERAL NOTES:

1. THE CONTOUR INTERVAL IS 1 FOOT.
2. ALL EXISTING VEGETATION, PAVEMENT AND STRUCTURES SHALL BE REMOVED FROM CONSTRUCTION AREA.
3. PROVIDE FROST PROOF HYDRANT "WOODFORD MODEL VI" WITH VACUUM BREAKER, OR EQUAL.
4. PROVIDE 2-INCH WATER METER PER CITY OF ALBUQUERQUE STANDARD SPECIFICATIONS SECTION 802 AND PER CITY OF ALBUQUERQUE STANDARD DETAIL DRAWING 2363.
5. PROVIDE TWO-INCH WATER LINE ONTO SITE AS SHOWN.
6. TWO-INCH REDUCED PRESSURE PRINCIPLE BACKFLOW PREVENTER (SEE SPECIFICATION SECTION 15134). THE PROTECTIVE ENCLOSURE FOR THE BACKFLOW PREVENTER SHALL BE AN INSULATED "HOT BOX". MANUFACTURER SHALL BE NORTHEAST FLORIDA ENTERPRISES, INC., MODEL NO. 2 OR EQUAL.
7. ALL WATER PIPE SHALL BE INSULATED IN ACCORDANCE WITH THE 1988 UNIFORM PLUMBING CODE SECTIONS 1008 AND 1108.
8. EIGHT-FOOT HIGH DOUBLE LEAF CHAIN LINK GATE. SEE CITY OF ALBUQUERQUE STANDARD DRAWING 2252.
9. EIGHT-FOOT HIGH CHAIN LINK FENCE. SEE CITY OF ALBUQUERQUE STANDARD DRAWING 2252.
10. THE INVERT ELEVATION OF THE 18-INCH DIAMETER RCP IS 5316.90 AT THE INLET STRUCTURE.
11. THE INVERT ELEVATION OF THE TWO 48-INCH DIAMETER RCP IS 5316.00 AT THE INLET STRUCTURE.
12. ALL WORK DETAILED ON THESE PLANS TO BE PERFORMED UNDER CONTRACT SHALL, EXCEPT AS OTHERWISE STATED OR PROVIDED FOR HEREON, BE CONSTRUCTED IN ACCORDANCE WITH THE CITY OF ALBUQUERQUE STANDARD SPECIFICATIONS FOR PUBLIC WORKS CONSTRUCTION - 1988 EDITION.
13. TWO (2) WORKING DAYS PRIOR TO ANY EXCAVATION, CONTRACTOR MUST CONTACT THE NEW MEXICO ONE CALL SYSTEM, 260-1990, FOR LOCATION OF EXISTING UTILITIES.
14. PRIOR TO CONSTRUCTION, THE CONTRACTOR SHALL EXCAVATE AND VERIFY THE HORIZONTAL AND VERTICAL LOCATIONS OF ALL OBSTRUCTIONS. SHOULD A CONFLICT EXIST, THE CONTRACTOR SHALL NOTIFY THE ENGINEER OR SUPERVISOR SO THAT THE CONFLICT CAN BE RESOLVED WITH MINIMUM AMOUNT OF DELAY.
15. ALL UTILITIES AND UTILITY SERVICE LINES SHALL BE INSTALLED PRIOR TO PAVING.
16. PROVIDE HEADER CURB IN ACCORDANCE WITH CITY OF ALBUQUERQUE STANDARD DETAIL DRAWING 2415, HEADER CURB.
17. PROVIDE SIX-FOOT WIDE CONCRETE VALLEY CUTTER IN ACCORDANCE WITH CITY OF ALBUQUERQUE STANDARD DETAIL DRAWING 2420, CONCRETE VALLEY CUTTER.
18. THE 100-YEAR WATER SURFACE ELEVATION IN THE STORMWATER DETENTION BASIN IS EQUAL TO 5323.10.
19. CONCRETE ENCASE 18-INCH DIAMETER RCP FROM TWO FEET WITHIN THE STORMWATER DETENTION BASIN TO TWO FEET BEYOND THE NORTH EDGE OF THE ENTRANCE ROAD. CONCRETE ENCASE IN ACCORDANCE WITH CITY OF ALBUQUERQUE STANDARD DETAIL DRAWING 2140, SEWER ENCASEMENT DETAILS.
20. CONNECT TWO 48-INCH DIAMETER RCP TO EXISTING TWO 48-INCH DIAMETER RCP. INVERT ELEVATION IS EQUAL TO 5315.65.
21. PROVIDE 6-INCH THICK CONCRETE SPILLWAY STRUCTURE AS SHOWN. TRANSITION BETWEEN ROADWAY AND SPILLWAY SHALL BE IN ACCORDANCE WITH CITY OF ALBUQUERQUE STANDARD DETAIL DRAWING 2428, PAVING ALLEY INTERSECTION.
22. SIX-FOOT HIGH CHAIN LINK FENCE. SEE CITY OF ALBUQUERQUE STANDARD DETAIL DRAWING 2252.
23. CONTRACTOR SHALL PROVIDE AND INSTALL TWO SIGNS ALONG CENTRAL AVENUE. ONE WILL BE LOCATED FOR EAST BOUND TRAFFIC AND ONE WILL BE LOCATED FOR WEST BOUND TRAFFIC. SIGNS SHALL READ "CITY OF ALBUQUERQUE SOLID WASTE CONVENIENCE CENTER NEXT RIGHT" OR "NEXT LEFT". SIGNS SHALL BE MANUFACTURED, LOCATED AND INSTALLED ACCORDING TO THE STATE OF NEW MEXICO HIGHWAY DEPARTMENT STANDARDS.

SYMBOLS SPECIFIC TO PROJECT

- ▲ TRAVERSE POINT
- NEW CHAIN LINK FENCE
- GUARD POST
- MANHOLE (EXISTING)
- DRAIN INLET
- WATER VALVE (EXISTING)
- GAS RISER (EXISTING)
- WATER RISER (EXISTING)
- ELECTRIC RISER (EXISTING)
- TELEPHONE RISER (EXISTING)
- POWER POLE WITH LIGHT (EXISTING)
- POWER POLE (EXISTING)
- CONIFEROUS TREE
- BUSH
- CHAIN LINK FENCE (EXISTING)
- OVER HEAD WIRE (EXISTING)
- SITE BOUNDARY LINE
- EXISTING CONTOUR LINE
- FINISHED CONTOUR LINE
- ▲ FIRE HYDRANT
- GATE VALVE
- FROST PROOF HYDRANT
- DRAINAGE FLOW
- TRAFFIC FLOW
- CONCRETE PAVEMENT
- ASPHALT CONCRETE PAVEMENT

ABBREVIATIONS

- A.C. ASPHALT CONCRETE
- B.C. BACK OF CURB
- BP REDUCED PRESSURE PRINCIPLE BACKFLOW PREVENTER
- C.B. CATCH BASIN
- C.L. CHAIN LINK
- C.O. CLEANOUT
- COR. CORNER
- D DRAIN
- DET. DETAIL
- EA. EACH
- E.W. EACH WAY
- F.F. FINISHED FLOOR
- F.H. FIRE HYDRANT
- F.L. FLOW LINE
- GEN. GENERAL
- PL. PROPERTY LINE
- R. RADIUS
- RCP. REINFORCED CONCRETE PIPE
- T.C. TOP OF CURB
- T.W. TOP OF WALL
- TYP. TYPICAL
- W. WATER
- W/ WITH

DATE 3-27-00 OF EOP

CITY OF ALBUQUERQUE

This microimage is certified to be a complete and accurate copy of the original as it appears in the files of the Public Works Department and was created in the normal course of business.

The photographic process used meets the Basic Microfilm Standards of the National Micrographics Association (MS115-1977)

Chris J. Kelly
DIRECTOR

Robert Duran
NOTARY PUBLIC

OFFICIAL SEAL
Robert Duran
Notary Public
State of New Mexico
My Comm. Expires 12/31/02

CITY OF ALBUQUERQUE
THIS MICROIMAGE IS THE BEST POSSIBLE REPRODUCTION DUE TO THE POOR QUALITY OF THE ORIGINAL DOCUMENT.

PLANS/PLATS ON FILE

FILE DESC: **LS/D9A**

PLANS/PLATS **4**

BC BROWN AND CALDWELL
CONSULTING ENGINEERS
PHOENIX, ARIZONA

LINE IS 2 INCHES
AT FULL SCALE
(IF NOT 2"=SCALE ACCORDINGLY)

REVISIONS
ZONE REV. DESCRIPTION BY DATE APP.

FILE 4617
DRAWN PMG
DESIGNED WMH
CHECKED WMH
CHECKED RSB

CITY OF ALBUQUERQUE


DON RESERVOIR
SOLID WASTE CONVENIENCE CENTER

GENERAL NOTES, SYMBOLS
AND ABBREVIATIONS

JUN 6 1990

PROJECT NO.
3902.91
DRAWING NUMBER
C1
SHEET NUMBER

CITY OF ALBUQUERQUE



CITY OF ALBUQUERQUE
THIS MICROIMAGE IS THE BEST POSSIBLE REPRODUCTION DUE TO THE POOR QUALITY OF THE ORIGINAL DOCUMENT.

DATE: 3-27-02 OF EDP
CITY OF ALBUQUERQUE
This microimage is certified to be a complete and accurate copy of the original as it appears in the files of the Public Works Department and was created in the normal course of business.
The photographic process used meets the Basic Microfilm Standards of the National Micrographics Association (MS115-1977)

Chris J. [Signature]
DIRECTOR


Roberta Duran
NOTARY PUBLIC
OFFICIAL SEAL
Roberta Duran
NOTARY PUBLIC
STATE OF NEW MEXICO
07/02/02

BROWN AND CALDWELL CONSULTING ENGINEERS PHOENIX, ARIZONA		LINE IS 2 INCHES AT FULL SCALE (IF NOT 2" SCALE ACCORDINGLY)		FILE 4617		DRAWN PMG		DESIGNED WMH PMG		CHECKED WMH		CHECKED RSS	
SUBMITTED: [Blank]		DATE: [Blank]		PROJECT NO. 3902.91		DRAWING NUMBER C4		SHEET NUMBER [Blank]		PROJECT NO. 3902.91		DRAWING NUMBER C4	
APPROVED: [Blank]		DATE: [Blank]		PROJECT NO. 3902.91		DRAWING NUMBER C4		SHEET NUMBER [Blank]		PROJECT NO. 3902.91		DRAWING NUMBER C4	
APPROVED: [Blank]		DATE: [Blank]		PROJECT NO. 3902.91		DRAWING NUMBER C4		SHEET NUMBER [Blank]		PROJECT NO. 3902.91		DRAWING NUMBER C4	

CITY OF ALBUQUERQUE
DON RESERVOIR
SOLID WASTE CONVENIENCE CENTER

MISCELLANEOUS CIVIL DETAILS
JUN 8 1990

CITY OF ALBUQUERQUE



D₂₄ C₂₀ B₁₆ A₁₂

CITY OF ALBUQUERQUE

C D

PUBLIC WORKS/HYDROLOGY

2 OF 2

L8/D9A

