

Storm Water Pollution Prevention Plan Wilger Entrprises, Inc. C&D Storage, Albuquerque, New Mexico, Bernalillo County

Prepared by Inspections Plus 505-344-9410 or 505-489-5077 WWW.INSPECTIONSPLUS.COM



STORMWATER POLLUTION PREVENTION PLAN (SWPPP)

For Construction Activities At:

C&D Storage 423 Wyoming Blvd SE Albuquerque, NM 87107

SWPPP Prepared For:

Wilger Entrprises, Inc. Scot McLelland 425 Edmon NE Albuquerque, NM 87107 505-345-2854 scot@wilger.com

Prepared by Inspections Plus 505-344-9410 or 505-489-5077 WWW.INSPECTIONSPLUS.COM

Plan Documentation & Revision Record

- Stormwater Pollution Prevention Plan
- Plan Revision Record

Delegation & Certifications

- Delegation of Authority Letters
- Inspector Qualifications

NOI/NOT & Additional Operators

- NOI/NOT
- Subcontractor Certification

Soil Data and Precipitation Information

- NRCS Soil Report
- Precipitation Frequency Data Server

Watershed and TMDL Documentation

- EPA GeoViewer
- Waterbody Quality and TMDL Reports

Endangered Species and Cultural Documentation

- Endangered Species Map
- IPAC Report
- Historic and Cultural Properties

Site Housekeeping and Training

- Rain Event Log
- Watering LogBMP Maintenance Log
- BMP Maintenance Log
 Sweeping Log
- Training Log

BMP Measures and Product Details

BMP Phasing Temporary Controls Interim Stabilization Permanent Stabilization- Erosion Control

NPDES General Permit

• 2017 EPA Construction General Permit

Completed Inspection Reports

TAB 1

C&D STORAGE

423 WYOMING BLVD SE

TEMPORARY EROSION AND SEDIMENT CONTROL PLAN







GPS COORDINATES: 35.0683, -106.5514





PERMIT NUMBER: NMR1004BT

NMR100000 STATE OF NEW MEXICO, EXCEPT INDIAN COUNTRY NMR10I000 INDIAN COUNTRY WITHIN THE STATE OF NEW MEXICO, EXCEPT NAVAJO RESERVATION LANDS THAT ARE COVERED UNDER ARIZONA PERMIT AZR101000 AND UTE MOUNTAIN RESERVATION LANDS THAT ARE COVERED UNDER COLORADO PERMIT COR101000.

OPERATOR NAME:

C&D LAND CORP

OPERATOR POINT OF CONTACT:

CHRIS DIJULIO CHRIS@LINCMOVE.COM

NOI PREPARED BY:

INSPECTIONS PLUS

PROJECT/SITE NAME:

C&D STORAGE

PROJECT/SITE ADDRESS:

423 WYOMING BLVD SE

LATITUDE	35.0683
LONGITUDE	-106.5514
ESTIMATED PROJECT START DATE	11/23/2021
ESTIMATED PROJECT COMPLETION DATE	07/01/2022
ESTIMATED AREA TO BE DISTURBED	1.5 ACRES
TYPE OF CONSTRUCTION	COMMERCIAL
DEMOLITION OF ANY STRUCTURES, 10,000 SQ FT OF GREATER BUILT OR RENOVATED BEFORE JANUARY 1, 1980?	NO
WAS THE PREDEVELOPMENT LAND USED FOR AGRICULTURE?	NO
COMMENCED EARTH DISTURBING ACTIVITIES?	NO
DISCHARGE TO MS4? MS4 NAME?	NO- ON SITE RETENSION
SURFACE WATERS WITHIN 50FT?	NO
RECEIVING WATER?	ONSITE PONDS
IS RECEIVING WATER IMPAIRED? TIER DESIGNATION	N/A
WHAT ARE THE IMPAIRMENTS, IF ANY?	N/A
SWPPP CONTACT INFORMATION: CHRIS DIJULIO CHRIS@LINCMOVE.COM	
ENDANGERED SPECIES CRITERIA: CRITERION "A"; NO CRITICAL HABI	TATS WITHIN PROJECT AREA
HISTORIC PRESERVATION CRITERIA: CRITERION "A" - PREVIOUS SUI	RVEYS

1.All Erosion and Sediment Control (ESC) work on these plans, except as otherwise stated or provided hereon shall be permitted, constructed, inspected, and maintained in accordance with:

a. The City Ordinance § 14-5-2-11, the ESC Ordinance, b.The EPA's 2017 Construction General Permit (CGP), and c.The City Of Albuquerque Construction BMP Manual.

2.All BMP's must be installed prior to beginning any earth moving activities except as specified hereon in the Phasing Plan. Construction of earthen BMP's such as sediment traps, sediment basins, and diversion berms shall be completed and inspected prior to any other construction or earthwork. Self-inspection is required after installation of the BMPs and prior to beginning construction.

3.Self-inspections - At a minimum a routine compliance self-inspection is required to review the project for compliance with the Construction General Permit once every 14 days and after any precipitation event of 1/4 inch or greater until the site construction has been completed and the site determined as stabilized by the city. Reports of these inspections shall be kept by the person or entity authorized to direct the construction activities on the site and made available upon request.

4.Corrective action reports must be kept by the person or entity authorized to direct the construction activities on the site and made available upon request.

5. Stabilization reports must be kept by the person or entity authorized to direct the construction activities on the site and made available upon request. Reports should include records of weed removal per City Ordinance (§ 9-8-1), sterilization, soil test results and recommendation, materials and manufacturer's specifications for application rates, estimated functional longevity, methods of application, inspection and maintenance. The reduced self-inspection schedule in CGP 4.4.1 applies to stabilized area and any damaged or worn stabilization must be identified in the reports along with weed problems. Corrective actions for stabilization shall be documented in a stabilization report including actual rates and dates of stabilization, and the materials and manufacturer's specifications used.

6.BMPs shall be inspected and maintained until all disturbed areas are stabilized in accordance with the Final Stabilization Criteria (CGP 2.2.14.b). Generally, all disturbed areas, other than structures and impervious surfaces, must have uniform perennial vegetation that provides 70 percent or more of the cover provided by native vegetation or seed the disturbed area and provide non-vegetative mulch that provides cover for at least three years without active maintenance. Final stabilization must be approved by the City of Albuquerque prior to removal of BMPs and discontinuation of inspections.



11/11 CPES

EROSION CONTOL NOTES ESC Plan Standard Notes (2021-03-24)

DFESSION	C&D STORA	GE
		PROJECT TITLE
ADURKIN	ALBUQUERQUE, NM, BERN	ALILLO COUNTY CITY, COUNTY, STATE
/20021	11/11/2021 DATE	
C Stamp	C. DURKIN DRAWN BY	PLUS

SEDIMENT TRACK OUT CONTROL



BMP Objectives

Sediment Control

BERMS AND SWALES



BMP Objectives

- **Runoff Control** •
- Run-on Diversion •

SILT FENCE



BMP Objectives

- Sediment Control •
- Sheet Flow Runoff Control
- Wind Erosion Control •

MULCH SOCK/STRAW WATTLE



BMP Objectives

- Sediment Control •
- Reduce Runoff Velocity •
- Inlet Protection .



INLET PROTECTION







BMP Objectives

- Sediment Control •
- Sheet Flow Runoff Control
- Wind Erosion Control •





						Weigh	ted E	lethod								
						mengin		notiroa								
On-Site	Basins															
												100-Year			10-Year	
Pacin	Area		-		-							1				
Dasili	Area	Area	Irea	tment A	Irea	itment B	Treat	ment C	Trea	tment D	Weighted E	Volume	Flow	Weighted E	Volume	Flow
Dasin	(sf)	Area (acres)	%	(acres)	%	(acres)	Treat %	ment C (acres)	Trea %	tment D (acres)	Weighted E (in)	Volume (ac-ft)	Flow cfs	Weighted E (in)	Volume (ac-ft)	Flow cfs
1	(sf) 94,768	Area (acres) 2.18	0%	tment A (acres) 0	8%	itment B (acres) 0.17	Treat % 0%	ment C (acres) 0.00	Trea % 92%	tment D (acres) 2.00	Weighted E (in) 2.442	Volume (ac-ft) 0.443	Flow cfs 9.42	Weighted E (in) 1.536	Volume (ac-ft) 0.278	Flow cfs 5.81
1 2	(sf) 94,768 39,990	Area (acres) 2.18 0.92	0% 0%	tment A (acres) 0 0	8% 5%	tment B (acres) 0.17 0.05	Treat % 0% 0%	ment C (acres) 0.00 0.00	Trea % 92% 95%	tment D (acres) 2.00 0.87	Weighted E (in) 2.442 2.494	Volume (ac-ft) 0.443 0.191	Flow cfs 9.42 4.03	Weighted E (in) 1.536 1.575	Volume (ac-ft) 0.278 0.120	Flow cfs 5.81 2.50

Equations:						
	Excess Pr	ecipitation	, E (inches)	Peak	Discharge (c	fs/acre)
Weighted E = Ea*Aa + Eb*Ab + Ec*Ac + Ed*Ad / (Total Area)	Zone 3	100-Year	10 - Year	Zone 3	100-Year	10 - Year
	Ea	0.67	0.18	Qa	1.84	0.51
Volume = Weighted D * Total Area	Eb	0.86	0.34	Qb	2.49	1.07
	Ec	1.09	0.52	Qc	3.17	1.69
Flow = Qa * Aa + Qb * Ab + Qc * Ac + Qd * Ad	Ed	2.58	1.64	Qd	4.49	2.81

WATER QUALITY PONDING

 BASIN 1
 87120
 SF X
 0.26"/12"=1888
 CU FT

 BASIN 2
 37897
 SF X
 0.26"/12"=821
 CU FT

 BASIN 3
 6534
 SF X
 0.26"/12"=142
 CU FT

EXISTING DRAINAGE:

THE EXISTING SITE IS MOSTLY PAVED AND DRAINS FROM EAST TO WEST FROM WYOMING BLVD. TO VIRGINIA STREET. THE FLOWS ENTER VIRGINIA STREET THROUGH TWO 24 INCH SIDEWALK CULVERTS. FROM THERE THE WATER FLOWS TO TRUMBULL SE AND THEN WEST TO PENNSYLVANIA AVE. WHERE IT IS INTERCEPTED BY EXISTING CURB INLETS. THE EXISTING RUNOFF FROM THE SITE IS 21.28 CFS.

THE PROPERTY IS IN ZONE X AS SHOWN ON THE FIRM MAP. THERE IS A SLIGHT AMOUNT OF OFFSITE FLOWS THAT ENTER THE SITE AT THE SOUTHEAST CORNER OF THE PROPERTY WHICH WILL BE ALLOWED TO SHEET FLOW TO VIRGINIA STREET.

PROPOSED DRAINAGE:

FOR THE MOST PART THIS PROJECT WILL DRAIN IN THE SAME PATTERN THAT CURRENTLY EXISTS WITH THE SIDEWALK CULVERTS REMAINING AND DISCHARGING INTO VIRGINIA STREET.

THE BIGGEST DIFFERENCE IS THAT THE FLOWS FROM BASINS 1 AND 2 WILL BE ROUTED THROUGH A WATER QUALITY POND PRIOR TO DISCHARGING TO VIRGINIA STREET. BASIN 3 WILL BE CONTAINED IN A WATER QUALITY POND ALONG THE SIDEWALK AND ALLOWED TO OVER FLOW INTO BASIN 1.

THE DRAINAGE CALCULATIONS WERE UPDATED TO THE NEW DPM STANDARDS AND SHOWS THAT THE RUNOFF IS NOW CALCULATED AT 14.35 CFS WHICH IS LESS THAN THE PREVIOUS CALCULATION OF 21.28 CFS.



SCHEDULE/SEQUENCING OF CONSTRUCTION

- 1. POST PERMITS
- 2. INSTALL REQUIRED BMPs
 - 2.a. PERIMETER CONTROLS
 - 2.b. STABILIZED CONSTRUCTION ENTRANCE 2.c. CONCRETE WASHOUT AREA
- 3. TEMP POND
- EARTHWORK AND GRADING 4.
- 5. UTILITY INSTALLATION
- 6. PAVEMENT STRUCTURES
- VERTICAL STRUCTURES 7.
- 8. LANDSCPING
- 9. PUNCHLIST

SITE OPERATORS:

C&D LAND CORP CHRIS DIJULIO

WILGER ENTERPRISES - SCOT MCLELLAND 505-345-2854

STORMWATER TEAM

- A: REMOVE SEDIMENT FROM ADJACENT STREETS: INSPECTIONS PLUS
- **B: BMP MAINTENANCE: INSPECTIONS PLUS**
- C. SITE INSPECTIONS: INSPECTIONS PLUS

STORMWATER POLLUTION PREVENTION PLAN (SWPPP)

For Construction Activities At:

C&D Storage 423 Wyoming Blvd SE Albuquerque, NM 87107

SWPPP Prepared For:

Wilger Entrprises, Inc. Scot McLelland 425 Edmon NE Albuquerque, NM 87107 505-345-2854 scot@wilger.com

SWPPP Prepared By:

Inspections Plus 504 El Paraiso Rd NE Suite B Albuquerque, NM 87113 505-344-9410

SWPPP Preparation Date:

11/11/2021

Estimated Project Dates:

Project Start Date: 11/23/2021

Project Completion Date: 07/01/2022

SECTION	1: CONTACT INFORMATION/RESPONSIBLE PARTIES	5
1.1	OPERATOR(S) / SUBCONTRACTOR(S)	5
1.2	STORMWATER TEAM	6
SECTION	2: SITE EVALUATION, ASSESSMENT, AND PLANNING	7
2.1	PROJECT/SITE INFORMATION	7
2.1.1	Climate and Topography	7
2.1.2	Soils and Hydrology	8
2.2	DISCHARGE INFORMATION	8
2.2.1	Receiving Waters	8
2.2.2	Impairment Status and Tier Designation	8
2.3	NATURE OF CONSTRUCTION ACTIVITIES	9
2.4	SEQUENCE AND ESTIMATED DATES OF CONSTRUCTION ACTIVITIES	9
2.5	AUTHORIZED NON-STORMWATER DISCHARGES	10
2.0	SITE MAPS AND DRAINAGE.	11
2.0.1	Slopes and Drainage Patterns	11
2.0.2	Revised Universal Soil Loss Fauation (RUSLF)	12
2.6.4	Sediment and Erosion Control Management Plan	18
2.6.5	Rational for Selected BMPs	18
SECTION	3: DOCUMENTATION OF COMPLIANCE WITH OTHER FEDERAL	
REQUIRE	MENTS	19
31	ENDANGERED SPECIES PROTECTION	19
311	Eligibility Criterion	19
3.1.2	Supporting Documentation	21
3.2	HISTORIC PRESERVATION	22
3.2.1	Eligibility Criterion	22
3.3	SAFE DRINKING WATER ACT UNDERGROUND INJECTION CONTROL REQUIREMENTS	24
SECTION	4: EROSION AND SEDIMENT CONTROLS	25
4.1	NATURAL BUFFERS OR EQUIVALENT SEDIMENT CONTROLS	25
4.2	PERIMETER CONTROLS	26
4.2.1	Wattles	26
4.2.2	Earth Berms	28
4.2.3	Silt Fence	30
4.2.4	Gravel Bags	32
4.2.5	Cut Back Curb	34
4.3	SEDIMENT TRACK OUT	36
4.4	STOCKPILED SEDIMENT OR SOILS	
4.5	MINIMIZE DUST	40
4.6	MINIMIZE STEEP SLOPE DISTURBANCE	43
4.7	SOIL COMPACTION	44 11
4.0	SOIL COMPACTION	44
4 10	STORMWATER CONVEYANCE CHANNELS	47
4.11	SEDIMENT BASINS	47
4.12	CHEMICAL TREATMENT	
4.13	DEWATERING PRACTICES	48
4.14	OTHER STORMWATER CONTROLS	49
4.14.	NPDES Notification Board	49
4.14.2	2 Temporary Sanilet Facilities	50
4.15 SITI	E STABILIZATION	51

4.15.	I Initiation Timeframe Requirements	51
4.15.2	2 Initiation Activities	52
4.15.	3 Completion Deadline	52
4.15.4	4 Temporarily Ceased Activities	53
4.15.:	5 Post Construction Stabilization	54
SECTION	5: POLLUTION PREVENTION STANDARDS	55
5.1	POTENTIAL SOURCES OF POLLUTION	55
5.2	SPILL PREVENTION AND RESPONSE	56
5.3	FUELING AND MAINTENANCE OF EQUIPMENT OR VEHICLES	57
5.4	WASHING OF EQUIPMENT AND VEHICLES	59
5.5	STORAGE, HANDLING, AND DISPOSAL OF BUILDING PRODUCTS, MATERIALS, AND WASTES	60
5.5.1	Pesticides, Herbicides, Insecticides, Fertilizers, and Landscape Materials	60
5.5.2	Diesel Fuel, Oil, Hydraulic Fluids, Other Petroleum Products, and Other Chemicals	61
5.5.3	Hazardous or Toxic Waste	63
5.5.4	Construction and Domestic Waste	65
5.5.5	Sanitary Waste	67
5.6	WASHING OF APPLICATORS AND CONTAINERS USED FOR PAINT, CONCRETE OR OTHER	
MATERL	ALS	68
5.7	Fertilizers	69
5.8	OTHER POLLUTION PREVENTION PRACTICES	69
SECTION	6: INSPECTION, MAINTENANCE, AND CORRECTIVE ACTION	70
6.1	INSPECTION PERSONNEL AND PROCEDURES	70
6.1.1	General Site Awareness	70
6.1.2	Specific Inspection Frequency	70
6.1.3	Reduction in Inspection Frequency	70
6.1.4	Personnel Responsible for Inspections	71
6.1.5	Inspection Report Forms	71
6.2	CORRECTIVE ACTIONS	72
6.2.1	Corrective Action Log	73
6.2.2	Personnel Responsible for Corrective Actions	74
6.3	DELEGATION OF AUTHORITY	74
SECTION	7: TRAINING	75
7.1	DOCUMENTATION FOR COMPLETION OF TRAINING	75
SECTION	8: CERTIFICATION AND NOTIFICATION	76

Appendices

- Tab 1Stormwater Pollution Prevention Plan Site Map
- Tab 2 Delegation of Authority Letter, Subcontractor Certification, Inspector Qualifications
- Tab 3 Notice of Intent
- Tab 4 Soil Map and Report, Documentation for Arid/Semi Arid Climate
- Tab 5 Water Quality Information and Tier Determination
- Tab 6 Endangered Species and Cultural Properties
- Tab 7 Housekeeping and Training Documents
- Tab 8 BMP Product Details
- Tab 9 2017 NPDES CGP

Tab 10 Completed Inspection and Training Reports

STORM WATER POLLUTION PREVENTION PLAN C&D Storage

PREFACE

The United States Environmental Protection Agency (EPA) has issued a final 2017 Construction General Permit (CGP) that covers stormwater discharges from construction sites.

The 2017 National Pollutant Discharge Elimination System (NPDES) General Permit for Storm Water Discharges from Construction Activity (Appendix D) includes the following requirements:

- Conduct critical habitat and threatened/endangered species research
- Conduct historic/cultural property research
- Develop and implement a SWPPP in accordance with good engineering practices
- Submit a Notice of Intent (NOI)
- Install and maintain erosion and stormwater controls
- Perform and document storm water inspections during construction and site stabilization
- Amend the SWPPP as necessary
- Submit a Notice of Termination (NOT) following project completion and final stabilization of disturbed areas.

Authorization to discharge storm water is required under the Permit for both large and small construction projects disturbing one (1) acre or more or less than one (1) acre but part of a larger common plan of development that will ultimately disturb more than one (1) acre.

All parties that meet the definition of Operator must be permitted. Each Permittee is not required to develop and implement a separate SWPPP Plan. It is required that there be at least one SWPPP Plan for a site that incorporates the required elements for all Operators.

The New Mexico (Region 6) permit number is NMR100000. This Plan, which has been developed for C&D Storage, describes the nature and sequencing of construction activities, potential sources of pollution, and identifies the Best Management Practices (BMPs) to minimize the potential for erosion and stormwater pollution. This Plan was developed in accordance with the provisions of the Clean Water Act (33 U.S.C. § § 1251 et seq. as amended by the Water Quality Act of 1987, P.L. 100-4), and the regulations established by the U.S. Environmental Protection Agency (EPA) for the National Pollutant Discharge Elimination System (NPDES) General Permits for Storm Water Discharges from Construction Activities.

SECTION 1: CONTACT INFORMATION/RESPONSIBLE PARTIES

1.1 **Operator(s)** / Subcontractor(s)

OWNER:

C & D Land Corp 8420 South 190th ST Kent, WA 98031 Chris DiJulio, Owner 206-226-5252 chris@lincmove.com

OPERATOR:

Wilger Enterprises, Inc. 425 Edmon NE Albuquerque, NM 87107 Scot McLelland, Vice President 505-345-2854 scot@wilger.com

24-HOUR EMERGENCY CONTACT

Wilger Enterprises, Inc. Scot McLelland 505-345-2854

1.2 Stormwater Team

The Stormwater Team will be comprised of personnel who are responsible for overseeing the development, implementation, maintenance, and revision of this SWPPP and for the compliance requirements of the 2017 Construction General Permit. Each member of the Stormwater Team must have ready access to either an electronic or paper copy of applicable portions of the 2017 CGP and this SWPPP. The Stormwater Team Members are familiar with the management and operations of C&D Storage.

NAME	TITLE	RESPONSIBILITY
C & D Land Corp	Owner	Owner Certifies SWPPP Submits NOI and NOT Certifies Inspection Reports Certifies SWPPP Modifications
Wilger Enterprises, Inc.	Vice President	Operator Certifies SWPPP Submits NOI and NOT Certifies Inspection Reports Confirms Corrective Actions Certifies Corrective Action Reports Certifies SWPPP Modifications
Inspections Plus	SWPPP Development	SWPPP Development Team
Inspections Plus	Site Inspector	Site Inspections and NPDES Compliance Team
Inspections Plus	Foreman	Implementation Team
Inspections Plus	Foreman	Maintenance and Corrections Team

SECTION 2: SITE EVALUATION, ASSESSMENT, AND PLANNING

2.1 Project/Site Information

The project site is located at 423 Wyoming Blvd SE Albuquerque, NM, 87107 Bernalillo

GPS Location: 35.0683 N, 106.5514 W

Google Earth was used to determine latitude/longitude.

This project is not located on Indian country lands or property of religious or cultural significance belonging to N/A.

The earth disturbing activities of C&D Storage are not in response to a public emergency.

Operators of this project are not applying for permit coverage as a "Federal Operator" as defined in Appendix A of the 2017 Construction general Permit (CGP)

2.1.1 Climate and Topography

Site specific meteorology at C&D Storage is influenced by its proximity to topographic features such as mountains, canyons, and arroyos. These features influence the local wind patterns across the site. Canyons and arroyos tend to channel or funnel wind, whereas mountains create upslope/downslope diurnal patterns to wind flows. Winds tend to blow towards the mountains or up the Rio Grande Valley during the day. Nocturnal winds tend to blow down the mountains toward the Rio Grande Valley. These topographically-induced wind flows can be enhanced or negated by weather systems that move across the southwestern U.S. The strongest winds occur in the spring when the monthly wind speeds average 10.3 mph. wind gusts commonly reach 50 mph.

Large diurnal temperature ranges, summer monsoons, and frequent drying winds are characteristic of the regional climate in New Mexico. Temperatures are typical of mid latitude dry continental climates with summer high temperatures of approximately 90°F and winter high temperatures of approximately 50°F. Daily low temperatures range from approximately 60°F in the summer to approximately 20°F in the winter. The dry continental climate also produces low average humidity in the late spring and summer prior to the onset of the monsoon season. Daytime relative humidity can be between 10 and 20 percent in the spring and early summer, with an average humidity near 30 percent. Winter relative humidity averages near 50 percent.

2.1.2 Soils and Hydrology

The prominent soil at C&D Storage is Embudo-Tijeras Complex. This soil is in the well drained drainage class and is in the A hydrologic soil group. This soil has a high infiltration rate. This soil has a low potential for runoff. Slopes average 3.0 percent. The possibility of water erosion for this soil is very low.

2.2 Discharge Information

The Operators of C&D Storage understand the any discharges not expressly authorized under the CGP are not covered by the CGP or the permit shield provision of the CWA Section 402(k) and they cannot become authorized or shielded by disclosure to EPA, state, or local authorities via the NOI to be covered by the permit or by any other means (e.g., in the SWPPP or during an inspection). If any discharges requiring NPDES permit coverage other than the allowable stormwater and non-stormwater discharges listed in Parts 1.2.1 and 1.2.2 will be discharged, they must either be eliminated or covered under another NPDES permit.

2.2.1 Receiving Waters

Name of the first surface water that receives stormwater directly from C&D Storage and or the MS4:

1. Onsite Water Quality Pond is 0.0 miles from the site and is a discharge point.

It is important for the reviewer to note if the waters listed a discharge points. If none of the waters are discharge points, the water does not receive direct runoff from the site. The listing is provided to demonstrate the Operator's knowledge of the surface waters in proximity of the project site.

2.2.2 Impairment Status and Tier Designation

Table 2.2.2

Water	Is this surface water listed as "impaired"	What pollutant(s) are causing the impairment?	Is this a Tier 2 water?	Has a TMDL been completed?
1	No		No	No

The above waters are not impaired with PCBs and demolition of a 10,000 sq. ft. or more structure built or renovated before 1980 is not applicable to this project.

2.3 Nature of Construction Activities

C&D Storage will consist of the development of access, infrastructure, utilities, permanent drainage, and permanent stabilization for the construction of a commercial storage facility. C&D Storage is a 3.34 gross acre site with a disturbed acreage of 1.3. Site hours will consist of Monday through Friday 7am to 5pm. Construction Support Activities will include a staging area and material storage and are included in within the perimeter controls of the site.

2.4 Sequence and Estimated Dates of Construction Activities

Soil Disturbing Activities will include but are not necessarily limited to: Clearing and grubbing, rough grading, installation of perimeter controls and other erosion and sediment management control measures, construction of infrastructure, installation of utilities, permanent drainage, and construction of pavement sections (if required) for C&D Storage. The sequence of the following activities will be filled out by the Stormwater Team on Site as they occur.

Construction Activity	Date Initiated	Date Completed
Installation of BMPs- sediment transport barriers, entrances, washouts, posting boards		
Clearing and Grubbing		
Rough Grading		
Infrastructure		
Concrete (as required)		
Final Grading		
Paving		
Site Cleanup		
Temporary Stabilization (MUST Commence immediately once it is known that construction will cease for 14 days or more)		

Table 2.4

2.5 Authorized Non-Stormwater Discharges

The following table outlines the authorized non-storm water discharges, provided that they are in compliance with Part 1.2.2 of the 2017 CGP, and whether they are expected on the project:

Non-Stormwater Discharge	Expected on Project
Non-Stor inwater Discharge	Expected on Troject
Discharges from Firefighting Activities	No
Fire Hydrant Flushing	No
Vehicle Wash Water Without Detergent	No
Water used for Dust Control	Yes
Potable water including uncontaminated water line flushing	Yes
Pavement wash waters without detergents (e.g. waters used in sweeping activities) providing spills or leaks of toxic or hazardous materials have not occurred or removed if an occurrence has stopped.	Yes
Uncontaminated air conditioning or compressor condensate	No
Re-vegetation or landscape irrigation	No
Foundation and Footing Drains *applies only if expected on project	No
Construction Dewatering	No
External building washdown used without soaps, solvents or detergents and external surfaces do not contain hazardous substances (e.g. paint, chalk).	No

Table 2.5

2.6 Site Maps and Drainage

2.6.1 Ariel Project Location



2.6.2 Slopes and Drainage Patterns

Slopes:

Pre Construction: Existing Slopes primarily fall from East to West at 3.0%

Post Construction: Final Slope Percentages will mirror existing slopes near 3.0%, falling primarily East to West towards drainage basin.

Drainage Patterns:

Site will drain as historically indicated to onsite water quality ponds and existing drainage basin.

2.6.3 Revised Universal Soil Loss Equation (RUSLE)

 $\mathbf{A} = \mathbf{R} \mathbf{x} \mathbf{K} \mathbf{x} \mathbf{L} \mathbf{S} \mathbf{x} \mathbf{C} \mathbf{x} \mathbf{P}$

- R = Rainfall Runoff Erosivity Factor (R-Factor Map, see figure 2.6.3a)
- K = Soil Erodibility Factor (NRCS Web Soil Survey)
- LS = Slope Length Factor (LS Factor for Construction Sites, see table 2.6.3b)
- C = Cover Management Factor (See Table 2.6.3c)
- **P** = Erosion Control Practice Factor

Figure 2.6.3a RUSLE R- Factor Values for New Mexico

USDA-NRCS, NM

Agronomy Technical Note 28, Page 8



Source: USDA-NRCS, NM Agronomy Technical Note 28

 Table 2.6.3b LS Factors for Construction Sites

USDA-NRCS, NM

Agronomy Technical Note 28, Page 19

Table 4 - Values for Disturbed Site Topographic Factor, LS, for high ratio of rill to inter-rill erosion.³

Slope		norizontal slope length (tt)															
(%)	<3	4	9	12	15	25	50	75	100	150	200	250	300	400	600	800	1000
0.2	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.06	0.06	0.06	0.06	0.06	0.06	0.06
0.5	0.07	0.07	0.07	0.07	0.07	0.07	0.08	0.08	0.09	0.09	0.10	0.10	0.10	0.11	0.12	0.12	0.13
1.0	0.09	0.09	0.09	0.09	0.09	0.10	0.13	0.14	0.15	0.17	0.18	0.19	0.20	0.22	0.24	0.26	0.27
2.0	0.13	0.13	0.13	0.13	0.13	0.16	0.21	0.25	0.28	0.33	0.37	0.40	0.43	0.48	0.56	0.63	0.69
3.0	0.17	0.17	0.17	0.17	0.17	0.21	0.30	0.36	0.41	0.50	0.57	0.64	0.69	0.80	0.96	1.10	1.23
4.0	0.20	0.20	0.20	0.20	0.20	0.26	0.38	0.47	0.55	0.68	0.79	0.89	0.98	1.14	1.42	1.65	1.86
5.0	0.23	0.23	0.23	0.23	0.23	0.31	0.46	0.58	0.68	0.86	1.02	1.16	1.28	1.51	1.91	2.25	2.55
6.0	0.26	0.26	0.26	0.26	0.26	0.36	0.54	0.69	0.82	1.05	1.25	1.43	1.60	1.90	2.43	2.89	3.30
8.0	0.32	0.32	0.32	0.32	0.32	0.45	0.70	0.91	1.10	1.43	1.72	1.99	2.24	2.70	3.52	4.24	4.91
10.0	0.35	0.37	0.38	0.39	0.40	0.57	0.91	1.20	1.46	1.92	2.34	2.72	3.09	3.75	4.95	6.03	7.02
12.0	0.36	0.41	0.45	0.47	0.49	0.71	1.15	1.54	1.88	2.51	3.07	3.60	4.09	5.01	6.67	8.17	9.57
14.0	0.38	0.45	0.51	0.55	0.58	0.85	1.40	1.87	2.31	3.09	3.81	4.48	5.11	6.30	8.45	10.40	12.23
16.0	0.39	0.49	0.56	0.62	0.67	0.98	1.64	2.21	2.73	3.68	4.56	5.37	6.15	7.60	10.26	12.69	14.96
20.0	0.41	0.66	0.67	0.76	0.84	1.24	2.10	2.86	3.67	4.86	6.04	7.16	8.23	10.24	13.94	17.35	20.57
25.0	0.45	0.64	0.80	0.93	1.04	1.56	2.67	3.67	4.59	6.30	7.88	9.38	10.81	13.53	18.57	23.24	27.66
30.0	0.48	0.72	0.91	1.08	1.24	1.86	3.22	4.44	5.58	7.70	9.67	11.55	13.35	16.77	23.14	29.07	34.71
40.0	0.53	0.85	1.13	1.37	1.59	2.41	4.24	5.89	7.44	10.35	13.07	15.67	18.17	22.95	31.89	40.29	48.29
50.0	0.58	0.97	1.31	1.62	1.91	2.91	5.16	7.20	9.13	12.75	16.16	19.42	22.57	28.60	39.95	50.63	60.84
60.0	0.63	1.07	1.47	1.84	2.19	3.36	5.97	8.37	10.63	14.89	18.92	22.78	26.51	33.67	47.18	59.93	72.15

³ Such as for freshly prepared construction and other highly disturbed soil conditions with little or no cover (not applicable to thawing soil).

Source: USDA-NRCS, NM Agronomy Technical Note 28

Type of Cover			Factor C	Percent ¹
None (fallow ground)			1.0	0.0
Temporary Seedings (90 percent stand):				
Ryegrass (perennial type)			0.05	95
Ryegrass (annuals)			0.1	90
Small grain			0.05	95
Millet or sudan grass			0.05	95
Field bromegrass			0.03	97
Permanent Seedings (90 percent stand):			0.01	99
Sod (laid immodiately):			0.01	00
sou (iaid immediately):			0.01	33
	Application Tons Per Acre	Rate		
Mulch:				
Нау	.50		0.25	75
Нау	1.00		0.13	87
Нау	1.50		0.07	93
Нау	2.00		0.02	98
Small grain straw	2.00		0.02	98
Wood chips	6.00		0.06	94
Wood cellulose	1.75		0.10	90

Table 2.6.3c Cover Management Factors and Support Practice Factors

¹ Percent soil loss reduction as compacted/with fallow ground.

Source: USDA-NRCS, Connecticut Technical Guide.

Erosion Control Treatment	C Factor	P Factor
Bare Soil	1.00	1.00
Disked Bare Soil	1.00	0.90
Sediment Basin/Trap	1.00	0.50
Straw Bale Barrier	1.00	0.80
Silt Fence Barrier	1.00	0.50
Asphalt/Concrete Pavement	0.10	1.00
Competant Gravel Layer	0.05	1.00
Established Native Grass (100% coverage)	0.03	1.00
Sod Grass	0.01	1.00
Agricultural Crop	0.45	1.00
Erosion Control Blankets	0.002 to 0.003	1.00
Turf Reinforcement Mats	0.002 to 0.003	1.00

RUSLE	
A = R * K * LS * C * P	
A= Average Soil Loss (tons/acre/year)	0.312
R = Rainfall –Runoff Erosivity Factor	25
K = Soil Erodibility Factor	0.24
LS = Slope-Length Factor	0.52
C = Cover Management Factor	0.1
P = Erosion Control Practice Factor	1.0

RUSLE Calculation Before Construction

RUSLE Calculation During Construction

RUSLE	
A = R * K * LS * C * P	
A= Average Soil Loss (tons/acre/year)	1.56
R = Rainfall –Runoff Erosivity Factor	25
K = Soil Erodibility Factor	0.24
LS = Slope-Length Factor	0.52
C = Cover Management Factor	1.0
P = Erosion Control Practice Factor	0.5

RUSLE Calculation After Construction

RUSLE	
A = R * K * LS * C * P	
A= Average Soil Loss (tons/acre/year)	0.312
R = Rainfall –Runoff Erosivity Factor	25
K = Soil Erodibility Factor	0.24
LS = Slope-Length Factor	0.52
C = Cover Management Factor	0.1
P = Erosion Control Practice Factor	1.0

2.6.4 Sediment and Erosion Control Management Plan

The temporary sediment and erosion control plan is located at the front of the binder.

2.6.5 Rational for Selected BMPs

Table 2.6.5	
BMP	Rationale
Silt Fence	Silt Fence is an effective perimeter sediment control. It will
	intercept sheet flow, detain sediment, and decrease velocity of
	runoff. It requires minimal maintenance because it is rigid and
	UV stable. This site does not have concentrated flow.
Mulch Sock/Wattle	Mulch Socks/Wattles are effective for Perimeter sediment control,
	Stockpile runoff control, and Slope erosion control. When
	installed correctly they require minimal maintenance.
Earth Berm	Earth Berms are an effective Perimeter sediment control for
	evenly graded sites with minimal slope. They can be used to
	reduce peak flows and as a run on diversion control.
Inlet Protection	Inlet Protection is a structural BMP that protects inlets which
	receive stormwater from disturbed areas. It is an effective
	sediment and runoff control. It requires moderate maintenance
	and should be inspected regularly. This site has operational storm
	drain inlets that need protection.
Sediment Cut Back	Sediment Cut Backs are temporary structural BMPs that create a
	place for water to pond behind the cut back while still allowing
	access to the site. They are an effective sediment control for linear
	road projects and along curbs. They require moderate
	maintenance and should be inspected regularly.
Hydromulch	Hydromulch used in conjunction with seeding will speed the
	establishment of vegetation, maintain moisture, and protect soil
	from erosion.
Turf Reinforcement	Turf Reinforcement Matting will promote permanent vegetation
Matting	growth by controlling erosion. It will stabilize and retain the soil
	on slopes and in swales where erosion is more likely to occur. It
	can also serve as permanent stabilization.
Rip Rap	Rip Rap is effective for stabilizing construction slopes, stream
	banks, areas of fill and areas of concentrated flows. It is a
	effective velocity dissipation device and can be used a permanent
	stabilization.

SECTION 3: DOCUMENTATION OF COMPLIANCE WITH OTHER FEDERAL REQUIREMENTS

3.1 Endangered Species Protection

3.1.1 Eligibility Criterion

This project meets the Endangered Species Act Eligibility Criterion A. Measures were taken to determine the potential effects of potential storm water runoff and construction related activities on federally listed endangered or threatened species as required by Addendum D of the Construction General Permit.

For reference purposes, the eligibility criteria listed in CGP Appendix D are:

- Criterion A: No federally-listed threatened or endangered species or their designated critical habitat(s) are likely to occur in your site's "action area" as defined in Appendix A of this permit.
- **Criterion B:** The construction site's discharges and discharge-related activities were already addressed in another operator's valid certification of eligibility for your action area under eligibility Criterion A, C, D, E, or F and there is no reason to believe that federally-listed species or federally-designated critical habitat not considered in the prior certification may be present or located in the "action area". To certify your eligibility under this Criterion, there must be no lapse of NPDES permit coverage in the other operator's certification. By certifying eligibility under this Criterion, you agree to comply with any effluent limitations or conditions upon which the other operator's certification was based. You must include in your NOI the tracking number from the other operator's notification of authorization under this permit. If your certification is based on another operator's certification in the relevant supporting information required of existing dischargers in Criterion C in your NOI form.

- Criterion C: Federally-listed threatened or endangered species or their designated critical habitat(s) are likely to occur in or near your site's "action area," and your site's discharges and discharge-related activities are not likely to adversely affect listed threatened or endangered species or critical habitat. This determination may include consideration of any stormwater controls and/or management practices you will adopt to ensure that your discharges and discharge-related activities are not likely to adversely affect listed species are not likely to adversely affect listed species and critical habitat. To make this certification, you must include the following in your NOI: 1) any federally listed species and/or designated habitat located in your "action area"; and 2) the distance between your site and the listed species or designated critical habitat (in miles). You must also include a copy of your site map with your NOI.
- Criterion D: Coordination between you and the Services has been concluded. The coordination must have addressed the effects of your site's discharges and discharge-related activities on federally-listed threatened or endangered species and federally-designated critical habitat, and must have resulted in a written concurrence from the relevant Service(s) that your site's discharges and discharge-related activities are not likely to adversely affect listed species or critical habitat. You must include copies of the correspondence between yourself and the Services in your SWPPP and your NOI.
- **Criterion E:** Consultation between a Federal Agency and the U.S. Fish and Wildlife Service and/or the National Marine Fisheries Service under section 7 of the ESA has been concluded. The consultation must have addressed the effects of the construction site's discharges and discharge-related activities on federally-listed threatened or endangered species and federally-designated critical habitat. The result of this consultation must be either:
 - a biological opinion that concludes that the action in question (considering the effects of your site's discharges and discharge-related activities) is not likely to jeopardize the continued existence of listed species, nor the destruction or adverse modification of critical habitat; or
 - 2. written concurrence from the applicable Service(s) with a finding that the site's discharges and discharge-related activities are not likely to adversely affect federally-listed species or federally-designated habitat.

You must include copies of the correspondence between yourself and the Services in your SWPPP and your NOI.

• **Criterion F:** Your construction activities are authorized through the issuance of a permit under section 10 of the ESA, and this authorization addresses the effects of the site's discharges and discharge-related activities on federally-listed species and federally-designated critical habitat. You must include copies of the correspondence between yourself and the Services in your SWPPP and your NOI.

3.1.2 Supporting Documentation

Tab 6 of this binder includes the documentation required to support the selected criterion. The requirement for the selected eligibility criterion from CGP Appendix D is:

For Criterion A:

No federally listed threatened/endangered species or habitats are not likely to occur within the project action area.

- X Specific communication with staff of the U.S. Fish & Wildlife Service or National Marine Fisheries Service. INSPECTIONS PLUS contacted USFWS, IPaC and Critical Habitat Mapper to assist with this determination.
- <u>X</u> Publicly available species list. Documentation is found in the Protected Entities Section of this Binder.
- X Other source: <u>http://criticalhabitat.fws.gov/crithab/</u>, a copy of the map for the area is included in the Protected Entities Section of this Binder.

3.2 Historic Preservation

Appendix E of the Permit lists specific requirements to determine the effect subsurface stormwater controls on a historic property. This "screening process" is intended to determine if installation of stormwater controls on your site has the potential to cause effects to historic properties and whether or not you need to contact your SHPO, THPO, or other tribal representative for further information. If there are no earth disturbing stormwater controls on the project, the reader is directed to review the listing of sites in Bernalillo County placed in the Historic Register provided in Tab 6 of this Binder.

3.2.1 Eligibility Criterion

Step 1:

Are any of the following stormwater controls installed at the project site?

Table 3.2.1	
Stormwater Control	Installed at Project Site
Dike	No
Berm	No
Catch Basin	No
Pond	Yes
Ditch	No
Trench	No
Culvert	No
Channel	No
Perimeter Drain	No
Swale	No
Other type of Ground Disturbing Stormwater Control	No

*If none of the controls in the list are installed, the screening process is complete.

Step 2:

Have prior professional cultural resource surveys or other evaluations determined that historic properties do not exist, or have prior disturbances precluded the existence of historic properties?

Yes

*If yes, the screening process is complete.

If, during excavation or other construction activities, any previously unidentified or unanticipated historical, archaeological, and/or cultural resources are discovered, all activities that may damage or alter such resources shall be temporarily suspended. Resources covered by this paragraph include but are not limited to:

- Any human skeletal remains or burials
- Artifacts
- Shell, Midden, Bone Charcoal, or other deposits
- Rock or Coral Alignments, Pavings, Walls or other constructed features
- Any other indication of Agricultural or Human activities

Upon such discovery, the Operator shall immediately cease activity and contact the appropriate authorities so that a determination may be made as to their significance and what, if any, special disposition of the finds should be made. The Operator shall secure the area and prevent employees or other persons from trespassing on, removing, or otherwise disturbing such resources.

3.3 Safe Drinking Water Act Underground Injection Control Requirements

Per Part 7.2.9.c of the CGP, if you are using any of the following controls at your site, you must document any contact you have had with the applicable state agency or EPA regional Office responsible for implementing the requirements for underground injection wells in the Safe Drinking Water Act and EPA's implementing regulations at 40 CFR 144-147. Such controls would generally be considered Class V UIC wells. Will you be installing any of the following controls?

No Infiltration Trenches (if stormwater is directed to any bored, drilled,, driven shaft or dug hole that is deeper than it's widest surface dimension, or has a subsurface fluid distribution system)

No Commercially manufactured pre-cast or pre-built proprietary subsurface detention vaults, chambers, or other devices designed to capture and infiltrate stormwater flows

No Drywells, seepage pits, or improved sinkholes ((if stormwater is directed to any bored, drilled,, driven shaft or dug hole that is deeper than it's widest surface dimension, or has a subsurface fluid distribution system)

SECTION 4: EROSION AND SEDIMENT CONTROLS

4.1 Natural Buffers or Equivalent Sediment Controls

CGP Part 2.2.1 requires that sites provide and maintain natural buffers and/or equivalent erosion and sediment controls for any discharge to waters of the U.S. that are located within 50 feet of the site's earth disturbances. If the water of the U.S. is not located within 50 feet of earth disturbing activities, Part 2.2.1 does not apply.

Are there waters of the U.S. within 50 feet of earth disturbing activities at your site: No

The compliance alternative for this site is:

X: Surface waters *are not* within 50 feet of the project's earth disturbances. Additional engineering beyond the RUSLE calculations are not required.
4.2 Perimeter Controls

4.2.1 Wattles



DESCRIPTION AND PURPOSE

Wattles are temporary, structural BMPs consisting of coconut husk, mulch, compost or similar material packed and placed into rolls designed to capture sediment and reduce flow velocity.

OBJECTIVES:

- Sediment Control
- Runoff Control
- Erosion Control

TARGETED POLLUTANTS

- Sediment
- Hydrocarbons/Petroleum Products

APPLICATIONS

- Sediment Capture
- Storm Inlet Protection
- Slope Length Reduction
- Perimeter Containment
- Stockpile Containment
- Velocity dissipation

LIMITATIONS

- Wattles are not effective unless entrenched, and are prone to migration when not properly staked and entrenched.
- Wattles, due to their relatively small size, possess a limited capture area.
- Wattles are difficult to move when sediment laden or are saturated.
- Wattles should not be used on slopes prone to creep, slumping, or landslide.

INSPECTION

- Inspect according to regulatory timetables
- Proper trenching beneath wattle
- Adjoining rolls should overlap (as opposed to meeting the adjacent roll end to end)
- When installed on slopes, wattles must be installed on the contours.

MAINTENANCE

- Repair or replace roll that experiences splits, tears, unraveling, clogging, or slumping within 24 hours.
- Remove accumulation of soil behind roll beyond levels allowed by local regulations and manufacturers specifications within 24 hours.
- Ensure stakes are spaced and driven correctly, according to regulations and manufacturer specifications.

4.2.2 Earth Berms



DESCRIPTION AND PURPOSE

Earth Berms are temporary or permanent, structural BMPs that are utilized to intercept and divert run on/off site water to prevent it from entering or leaving a site.

OBJECTIVES

- Runoff Control
- Erosion Control
- Post Construction Management

TARGETED POLLUTANTS

• Sediment

APPLICATIONS

- Divert run on water away from disturbed areas
- Above existing disturbed slopes and cut or fill slopes
- At or near project perimeter

LIMITATIONS

- Freezing weather
- Topographic features

IMPLIMENTATION CONSIDERATIONS

• The berm should be sufficient in size and shape to prevent run on/off from the site.

INSPECTION

- Inspect according to regulatory timetables
- Correct location and dimensions
- Accumulation of sediment
- Evidence of runoff over-topping the berm

MAINTENANCE

- Repair erosion damage (rills, gullies) when encountered.
- Remove accumulation of sediment.
- Remove debris and trash.

4.2.3 Silt Fence



DESCRIPTION AND PURPOSE

Silt fence is a temporary, structural BMPs consisting of filter fabric stretched across stakes and entrenched.

OBJECTIVES:

- Sediment Control
- Runoff Control

TARGETED POLLUTANTS

- Sediment
- Trash and Debris

APPLICATIONS

- Perimeter Control
- Small Sediment Containment System

LIMITATIONS

- Silt fence should not be installed where conditions preclude uniform entrenchment of filter fabric or installation posts. (e.g. across a paved or rocky area)
- Silt fence may not be used in an area of concentrated flow.
- Silt fence is degraded by ultraviolet (UV) light and wind.
- Silt fence is designed to accept a certain amount of flow from a drainage area per linear foot of silt fence.
- Not for use in areas where accumulation of water may cause flooding.
- Not for use on steep slopes.

INSPECTION

- Inspect according to regulatory timetables
- Placement according to the SWPPP Plan, with field adjustments as needed.
- Sagging, frayed, torn, or otherwise worn or damaged fabric
- Proper stake materials and filter fabric.
- Damaged or broken reinforcement and staking materials
- Correct stake spacing, every 10 feet.
- Sediment build-up
- Undercutting/end runs
- Missing or removed silt fence
- Ensure proper entrenchment, applying physical pressure for verification.

MAINTENANCE

- Repair end runs and undercutting within 24 hours.
- Repair or replace worn, torn, or sagging fabric within 24 hours.
- Remove sediment deposits that accumulate to 1/3 height of the fabric within 24 hours.
- Check for reinforcement and staking materials for structural integrity and replace when necessary.

4.2.4 Gravel Bags



DESCRIPTION AND PURPOSE

Gravel Bags area temporary, structural BMP that utilizes bags filled with gravel to create a small sediment trap upstream of a storm drain inlet or culvert where water can pool and let sediment fall out of suspension before clean water tops the gravel bag and enters the drain.

OBJECTIVES:

- Runoff Control
- Sediment Control

TARGETED POLLUTANTS

- Sediment
- Trash and Debris

APPLICATIONS

- Culvert Inlets
- Drop Inlets

LIMITATIONS

• Pooling situation created by the gravel bag design may encroach upon roadways or parking structures.

INSPECTION

- Inspect according to regulatory timetables
- Displacement of gravel bags.
- Ruptured or damaged bags
- Ensure contact between the bags and the material underneath/beside them.
- Sediment accumulation around bags
- Check for bypass of measure

MAINTENANCE

- Remove accumulated sediment and debris from around the gravel bags within 24 hours.
- Replace bags that have shifted and are no longer in contact with the street or curb within 24 hours.
- Repair or replace bags that become damaged within 24 hours.

4.2.5 Cut Back Curb



DESCRIPTION AND PURPOSE

Cut Back Curbs are temporary, structural, BMPs that create a place for water to pond at the back of the curb, while still allowing access to the site.

OBJECTIVE:

• Sediment Control

TARGETED POLLUTANTS

• Sediment

APPLICATIONS

- Along the curb of lots
- At site perimeters
- Linear road projects

LIMITATIONS

- When installed improperly, cut back curbs can undermine and cause the collapse of adjacent roadways and sidewalks
- Not designed to handle large amounts of water.

INSPECTION

- Inspect according to regulatory timetables
- Proper Depth of Cut Back
- Erosion of soil under roadways, curbs and sidewalks adjacent to cut-back curb
- Accumulated sediment behind cut back curb
- Soil escaping the cut back ponding area
- Accumulated trash and debris

MAINTENANCE

- Maintain proper depth of cut back
- Remove accumulated sediment when it reaches 1/3 to 1/2 the depth of the cut back within 24 hours.
- Keep cut back curb areas free of trash and debris

4.3 Sediment Track Out



OBJECTIVE:

A project site's access points experience concentrated and loose sediment. The EPA suggests this directive as a minimum performance guideline, "At a minimum, you must provide for maintenance that meets the following requirement in CGP Part 2..2.4.d: Where sediment has been tracked-out from your site onto paved roads, sidewalks, or other paved areas outside of your site, remove the deposited sediment by the end of the same business day in which the track-out occurs or by the end of the next business day it track out occurs on a non-business day. Remove the track-out by sweeping, shoveling, or vacuuming these surfaces, or by using other similarly effective means of sediment removal. You are prohibited from hosing or sweeping tracked-out sediment into any stormwater conveyance, storm drain inlet, or water of the U.S."

The entrance may utilize several types of controls to capture sediment and prevent its movement offsite. Specifically, rumble mats or round stone approximately 4" in diameter have proven as effective dry approaches. Wash stations are effective wet solutions although the expense and maintenance of this method is significantly greater than a dry method.

INSTALLATION:

Stabilize all entrances to a site before construction and site disturbance begin. The stabilized entrances need to be large enough to allow the largest construction vehicle that will enter the site to fit through with room to spare. If many vehicles are expected to use an entrance in any one day, make the site entrance wide enough for two vehicles to pass at the same time with room on either side of each vehicle, and long enough to allow two full tire rotations.

If a site entrance leads to a paved road, make the end of the entrance flared so that long vehicles do not leave the stabilized area when they turn onto or off the paved roadway. If a construction site entrance crosses a stream, swale, or other depression, provide a bridge or culvert to prevent erosion from unprotected banks.

Make sure stone and gravel used to stabilize the construction site entrance are large enough so that they are not carried offsite by vehicles. Avoid sharp-edged stone to reduce

STORMWATER POLLUTION PREVENTION PLAN (SWPPP) C&D Storage

the possibility of puncturing tires. Install stone or gravel at a depth of at least 6 inches for the entire length and width of the stabilized construction entrance.

INSPECTION:

Common items to consider when inspecting a rock construction entrance is to determine if the rock is the appropriate size, if the rock is compacted due to frequent use and no longer effective, and if the rock has been placed over a filter cloth or blanket material. Similarly, it is important to determine if the entrance is of sufficient length and width and allow for adequate wheel rotation. Ineffective installation and maintenance of a construction entrance or track – out pad may lead to increased offsite sediment tracking and pollutant discharge.

MAINTENANCE

- Remove accumulated sediment.
- Where sediment has been tracked-out from your site onto paved roads, sidewalks, or other paved areas outside of your site, remove the deposited sediment by the end of the same business day in which the track-out occurs or by the end of the next business day if track-out occurs on a non-business day. Remove the track-out by sweeping, shoveling, or vacuuming these surfaces, or by using other similarly effective means of sediment removal. You are prohibited from hosing or sweeping tracked-out sediment into any stormwater conveyance, storm drain inlet, or water of the U.S.

4.4 Stockpiled Sediment or Soils



OBJECTIVE:

Stockpiles of soil, Portland Cement Concrete (PCC), Asphalt Concrete (AC), Hot Mix Asphalt Cement (HMAC) and rubble are potential storm water pollutants if not properly managed. Eliminate stockpiles whenever possible. Elimination is the most certain method available to prevent sediment discharge. Secondary protection may include perimeter control or covering with blankets to minimize the stockpile's exposure to stormwater and non-stormwater discharge.

The following are requirements that apply to all stockpiles, regardless of season or material, if elimination is not possible:

Locate stockpiles away from drainage courses, drain inlets or concentrated flows of stormwater.

For wind erosion control, apply water or other dust palliative to stockpiles. Small stockpiles may be covered as an alternative.

Place bagged materials on pallets and cover them with a tarp or similar material.

Soil Stockpiles

The temporary perimeter sediment barriers (e.g. wattles, dikes, silt fence) will contain any soil stockpiles. The description of the structural practice employed is included in the Perimeter Control section of this document. The design, installation and maintenance requirements are included in the description. A soil stabilization measure may be used in lieu of a perimeter control when active use of the stockpile ceases for short periods. Yearround, active soil stockpiles are to be protected with temporary linear sediment barriers prior to the onset of rain.

Paving Material & Waste Stockpiles

Stockpiles of PCC, AC/HMAC, aggregate base course, aggregate sub grade materials or rubbles are to be managed as follows:

Cover non - active stockpiles or protect them with temporary perimeter sediment barriers prior to the onset of rain;

STORMWATER POLLUTION PREVENTION PLAN (SWPPP) C&D Storage

Year – round, protect active stockpiles with temporary linear sediment barriers prior to the onset of rain.

Asphalt Stockpiles

During the non-rainy season, place non-active stockpiles of asphalt on plastic or a comparable material and cover the stockpile prior to the onset of rain. During the rainy season, place asphalt stockpiles on plastic and always cover them. Year-round, active asphalt stockpiles are to be placed on plastic and covered prior to rain.

INSPECTION AND MAINTENANCE

Inspect stockpiles as part of the routine storm water inspection. The Owner and/or Operator may repair or replace perimeter controls and covers to ensure proper function.

4.5 Minimize Dust



OBJECTIVE:

Dust control BMPs reduce surface activities and air movement that causes dust to be generated from disturbed soil surfaces. Construction sites can generate large areas of soil disturbance and open space for wind to pick up dust particles. Limited research at construction sites has established an average dust emission rate of 1.2 tons/acre/month for active construction (WA Dept. of Ecology, 1992).

Airborne particles pose a dual threat to the environment and human health. First, dust can be carried offsite, thereby increasing soil loss from the construction area and increasing the likelihood of sedimentation and water pollution. Second, blowing dust particles can contribute to respiratory health problems and create an inhospitable working environment.

INSTALLATION:

Dust control measures are applicable to any construction site where there is the potential for air and water pollution from dust traveling across the landscape or through the air. Dust control measures are especially important in arid or semiarid regions, where soil can become extremely dry and vulnerable to transport by high winds. Implement dust control measures on all construction sites where there will be major soil disturbances or heavy equipment construction activity such as clearing, excavation, demolition, or excessive vehicle traffic. Earthmoving activities are the major source of dust from construction sites, but traffic and general disturbances can also be major contributors (WA Dept. of Ecology, 1992). The dust control measures that are implemented at a site will depend on the topography and land cover of the site and its soil characteristics and expected rainfall.

DUST CONTROL METHODS

When designing a dust control plan for a site, the amount of soil exposed will dictate the quantity of dust generation and transport. Therefore, construction sequencing and disturbing only small areas at a time can greatly reduce problematic dust from a site. If land must be disturbed, consider using temporary stabilization measures before

disturbance. Several methods exist which can be used to control dust from a site but not all will be applicable to a site.

Consider site-specific assessments and weather conditions to determine which method may be most effective. The following lists some control measures and design criteria:

Sprinkling/Irrigation

Sprinkling the ground surface with water until it is moist is an effective dust control method for haul roads and other traffic routes (Smolen et al., 1988). This practice can be applied to almost any site.

Vegetative Cover

In areas not expected to handle vehicle traffic, vegetative stabilization of disturbed soil is often desirable. Vegetative cover provides coverage to surface soils and slows wind velocity at the ground surface, thus reducing the potential for dust to become airborne.

Mulch

Mulching can be a quick and effective means of dust control for a recently disturbed area and may reduce wind erosion by up to 80 percent.

Wind Breaks

Wind breaks are barriers (either natural or constructed) that reduce wind velocity through a site and, therefore, reduce the possibility of suspended particles. Wind breaks can be trees or shrubs left in place during site clearing or constructed barriers such as a wind fence, snow fence, tarp curtain, hay bale, crate wall, or sediment wall. For each foot of vertical height, and 8 to 10-foot deposition zone develops on the leeward side of the barrier. The permeability of the barrier will change the breaks effectiveness at capturing windborne sediment.

Tillage

Deep tillage in large open areas brings soil clods to the surface where they rest on top of dust, preventing it from becoming airborne. Roughening the soil can reduce losses by approximately 80 percent in some situations.

Stone

Stone can be an effective dust deterrent for construction roads and entrances or as a mulch in areas where vegetation cannot be established. The size of the stones can affect the amount of erosion taking place. In areas of high wind, small stones are not as effective as 20 cm stones, for example.

Spray-on Chemical Soil Treatments (Palliatives)

Chemical palliatives should be used only on mineral soils. When considering chemical application to suppress dust, determine whether the chemical is biodegradable or water-soluble and what effect its application could have on the surrounding environment, including water bodies and wildlife. Per limited research, the effectiveness of polymer stabilization methods range from 70 percent to 90 percent.

INSPECTION AND MAINTENANCE:

Because dust controls are dependent on specific site and weather conditions, inspection and maintenance requirements are unique for each site. Generally, however, dust control measures involving application of either water or chemicals require more monitoring than structural or vegetative controls to remain effective. If structural controls are used, inspect them regularly for deterioration to ensure that they are still achieving their intended purpose.

4.6 Minimize Steep Slope Disturbance



The project **does not have** steep slope areas. This section will not apply if the project does not have a steep slope.

Steep slopes have many definitions. Generally, slopes that are steeper than 2.5:1 are slopes that meet the steep slope requirements of the 2017 CGP. The methods of compliance are linked with the phase of construction.

Consider using spray-on chemical treatments as described in Section 5.8 of this plan to minimize steep slope disturbance and erosion. The palliative may be applied by hydraulic methods or executed with a spray truck (hydroseeder).

INSPECTION AND MAINTENANCE:

Inspect the palliative treatment during each regularly scheduled inspection and after each rain event. If there is evidence of erosion or sediment subsistence at the toe of the slope, reapply the temporary treatment.

4.7 Topsoil

This project has extensive paving, concrete or other impervious structures.

Topsoil, if the project is not highly impervious, will be stockpiled in an area of the project where it can be preserved by sediment barriers at the base of the pile combined with the mitigation measures described in the Minimization of Dust in section 4.5 of this document. Alternatively, the topsoil pile can be covered with geotextile or other impenetrable barrier to preserve the material in the pile.

INSPECTION AND MAINTENANCE:

Maintenance Requirements for the topsoil pile will follow those listed in the Stockpile discussion included in the document.

4.8 Soil Compaction

Where engineered infiltration or vegetation practices are the stabilization methods and compaction has occurred, it is necessary to condition the area to accept the stabilization practice. Determining the level of compaction is a site-specific activity. The area to be vegetated should be marked to prevent traffic and to notify site employees to avoid the area until the vegetation activities take place.

If the conditioning method is not listed in the specification documents, the specification for installation of vegetative means or infiltrations practices will be provided by the Operator.

4.9 Storm Drain Inlet Controls



DESCRIPTION AND PURPOSE

Inlet protection at grade is a structural BMP that protects inlets that are flush with the ground or at grade (drop or yard inlets) which receive stormwater from disturbed areas of the construction site. This inlet protection may include any number of above ground constructions.

OBJECTIVES:

- Runoff Control
- Sediment Control

TARGETED POLLUTANTS

- Sediment
- Trash and Debris

APPLICATIONS

- Where additional sediment control is needed
- Where other surface protection is prohibited due to:
- The presence of vehicular traffic
- Safety hazards
- regulations
- Along highways where grates are used in combination with curb inlets

LIMITATIONS

- Pooling situation created by the inlet protection at grade may encroach upon roadways or parking structures.
- May be safety issues on roadways

INSPECTION

- Inspect according to regulatory timetables
- Protection fitting grate dimensions.
- Rips, tears, or other damage to materials
- Install according to SWPPP Plan.
- Sediment accumulation
- Check for bypass

MAINTENANCE

• Clean, or remove and replace, the protection measures as sediment accumulates, the filter becomes clogged, and/or performance is compromised. Where there is evidence of sediment accumulation adjacent to the inlet protection measure, remove the deposited sediment by the end of the same business day in which it is found or by the end of the following business day if removal by the same business day is not feasible.

4.10 Stormwater Conveyance Channels

OBJECTIVE:

Incorporating conveyance channels into a project demonstrates well-developed engineering practices. Control methods must address and prevent channel deterioration to ensure the channel does not contribute to sedimentation and pollution of waters of the U.S. It is equally important to include velocity dissipation measures to ensure:

- The velocity gradient in the channel is moderated
- The geometry of the channel is maintained
- Pollutants are controlled
- Sediment is captured and contained onsite

4.11 Sediment Basins

SEDIMENT BASINS OR TRAPS WILL NOT BE INSTALLED AS A CONTROL IN THE PROJECT.

OBJECTIVE:

Sediment traps are small impoundments that allow sediment to settle from construction runoff. They are usually installed in a drainage way or other discharge point. Sediment traps are most commonly used at channels, slope drains, dewatering locations, construction site entrance wash tracks, conveyance discharge points or any other runoff outlet.

Sediment traps detain sediments in stormwater runoff to protect receiving streams, lakes, drainage systems and the surrounding area. The traps are formed by excavating an area or by placing an earthen embankment across a low area or drainage swale.

Drainage swales, sediment traps or sediment basins capture runoff and sediment on a larger scale than smaller BMPs. They are sized to manage large storm or drainage areas. Sediment basins also allow for the controlled return of surface water in dewatering situations while simultaneously capturing sediment. Lastly, sediment traps provide collections points for sediment at the perimeter of site discharge locations meeting the ELG regulatory requirements.

INSTALLATION:

- When excavating an area for a sediment trap, the side slopes should not be steeper than 2:1 and the top of the embankment no more than 5 feet from the original ground surface.
- Ensure stability of side walls, mounds and barriers by Machine-compacting all embankments. If the trap is created above grade it should be lined with well-graded stone to reduce flow rate from the trap the outlet.
- The spillway weir for each temporary sediment trap should be at least 4 feet long for a 1-acre drainage area and increase by 2 feet for each additional drainage acre added, up to a maximum drainage area of 5 acres.

INSPECTION AND MAINTENANCE:

- Inspect the sediment basin or trap per the schedule outlined in this plan. At each inspection, ensure the trap is draining properly. Remove sediments when the basin reaches 50% sediment capacity. Inspect the structure for damage from erosion by reviewing the depth of the spillway and maintain it at a minimum of 18 inches below the lowest point of the trap embankment.
- Take care to situate sediment traps for easy access by maintenance crews. The primary maintenance consideration for temporary sediment traps is to remove accumulated sediment. Do this periodically to ensure ongoing operation. Perform re-compaction of side walls, mounds and barriers after extended periods of water retention to ensure each is competent to accept future flows.

4.12 Chemical Treatment

Chemical treatment is not employed as a BMP on this project.

4.13 Dewatering Practices

Dewatering is not expected on this project.

4.14 Other Stormwater Controls

4.14.1 NPDES Notification Board

OBJECTIVE:

To ensure the soil disturbance information for the project is readily for review and use by the public and site personnel. The NPDES Notification must be large enough to contain information about the project and all notifications and posting. The NPDES Notification must provide all soil disturbance information, including the NPDES tracking number, contact for additional information, directive to the SWPPP location, and a directive to contact the EPA in the event that there is an indication of stormwater pollutants in site discharge or a receiving waterbody, in accordance with Part 1.5 of the 2017 CGP.

INSTALLATION:

The NPDES Notification must be installed or posted at a location which is easily accessible to the public. It must be located so that it is visible from the public road that is nearest the active part of the construction site and it must use font large enough to be readily viewed from public right-of-way.

INSPECTION AND MAINTENANCE:

The NPDES Notification Board will be inspected during the scheduled site inspections per Part 4.2 of the CGP. The board should always be in proper condition with a rain gauge attached. Any identified board maintenance will be scheduled for repair.

4.14.2 Temporary Sanilet Facilities

OBJECTIVE:

Provide personal waste facilities for site personnel for the proper collection, disposal and prevention of waste products in compliance with OSHA regulations. Temporary sanilet facilities encourage good housekeeping measures at the construction site. Their installation meets OSHA regulations and prevents pollution and stormwater contamination.

INSTALLATION:

The sanilet provider may install the device at locations throughout the project site which provide convenient access to both site personnel and equipment maintenance or removal operators. Sanilets should not be installed near any discharge or inlet location, such as on top of or uphill from a storm drain or drop inlet. The sanilet provider should securely anchor the facility to prevent tipping. It may be necessary to install a secondary control measure, such as a wattle perimeter or earth berm, to further ensure minimal runoff.

INSPECTION AND MAINTENANCE:

Inspect sanilet facilities daily to determine if they have reached 50% volume capacity. The facilities should be removed, replaced or emptied when they have reached or exceeded this amount. Daily inspection should check that all plastic structures are intact and do not show signs of damage from construction, vandalism or weather – related activities. Inspectors should also determine if the location is appropriate and not near discharge or inlet locations.

Sanilets are designed to promote safe and sanitary use. However, if stored liquids have not been removed and the sanilet is nearing capacity, vacuum and dispose of them in an approved manner - check with the local sanitary sewer authority to determine if there are special disposal requirements.

4.15 Site Stabilization

The Site is located in an arid, semi-arid or drought stricken area.

Regardless of the project location's in an arid, semi-arid or drought stricken area, projects operating in New Mexico, except Indian country, must comply with the temporary stabilization deadlines noted in Parts 2.2.14.

4.15.1 Initiation Timeframe Requirements

Per Part 2.2.14 of the CGP, "You must initiate soil stabilization measures immediately whenever earth-disturbing activities have permanently or temporarily ceased on any portion of the site."

The term "immediately" is used to define the deadline for initiating stabilization measures. In the context of this provision, "immediately" means as soon as practicable, but no later than the end of the next work day, following the day when the earthdisturbing activities have temporarily or permanently ceased.

Per 2.2.14 of the CGP clarifies and defines 'permanently' and 'temporarily' to assist Owners and Operators to determine which requirements apply to the project area:

- *"Earth-disturbing activities have permanently ceased* when clearing and excavation within any area of your construction site that will not include permanent structures has been completed."
- *"Earth-disturbing activities have temporarily ceased* when clearing, grading, and excavation within any area of the site that will not include permanent structures will not resume (i.e., the land will be idle) for a period of 14 or more calendar days, but such activities will resume in the future.
- The 14-calendar day timeframe above begins counting as soon as you know that construction work on a portion of your site will be temporarily ceased. In circumstances where you experience unplanned or unanticipated delays in construction due to circumstances beyond your control (e.g., sudden work stoppage due to unanticipated problems associated with construction labor, funding, or other issues related to the ability to work on the site; weather conditions rendering the site unsuitable for the continuation of construction work) and you do not know at first how long the work stoppage will continue, your requirement to immediately initiate stabilization is triggered as soon as you know with reasonable certainty that work will be stopped for 14 or more additional calendar days. At that point, you must comply with Parts 2.2.1.i and 2.2.1.ii."

4.15.2 Initiation Activities

If construction work ceases on a portion of the site for a continuous 14-day period, *but will resume in the future*, the Permittee will stabilize the disturbed areas with a means shown in the list below. Part 2.2.14 of the CGP provides the following list of initiation examples as a guide. This list is not exhaustive:

- 1. Prepping the soil for vegetative or non-vegetative stabilization;
- 2. Applying mulch or other non-vegetative product to the exposed area (e.g. temporary soil stabilizer);
- 3. Seeding or planting the exposed area;
- 4. Starting any of the activities in # 1 3 on a portion of the area to be stabilized, but not on the entire area; and
- 5. Finalizing arrangements to have stabilization product fully installed in compliance with the applicable deadline for completing stabilization in Parts 2.2.14.

The areas disturbed will exclude locations in which construction has not started or locations in which construction has implemented permanent stabilization. Locations where permanent stabilization practices and controls have been implemented will conform to the design specifications for each or the Stabilization Practices – Post Construction listed herein.

4.15.3 Completion Deadline

Per Part 2.2.14 of the CGP, stabilization activities must be complete as soon as practicable but no later than 14 calendar days after stabilization has been initiated as discussed above. At the close of the 14 period, the site must exhibit the following:

- 1. Establish uniform, perennial vegetation (i.e., evenly distributed, without large bare areas) that provides 70 percent or more of the cover that is provided by vegetation native to local undisturbed areas; and or
- 2. Implement permanent no vegetative stabilization measures (examples of permanent non-vegetative stabilization measures include riprap, gravel, gabions, and geotextiles) to provide effective cover.

4.15.4 Temporarily Ceased Activities

C&D Storage may use the following stabilization methods to comply with Part 2.2.14 of the CGP. Descriptions of the mechanism and maintenance protocols for Non-Vegetative Controls are available in Tab 8 of this binder. Descriptions of the mechanism and maintenance protocols for Vegetative Controls are available in Tab 8 of this Binder.

Table 4.15.4				
Stabilization Practice	Stabilization Type	Convert to Permanent?		
Site Paving	Non Vegetative	Yes		
Silt Fence	Non Vegetative	No		
Sprayed Water	Non Vegetative	No		

4.15.5 Post Construction Stabilization

The area from which vegetation is removed or the soil disturbed is that area which will be designated for excavation, grading, concrete, paving, vertical construction or landscaping for this project and must be addressed in the design of the entire project.

Stabilization is more than establishing of vegetation. Site stabilization is coverage of the disturbed area with a constructed element (e.g. a building or stabilized channel) or a natural element (e.g. seeding or planted vegetation). It is important for the reviewer to acknowledge sites include both constructed and natural elements that can deliver stabilization equivalent to the 'pre-construction condition'. A representative site evaluation will recognize an appropriately stabilized area prevents the transport of sediment off the site. Prevention of sediment transport is attainable using constructed elements as well as natural elements. The site around which this plan is developed incorporates the contract documents for constructed elements, permanent erosion control or other stabilization means.

It is the intent of the Owner, Operator, and Contractors to provide and comply with permitted coverage requirements until 70% of the natural vegetated state (prior to disturbance) is achieved.

The criteria for final stabilization in Part 2.2.14b is to "Establish uniform, perennial vegetation (i.e., evenly distributed, without large bare areas) that provides 70 percent or more cover that in provided by vegetation native to local undisturbed areas; and/or Implement permanent non-vegetative stabilization measures to provide effective cover."

There is an exception to the criteria for Arid, semi arid, and drought- stricken areas:

Final stabilization is met if the area has been seeded or planted to establish vegetation that provides 70 percent or more of the cover that is provided by vegetation native to local undisturbed areas within three (3) years and, to the extent necessary to prevent erosion on the seeded or planted area, non-vegetative erosion controls have been applied that provide cover for at least three years without active maintenance.

Stabilization Practice	Stabilization Type	Converted from Temporary?
Site Paving	Non Vegetative	Yes
Vertical Structure	Non Vegetative	No
Landscaping	Vegetative	No

Table 4.15.5

SECTION 5: POLLUTION PREVENTION STANDARDS

5.1 Potential Sources of Pollution

Potential pollutants that could affect the stormwater discharges from this project may include but are not limited to:

Table 5.1

Activity	Potential Pollutants
Equipment Activity	OIIs, Grease, Fuels, and other distillates
Demo Activities	Concrete, Lime, Asphalt, Sediment
Site grading	Sediment
Structure Area	Concrete, Lime, VOCs
Parking Area	Asphalt, VOCs, Concrete, Lime
Landscaping	Sediment

All equipment and materials used during the project will be stored within the site's perimeter controls. Additional appropriate controls including, but not limited to: secondary containment, drip pans, berming, and covering may be used. Additional controls will be established based on site conditions and equipment/materials used.

5.2 Spill Prevention and Response

The discharge or spill of hazardous substances is not expected to occur due to or during construction activities. The project and its activities are not expected to use any substance in a manner or quantity that might require the reporting of a release in excess of reportable quantities. Substances and reportable values include:

Hazardous Substances	Where Released	Reportable Quantity
Engine Oil, fuel, hydraulic and brake fluids	Land	25 Gallons
Engine Oil, fuel, hydraulic and brake fluids	Water	Visible Sheen
Antifreeze, battery acid, gasoline, engine degreasers, radiator fluid	Air, Land or Water	100 lbs. or 13 Gallons
Paints, solvents and thinners	Land	100 lbs. or 13 Gallons
Freon	Air	1 lb.

Table 5.2

When an incident (spill of hazardous material in excess of reportable quantities) occurs within the project during construction activities, the following measures will be employed:

The Operator Wills	Time Action	Responsible
The Operator win:	Required	Employee Onsite
Stop the source of the spill	Immediate	Assigned Team
		Member
Contain the spill utilizing (compost) mulch socks or soil	Immediate	Safety Officer
berms		
Clean up the spill	Once Spill is	Assigned Team
	Contained	Member
Dispose of material contaminated by the spill in an	Within 24	Safety Officer
approved disposal site	Hours	
Notify both the National Response Center (1-866-428-	Within 24	Superintendent
6535) and the New Mexico Environment's Hazardous	Hours	
and Radioactive Materials Bureau (1-505-827-4300)		
providing a release of hazardous materials in excess of		
reportable quantities has occurred.		
Submit a description of the incident to the appropriate	14 Calendar	Superintendent
authorities (SWQB)	Days	
Modify SWPPP, if appropriate, and identify	14 Calendar	Inspections Plus
prevention measures.	Days	_
	· · · · · · · · · · · · · · · · · · ·	

Sanitation: providing temporary facilities (such as portable restrooms) to ensure that the site sanitation requirements comply with federal, state and local regulations.

This site does not require a Spill Prevention Control and countermeasure (SPCC) plan. If a plan is required, it will be found in a separate binder at the construction site office.

5.3 Fueling and Maintenance of Equipment or Vehicles

OBJECTIVE:

Minimize or eliminate the discharge of fuel spills and other pollutants into the MS4 on construction sites. Key areas include all construction sites where storage and maintenance occur on - site, and all fueling areas within a construction site.

LIMITATIONS:

Fuel vehicles on-site only when off-site fueling is impractical. Comply with local codes regarding fluid disposal and on-site equipment maintenance.

STANDARDS AND SPECIFICATIONS:

- Spill cleanup kits should be available in fueling areas and on fueling trucks. Proper disposal is required.
- A drip pan or absorbent pad should be used unless fueling or maintenance activities occur over an impervious surface.
- When a vehicle is located over a water body (dock, barge) and is planned to be idle for more than one hour, a drip pan or sheet should be placed under the vehicle.

Fueling areas should be:

- Located at least 100 feet from waterways, channels, and storm drains.
- Protected from run-on or runoff.
- Located on a level-graded area.
- Attended always during fueling.
- Fueling equipment should be equipped with an automatic shut-off nozzle to contain drips.
- Fuel tanks should not be "topped-off".
- Avoid mobile fueling.
- Observe federal, state, and local requirements relating to any stationary aboveground storage tanks. Double containment mechanisms should be employed whenever possible.
- Do not dump fuels and lubricants onto the ground.
- Do not bury used tires.
- Do not dispose of oil in a dumpster or pour it down the storm drain.
- Properly dispose of used batteries.
- Conduct washing, fueling, and major maintenance off-site whenever possible.
- Inspect vehicles for leaky hoses, gaskets, or other problems.

- Locate vehicle services areas away from waterways, storm drains, gutters, and curbs.
- Use berms, sand bags, or other barriers to contain areas.
- Do not use detergents, solvents, degreasers, or other chemical products to do onsite cleaning.
- Use a drip pan or drip cloth if fluids will be drained and replaced on-site.
- Collect all used fluids, store in separate labeled containers, and either recycle or dispose of properly.

INSPECTION AND MAINTENANCE:

- Inspect on all containment structures.
- Maintain waste fluid containers in a leak proof condition.
- Service sumps associated with wash areas regularly.
- Inspect daily for leaks on vehicles and equipment.
- Keep an ample supply of spill cleanup materials available on-site.
- Clean up spills immediately and dispose of waste properly.
- Prevent boil-over by regularly cleaning equipment radiators.

5.4 Washing of Equipment and Vehicles

OBJECTIVE:

To minimize or eliminate the discharge of pollutants entering the storm drain system from vehicle and equipment cleaning operations at all construction sites where vehicle cleaning occurs.

INSTALLATION:

Limitations:

Wash water discharges may need to be pretreated before release into the sanitary sewer.

Standards and Specifications:

- On-site vehicle and equipment washing is discouraged.
- Do not clean vehicles and equipment with detergent, solvents, or steam on the project site.
- Contain wash water away from storm drain inlets or waterways for evaporative drying or percolation.
- Off-site cleanings are encouraged for all vehicles and equipment that regularly enter and leave the construction site.
- Conduct washing, fueling, and major maintenance off-site whenever possible.
- If equipment or vehicle washing must occur on-site:
- Locate cleaning area away from storm drain inlets, drainage facilities, or waterways.
- Perform the washing in a paved area with concrete or asphalt utilizing a berm to contain wash waters and prevent run-on or runoff.
- Install a sump to collect wash water.
- Do not discharge wash waters to storm drains or waterways.
- Use only when necessary.
- When cleaning vehicles with water:
- Consider using a high-pressure sprayer or a positive shut-off valve to reduce water usage.

INSPECTION AND MAINTENANCE:

- Inspect the control measure at a minimum of once per week.
- Monitor employees and subcontractors to ensure they are implementing or following proper practices.
- Regularly inspect and maintain the sump. Remove sediments and liquids as needed.

Storage, Handling, and Disposal of Building Products, Materials, and Wastes 5.5

Table 5.5			
Construction Product/Material/ Waste	Storage/Handling	Disposal	
Building Materials	Enclosed Leak Proof Containment Area	Off Site	
Construction Waste	Covered Dumpster	Off Site	
Onsite Chemicals	Water Tight Containers	Off Site	
Landscaping Materials	Temporary Cover	Off Site	

5.5.1 Pesticides, Herbicides, Insecticides, Fertilizers, and Landscape Materials

Pesticides, Herbicides, Insecticides, Fertilizers, and Landscape Materials are not found on the site per CGP Part 2.3.3b

5.5.2 Diesel Fuel, Oil, Hydraulic Fluids, Other Petroleum Products, and Other Chemicals

OBJECTIVE:

To minimize or eliminate the discharge of hazardous or non-hazardous materials to storm drains, watercourses, or drainage channels. These practices are applicable to all construction sites that have delivery and/or storage of:

- Fuel, oil, grease
- Herbicides, pesticides, fertilizers
- Asphalt, concrete and their components
- Acids, curing and form compounds
- Other hazardous materials

INSTALLATION:

Limitations:

- All temporary storage buildings must meet building codes.
- Storage must meet fire codes.
- All secondary containment structures and materials should be removed from the site upon completion of the project and disposed of per regulations.

Standards and Specifications:

- Designate a storage area that is not near a storm drain or watercourse.
- Follow manufacturers' instructions on application, storage, and disposal of materials.
- Store on-site only the amount of material necessary for the job.
- Use non-hazardous and environmentally friendly products.
- Provide indoor storage or cover stockpiled materials and wastes with a tarp.
- Provide covered storage for secondary containment of hazardous materials.
- Use secondary storage to prevent soil contamination.
- Monitor employees and subcontractors to ensure that proper practices are being implemented.
- Keep all material in original containers.
- Label all stored materials per state, local and federal regulations.
- Do not store incompatible materials together.
- Keep adequate supply of cleanup materials on site at all times.
- Report all spills.
- Do not apply hazardous chemicals during wet or windy conditions.
INSPECTION AND MAINTENANCE:

- Inspect storage areas weekly to ensure neatness.
- Post proper storage instructions and Safety Data Sheets (SDS) for all currently stored materials.
- Repair and replace damaged secondary containment facilities.
- Remove all empty containers and packaging from site.
- Store materials with adequate clearances for access and emergency response.

5.5.3 Hazardous or Toxic Waste

OBJECTIVE:

To minimize or eliminate the discharge of hazardous wastes from construction sites to storm drains, gutters, watercourses and drainage channels. These practices are applicable to the following products:

- Petroleum products
- Asphalt products
- Concrete products
- Herbicides and pesticides
- Acids for cleaning masonry
- Soil stabilization chemicals
- Septic wastes
- Paints, solvents, stains and wood preservatives
- Materials that were used to treat or adsorb other wastes
- Hazardous construction wastes such as lead, asbestos, or lead paint

INSTALLATION:

Limitations:

- Does not address preexisting contamination or site assessments.
- Large spills or other serious hazardous wastes require immediate response from specialists.
- Contractor is required to follow all federal, state and local laws regarding handling, storing, and transporting waste materials.

Standards and Specifications:

- Waste containers shall be constructed of a suitable material and properly labeled according to regulations. Labels must include type of material, time of collection and site location.
- Temporary containment for stored materials should be sized at 1.5 times the volume of the stored material. Materials must be stored in sealed drums.
- Temporary containment areas shall be free of accumulated stormwater and spills.
- Temporary containment areas shall have room between containers for emergency response and cleanup.
- Incompatible materials shall be stored separately.
- Do not store different materials in the same container.
- Do not locate temporary containment areas near storm drains, gutters, watercourses or drainage channels.
- Provide adequate access to temporary containment areas.

- Store containers on pallets under a covered, protected area unless containers are watertight.
- Do not dispose of liquid waste in dumpsters or other solid waste containers.
- Collect water from decontamination procedures, treat it and dispose of it at an appropriate disposal site.
- Educate employees and subcontractors in waste storage and disposal. Ensure that proper procedures are followed.
- Immediately repair all dikes and liners used for storage or containment.
- Recycle materials if appropriate.

INSPECTION AND MAINTENANCE:

- Ensure that all wastes are properly labeled and stored.
- Verify that all hazardous wastes are disposed of properly.
- Hazardous wastes must be collected, labeled and disposed of at authorized disposal sites.
- Keep supplies on-site for cleanup of spills.
- Post SDS sheets for all materials stored on-site.
- Immediately repair all dikes and liners used for storage or containment.

5.5.4 Construction and Domestic Waste

DESCRIPTION

Building materials and other construction site wastes must be properly managed and disposed of to reduce the risk of pollution from materials such as surplus or refuse building materials or hazardous wastes. Practices such as trash disposal, recycling, proper material handling, and spill prevention and cleanup measures can reduce the potential for stormwater runoff to mobilize construction site wastes and contaminate surface or ground water.

APPLICABILITY

The proper management and disposal of wastes should be practiced at every construction site to reduce stormwater runoff. Use waste management practices to properly locate refuse piles, to cover materials that might be displaced by rainfall or stormwater runoff, and to prevent spills and leaks from hazardous materials that were improperly stored.

SITING AND DESIGN CONSIDERATIONS

Solid Wastes:

- Designate a waste collection area on the site that does not receive a substantial amount of runoff from upland areas and does not drain directly to a waterbody.
- Ensure that containers have lids so they can be covered before periods of rain, and keep containers in a covered area whenever possible.
- Schedule waste collection to prevent the containers from overfilling.
- Clean up spills immediately. For hazardous materials, follow cleanup instructions on the package. Use an absorbent material such as sawdust or kitty litter to contain the spill.
- During the demolition phase of construction, provide extra containers and schedule more frequent pickups.
- Collect, remove, and dispose of all construction site wastes at authorized disposal areas. Contact a local environmental agency to identify these disposal sites.

To ensure the proper disposal of contaminated soils that have been exposed to and still contain hazardous substances, consult with state or local solid waste regulatory agencies or private firms. Some landfills might accept contaminated soils, but they require laboratory tests first.

STORMWATER POLLUTION PREVENTION PLAN (SWPPP) C&D Storage

Paint and dirt are often removed from surfaces by sandblasting. Sandblasting grits are the byproducts of this procedure and consist of the sand used and the paint and dirt particles that are removed from the surface. These materials are considered hazardous if they are removed from older structures because they are more likely to contain lead-, cadmium-, or chrome-based paints. Ensure proper disposal of sandblasting grits by contracting with a licensed waste management or transport and disposal firm.

Detergents:

Phosphorous and nitrogen containing detergents are used in wash water for cleaning vehicles. Excesses of these nutrients can be a major source of water pollution. Use detergents only as recommended, and limit their use on the site. Do not dump wash water containing detergents into the storm drain system; direct it to a sanitary sewer or contain it so that it can be treated at a wastewater treatment plant.

LIMITATIONS

An effective waste management system requires training and signage to promote awareness of the hazards of improper storage, handling, and disposal of wastes. The only way to be sure that waste management practices are being followed is to be aware of worker habits and to inspect storage areas regularly. Extra management time may be required to ensure that all workers are following the proper procedures.

MAINTENANCE CONSIDERATIONS

Inspect storage and use areas and identify containers or equipment that could malfunction and cause leaks or spills. Check equipment and containers for leaks, corrosion, support or foundation failure, or other signs of deterioration, and test them for soundness. Immediately repair or replace any that are found to be defective.

5.5.5 Sanitary Waste

OBJECTIVE:

To minimize or eliminate the discharge of sanitary wastes from construction sites to storm drains, gutters, watercourses and drainage channels. These controls apply to construction sites that have portable or temporary sanitary waste systems.

INSTALLATION:

Limitations:

- To dispose of wastes to the sanitary sewer, the leasing company must be permitted.
- On-site disposal systems must comply with all local, and state regulations.
- Temporary connections to the sanitary sewer should meet codes and regulations.

Standards and Specifications:

- Locate toilets and disposal systems where accidental discharge cannot flow to storm drains, gutters, watercourses and drainage channels.
- Anchor portable toilets so they do not overturn during high winds.
- All sanitary wastes shall eventually be discharged to a sanitary sewer.
- Employ licensed sanitary services to ensure facilities are in working order at all times.

INSPECTION AND MAINTENANCE:

- Monitor employees and subcontractors to ensure that proper practices are being implemented.
- Sanitary storage and disposal should be inspected at least once per week. Units should be properly maintained, repaired, or replaced.

5.6 Washing of Applicators and Containers used for Paint, Concrete or Other Materials



OBJECTIVE:

Concrete washouts are used to collect and contain concrete and liquids when the chutes of concrete mixers and hoppers of concrete pumps are rinsed after delivery. The washout controls consolidate solids for easier disposal and prevent runoff of liquids. Proper containment prevents caustic material from reaching the soil surface and migrating to surface waters or ground water.

The wash water is alkaline and contains high levels of chromium, which can leach into the ground and contaminate groundwater. It can also migrate to a storm drain, which can increase the pH of area waters and harm aquatic life. Solids that are improperly disposed of can clog storm drain pipes and cause flooding. Installing concrete washout facilities not only prevents pollution but also is a matter of good housekeeping at your construction site.

INSTALLATION:

Install the washout in an area that is convenient and provides easy access for concrete trucks, preferably near the area in which the concrete is being poured. There are various types of washout containers the Contractor may use at a jobsite to collect and contain wash water. Such methods include but are not limited to chute washout boxes, buckets and pumps, lined washout pits surrounded by an adequate berm or bale barrier, vinyl washout containers, and metal washout containers.

Washout containers should be leak proof and of adequate size to accommodate anticipated material use and waste without causing spillage. Each method should be installed in concurrence with manufacturer specifications of design specifications.

INSPECTION AND MAINTENANCE:

Inspect all concrete washout facilities daily to determine if they have filled to 75 percent capacity, which is when materials need to be removed. Washouts should be inspected daily to ensure that plastic linings are intact, and sidewalls have not been damaged by construction activities. Inspectors should also note whether the facilities are being used regularly. If drivers have washed their chutes or hoppers in other locations; place additional washouts in more convenient locations.

Concrete washouts are designed to promote evaporation where feasible. However, if stored liquids have not evaporated and the washout is nearing capacity, vacuum and dispose of the waste in an approved manner. Check with the local sanitary sewer authority to determine if there are special disposal requirements for concrete wash water.

- Remove liquids or cover the structures before predicted rainstorms to prevent overflows.
- Remove hardened solids whole or break them up depending on available equipment for removal and local regulations.
- Following material removal, build a new structure, or if the previous structure is still intact, inspect the structure for signs of weakening or damage and make any necessary repairs.
- Line the concrete structure with new plastic that is free of holes or tears each time concrete removal is performed.
- Replace signage if necessary.

5.7 Fertilizers

Fertilizer is not planned for use on the project.

5.8 Other Pollution Prevention Practices

Unique activities requiring pollution prevention practices do not exist on this project.

SECTION 6: INSPECTION, MAINTENANCE, AND CORRECTIVE ACTION

6.1 Inspection Personnel and Procedures

Successful SWPPP compliance includes regular BMP control inspections, preventive maintenance, and SWPPP plan review. These inspections will help to uncover conditions that might lead to a release of discharges and non-compliance violations. Planned maintenance should prevent discharges and violations. Revisions to the plan ensure it is viable and effective for the life of the project. The following activities and supporting procedures will be included in the preventive maintenance program.

6.1.1 General Site Awareness

The Operator shall continuously (during scheduled and unscheduled specific site visits) monitor the implemented erosion and sediment control measures during site specific (and project) construction activities to ensure the effectiveness and operation condition of the measures. If changes or repairs are needed to improve the effectiveness and operation of a sediment control measure, they will be implemented as soon as practicable and in no case greater than seven (7) days after the discovery of the needed corrective action.

6.1.2 Specific Inspection Frequency

Inspections will occur on a 14 day basis based on the water quality assessments for Onsite Water Quality Pond. This water is not impaired and is unassessed. Rain events at 0.25" will be within 24 hours. Inspections will occur only during the project's normal working hours of Monday through Friday 7am to 5pm as described in Part 4.1.2.2 of the CGP.

6.1.3 Reduction in Inspection Frequency

If a reduction in inspection frequency is required it must be documented in the SWPPP and comply with Part 4.4.1, 4.4.2, or 4.4.3 of the CGP. This project will be reduced to monthly inspections during the dry season.

6.1.4 Personnel Responsible for Inspections

<i>Table 6.1.4</i>		
INSPECTOR NAME	CERTIFICATIONS	COMPANY
Cassandra Durkin	CESSWI- 5184	INSPECTIONS PLUS
Jeff Hart	NMED CGP Training	INSPECTIONS PLUS
Marcos Valadez	Field Training	INSPECTIONS PLUS

The supporting certification documentation for the Inspection Personnel is available for review in Tab 2 of this Binder.

Note: All personnel conducting inspections must be considered a "qualified person." CGP Part 4.1 clarifies that a "qualified person" is a person knowledgeable in the principles and practices of erosion and sediment controls and pollution prevention, who possesses the skills to assess conditions at the construction site that could impact stormwater quality, and the skills to assess the effectiveness of any stormwater controls selected and installed to meet the requirements of this permit

6.1.5 Inspection Report Forms

A copy of the inspection form is included in Tab 10 of this Binder.

6.2 Corrective Actions

Corrective actions for the site BMPS are noted on each inspection report. The corrective actions should be initiated 'immediately'. Immediately is defined by EPA as a requirement of operators to initiate all reasonable steps to minimize or prevent the discharge of pollutants until a permanent solution is installed and made operational. This includes cleaning up any contaminated surfaces to prevent discharges from subsequent events.

Table 6.2	
Corrective Condition	Deadline for Corrective Action
Stormwater control(s) needs to be repaired/replaced; and (1) the repair or replacement is not significant; and (2) it can be corrected through routine maintenance	Immediately (same day as discovered or the next business day if it is too late in the work day of discovery) initiate actions to repair/replace the control and complete by close of the next business day.
Stormwater control(s) needs to be repaired/replaced; and (1) the repair or replacement is significant; or (2) it cannot be corrected through routine maintenance	Immediately initiate actions to minimize or prevent the discharge of pollutants and maintain temporary controls until a permanent solution is installed and made operational. Install, repair, and make the control(s) operational within 7 calendar days from the date of discovery of corrective condition.
Stormwater control(s) was never installed,	Install, repair, and make the control(s)
was installed incorrectly, or was not	operational within 7 calendar days from the
installed in accordance with the SWPPP or	date of discovery of corrective condition.
CGP requirements	
Stormwater control(s) is not effective	Modify, repair, and make the control(s)
enough for the discharge to meet applicable	operational within 7 calendar days from the
water quality standards or applicable	date of discovery of corrective condition.
requirements in CGP Part 3.1	

6.2.1 Corrective Action Log

The EPA requires the Permittee to complete a Corrective Action Report or log. A log is included in Tab 7 of this Binder. The Operator or Owner will utilize the Inspection Report to identify the areas where corrective actions are required. The Inspection Report will list the conditions of the site, nature of the conditions identified for correction and the date and time of the identification.

Corrective Action Reports

For each corrective action taken in accordance with Part 5.1, you must complete a report in accordance with the following:

- Part 5.4.1: Within 24 hours of identifying the corrective action condition, document the specific condition and the date and time it was identified.
- Part 5.4.2: Within 24 hours of completing the corrective action (in accordance with the deadlines in Part 5.2), document the actions taken to address the condition, including whether any SWPPP modifications are required.
- Part 5.4.3: Each corrective action report must be signed in accordance with Appendix I, Part I.11 of this permit.
- Part 5.4.4: You must keep a copy of all corrective action reports at the site or at an easily accessible location, so that it can be made available at the time of an on-site inspection or upon request by EPA.
- Part 5.4.5: You must retain all corrective action reports completed for this Part for at least three (3) years from the date that your permit coverage expires or is terminated.

6.2.2 Personnel Responsible for Corrective Actions

Name or Title	Responsibility	Telephone Number and
		Email
Wilger Enterprises	Confirms completion of	Scot McLelland
	corrective actions	505-345-2854
	through review of	scot@wilger.com
	inspection reports or	
	corrective action logs.	
Inspections Plus	Discovery of necessary	Jeff Hart
	actions for stormwater	505-344-9410
	controls during	jeff@inspectionsplus.com
	inspections	
	Communicates necessity	
	to complete corrective	
	actions to project and	
	Construction	
	Management	
	Confirms completion of	
	corrective actions	

Table 6.2.2

6.3 Delegation of Authority

The EPA accepted delegation of authority letter(s) is included in Tab 2 of this Binder

SECTION 7: TRAINING

Each operator, or group of multiple operators, must assemble a "stormwater team" to carry out compliance activities associated with the requirements in this permit.

Prior to the commencement of construction activities, you must ensure that the following personnel on the stormwater team understand the requirements of this permit and their specific responsibilities with respect to those requirements:

- Personnel who are responsible for the design, installation, maintenance, and/or repair of stormwater controls (including pollution prevention controls);
- Personnel responsible for the application and storage of treatment chemicals (if applicable);
- Personnel who are responsible for conducting inspections as required in Part 4.1;
- Personnel who are responsible for taking corrective actions as required in Part 5.

You are responsible for ensuring that all activities on the site comply with the requirements of this permit. You are not required to provide or document formal training for subcontractors or other outside service providers, but you must ensure that such personnel understand any requirements of this permit that may be affected by the work they are subcontracted to perform.

7.1 Documentation for Completion of Training

Completed training documentation is in Tab 10 of this Binder.

SECTION 8: CERTIFICATION AND NOTIFICATION

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gathered and evaluated the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I have no personal knowledge that the information submitted is other than true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

SITE OPERATOR – EXECUTION OF DAILY ACTIVITIES (e.g. Contractors) Wilger Enterprises, Inc.

Site Operator: By: Scot McLelland, Vice President Date:

SITE OPERATOR – PLAN CONTROL AND DIRECTION (e.g. Agencies, Engineers, Owners) C & D Land Corp

Owner: By: Chris DiJulio, Owner Date:

REVISIONS TO THE STORM WATER POLLUTION PREVENTION PLAN		
Date	Description of Revision	Authorized Signature

TAB 2

Delegation of Authority

I, Scot McLelland, hereby designate the person or specifically described position below to be a duly authorized representative for the purpose of overseeing compliance with environmental requirements, including the Construction General Permit, at the C&D Storage construction site. The designee is authorized perform and sign Site Inspections and After Rain Event Inspections.

INSPECTIONS PLUS Site Inspector INSPECTIONS PLUS 504 El Paraiso Rd NE Ste B Albuquerque, NM 87113 505-344-9410

By signing this authorization, I confirm that I meet the requirements to make such a designation as set forth in Appendix I of EPA's Construction General Permit (CGP), and that the designee above meets the definition of a "duly authorized representative" as set forth in Appendix I.

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gathered and evaluated the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Wilger Enterprises, inc.

Scot McLelland

Vice President

Signature: _____

11/24/2020

Delegation of Authority

I, Scot McLelland, hereby designate the person or specifically described position below to be a duly authorized representative for the purpose of overseeing compliance with environmental requirements, including the Construction General Permit, at the C&D Storage construction site. The designee is authorized to sign inspection reports to certify that the report was prepared by a Qualified Person.

 (name of person or position)
 (company)
(address)
(city, state, zip)
(phone)

By signing this authorization, I confirm that I meet the requirements to make such a designation as set forth in Appendix I of EPA's Construction General Permit (CGP), and that the designee above meets the definition of a "duly authorized representative" as set forth in Appendix I.

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gathered and evaluated the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Wilger Enterprises, Inc.

Scot McLelland

Vice President

Signature: _____

11/24/2020





certifies that

Cassandra Diane Durkin

Subscribes to the Code of Ethics and Professional Conduct and has met the requirements established for the CPESC[®] Program as a

Certified Professional in Erosion and

Sediment Control®

CPESC[®] Number: CPESC

Certificate Date: May 13, 2019

Michael R. Chase Michael R. Chase, EnviroCert Technical Co-Chair

Jim O'Tousa, EnviroCert Technical Co-Chair

Robert Anderson, EnviroCert Board President

The CPESC[®] Certification was established in 1983





certifies that

Durkin Diane Cassandra

Subscribes to the Code of Ethics and Professional Conduct and has met the requirements established for the CESSWITM Program as a

Certified Erosion, Sediment and

Storm Water Inspector

CESSWI[™] Number: 5184

Certificate Date: February 21, 2018

michael R. Chase

Jim O'Tousa, EnviroCent Technical Co-Chair

Michael R. Chase, EnviroCert Technical Co-Chair

Robert Anderson, EnviroCert Board President

The CESSWIT¹⁴ Certification was established in 2007

Certificate of Attendance

THIS ACKNOWLEDGES THAT

CASSANDRA DURKIN

ATTENDED THE NEW MEXICO ENVIRONMENT DEPARTMENT 2018 CONSTRUCTION GENERAL PERMIT NPDES WORKSHOP (6 HOURS)

MARCH 21, 2018 LAS CRUCES, NEW MEXICO

LN3WHULL

ATTENDED THE NEW MEXICO ENVIRONMENT DEPARTMENT 2018 CONSTRUCTION GENERAL PERMIT NPDES WORKSHOP (6 HOURS) Certificate of Attendance THIS ACKNOWLEDGES THAT JEFF HART

MARCH 21, 2018 LAS CRUCES, NEW MEXICO



INSPECTIONS PLUS, Inc. Certificate of Completion

Qualified Storm Water Construction Inspector

is hereby granted to

Jeff Hart

he/she has completed to satisfaction

Training for General Construction, covering storm water regulations, storm inspection procedures, endangered species and historical preservation impacts and is now qualified to perform storm water site inspections. water pollution prevention plans, best management practices, site Two weeks of one on one field training.

Granted: August 15, 2017

Storm Water Construction	on Inspector Qualification
Inspector's Name	Jeff Hart
Training Received	Onsite construction field training for 2 days of inspections and review of 2012 NPDES regulations. 2 weeks of oversight by veteran inspector. August 15, 2017
Training Covered	The training covered the EPA Storm Water permit issued 2012, Storm Water Pollution Prevention Plans (SWPPPs), Best Management Practices (BMPs) proper installation and maintenance, Endangered Species and Historic Preservation Acts.
Construction Experience	Beginning August 15, 2017 through current
Installing Sediment and Erosion Control Experience	N/A
Storm Water Construction Inspection Experience	Beginning August 15, 2017



Associated Contractors of New Mexico

This Certificate of Completion acknowledges that

Marcos Valadez Portillo

Has satisfactorily completed training in

STORM WATER QUALIFIED PERSON

Including US EPA 2017 Construction General Permit

ACIM Instructor

Effective Date: February 20, 2020 Expiration Date: February 20, 2024

ACNM No.:233384

Hours Instruction (PDH): 8

ACNM Director of Training and Safety

ACNM Accutive Director

Associated Contractors of New Mexico - 6135 Edith Blvd. NE Albuquerque, NM 87107 - 505-344-2072 - aconm.org

An Equal Employment Opportunity Program
INSPECTIONS PLUS, Inc. Certificate of Completion

Qualified Storm Water Construction Inspector

is hereby granted to

Marcos Valadez

Training for General Construction, covering storm water regulations, storm inspection procedures, endangered species and historical preservation impacts and is now qualified to perform storm water site inspections. water pollution prevention plans, best management practices, site Three weeks of one on one field training. to certify that he/she has completed to satisfaction

Granted: May 9,2014

Storm Water Constructio	n Inspector Qualification
Inspector's Name	Marcos Valadez
Training Received	Onsite construction field training for 2 days of inspections and review of 2012 NPDES regulations. 2 weeks of oversight by veteran inspector.
Training Covered	The training covered the EPA Storm Water permit issued 2012, Storm Water Pollution Prevention Plans (SWPPPs), Best Management Practices (BMPs) proper installation and maintenance, Endangered Species and Historic Preservation Acts.
Construction Experience	Installation of BMPs 2005
Installing Sediment and Erosion Control Experience	N/A
Storm Water Construction Inspection Experience	Beginning 2007 and physical installation of BMPs 2005

TAB 3





SWPPP NOI Posting Notice

C&D Storage

Owner	C&D Land Corp
Tracking Number	N M R 1 0 0 4 B T
Contact	Chris DiJulio
Phone Number	

General Contractor	Wilger Enterprises, Inc.
Tracking Number	N M R 1 0 0 3 G J
Contact	Scot McLelland
Phone Number	5 0 5 - 3 4 5 - 2 8 5 4

"If you would like to obtain a copy of the Stormwater Pollution Prevention Plan (SWPPP) for this site, contact the EPA Regional Office For CGP questions: <u>Suzanna Perea</u> (perea.suzanna@epa.gov) (214) 665-7217) For CGP noncompliance reporting: <u>Region 6 NPDES Reporting</u> (R6_NPDES_Reporting@epa.gov) "If you observe indicators of stormwater pollutants in the discharge or in the receiving waterbody, contact the EPA through the following website: https://www.epa.gov/enforcement/report-environmental-violations."





Mayor Timothy M. Keller

November 17, 2021

Cassandra Durkin, CPESC, CESSWI Inspections Plus Inc. 504 El Paraiso Rd. NE Suite B Albuquerque, NM 87113

Re: C&D Storage – 423 Wyoming Blvd SE Erosion and Sediment Control Plan Engineer's Stamp Date 11/11/2021 (L19E023)

Dear Ms. Durkin,

Based upon the information provided in your submittal received on 11/16/21, the abovereferenced plan is approved to be included in the SWPPP and the Building Permit plans.

The EPA Notice of Intent (NOI) documentation has been reviewed and signed by the City and is attached, so this project is approved for Grading, and Building Permit.

Please remember to include a copy of the approved plan and a signed copy of the NOI in the Building Permit application.

If you have any questions, you can contact me at 924-3420 or jhughes@cabq.gov.

Sincerely,

James D. Hughes

James D. Hughes, P.E. Principal Engineer, Planning Dept. Development and Review Services

NPDES FORM 3510-9



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, DC 20460 NOTICE OF INTENT (NOI) FOR THE 2017 NPDES CONSTRUCTION PERMIT

FORM Approved OMB No. 2040-0004

V

Submission of this Notice of Intent (NOI) constitutes notice that the operator identified in Section III of this form requests authorization to discharge pursuant to the NPDES Construction General Permit (CGP) permit number identified in Section II of this form. Submission of this NOI also constitutes notice that the operator identified in Section III of this form meets the eligibility requirements of Part 1.1 CGP for the project identified in Section IV of this form. Permit coverage is required prior to commencement of construction activity until you are eligible to terminate coverage as detailed in Part 8 of the CGP. To obtain authorization, you must submit a complete and accurate NOI form. Discharges are not authorized if your NOI is incomplete or inaccurate or if you were never eligible for permit coverage. Refer to the instructions at the end of this form.

Permit Information

NPDES ID: NMR1004BT

State/Territory to which your project/site is discharging: $\underline{\sf NM}$

Is your project/site located on federally recognized Indian Country lands? No

Are you requesting coverage under this NOI as a *"Federal Operator"* as defined in Appendix A (https://www.epa.gov/sites/production/files/2019-05/documents/final_2017_cgp_appendix_a_-_definitions.pdf)?

No

Have stormwater discharges from your current construction site been covered previously under an NPDES permit? No

Will you use polymers, flocculants, or other treatment chemicals at your construction site? No

Has a Stormwater Pollution Prevention Plan (SWPPP) been prepared in advance of filling this NOI, as required? Yes

Are you able to demonstrate that you meet one of the criteria listed in Appendix D (https://www.epa.gov/sites/production/files/2017-02/documents/2017_cgp_final_appendix_d_-endangered_species_reqs_508.pdf) with respect to protection of threatened or endangered species listed under the Endangered Species Act (ESA) and federally designated critical habitat?

Yes

Have you completed the screening process in Appendix E (https://www.epa.gov/sites/production/files/2017-02/documents/2017_cgp_final_appendix_e_-_historic_properties_reqs_508.pdf) relating to the protection of historic properties?

Yes

Indicating "Yes" below, I confirm that I understand that CGP only authorized the allowable stormwater discharges in Part 1.2.1 and the allowable nonstormwater discharges listed in Part 1.2.2. Any discharges not expressly authorized in this permit cannot become authorized or shielded from liability under CWA section 402(k) by disclosure to EPA, state or local authorities after issuance of this permit via any means, Including the Notice of Intent (NOI) to be covered by the permit, the Stormwater Pollution Prevention Plan (SWPPP), during an Inspection, etc. If any discharges requiring NPDES permit coverage other than the allowable stormwater and non-stormwater discharges listed in Parts 1.2.1 and 1.2.2 will be discharged, they must be covered under another NPDES permit.

Yes

Operator Information

 Operator Information

 Operator Name: C & D Land Corp

 Operator Mailing Address:

 Address Line 1: 8420 South 190th St

 Address Line 2:
 City

 ZIP/Postal Code: 98031
 State

City: Kent

State: WA

V

Operator Point of Contact Information					
First Name Middle Initial Last Name: Chris	DiJulio				
Title: Owner					
Phone: 505-345-2854	Ext.:				
Email: chris@lincmove.com					
NOI Preparer Information					
☑ This NOI is being prepared by someone other that	n the certifier.				
First Name Middle Initial Last Name: Cassandra	Durkin				
Organization: Inspections Plus					
Phone: 505-344-9410	Ext.:				
Email: cassandra@inspectionsplus.com					
Project/Site Information				*	
Project/Site Name: C&D Storage					
Project/Site Address					
Address Line 1: 423 Wyoming Blvd SE					
Address Line 2:		City: Albuquerque			
ZIP/Postal Code: 87107		State: NM			
County or Similar Division: Bernalillo					
Latitude/Longitude: 35.0683°N, 106.5514°W					
Latitude/Longitude Data Source: Google Earth		Horizontal Reference Date	um: WGS 84		
Project Start Date: 11/23/2021	Project End Date: 07/01/2	2022	Estimated Area to be Disturbed: 1.5		
Types of Construction Sites: Commercial 					
• Utility					
Will there be demolition of any structure built or ren	ovated before January 1, 19	980? Yes			
Do any of the structures being demolished have	ve at least 10,000 square fe	et of floor space? Yes			
Was the pre-development land use used for agricult	ure? No				
Have earth-disturbing activities commenced on you	Have earth-disturbing activities commenced on vour project/site? No				

Is your project/site located on federally recognized Indian Country lands? No

Is your project/site located on a property of religious or cultural significance to an Indian tribe? No

Discharge Information

Does your project/site discharge stormwater into a Municipal Separate Storm Sewer System (MS4)? Yes

Are there any waters of the U.S. within 50 feet of your project's earth disturbances? No

Are any of the waters of the U.S. to which you discharge designated by the state or tribal authority under its antidegradation policy as a Tier 2 (or Tier 2.5) water (water quality exceeds levels necessary to support propagation of fish, shellfish, and wildlife and recreation in and on the water) or as a Tier 3 water (Outstanding National Resource Water)? See Appendix F (https://www.epa.gov/sites/production/files/2017-02/documents/2017_cgp_final_appendix_f_-tier_3_tier_2_and_tier_2.5_waters_508.pdf)

No

001: Onsite Pond

Latitude/Longitude: 35.06813°N, 106.552558°W

Tier Designation: N/A

Is this receiving water impaired (on the CWA 303(d) list)? No

Has a TMDL been completed for this receiving waterbody? No

Stormwater Pollution Prevention Plan (SWPPP)

First Name Middle Initial Last Name: Scot	McLelland	
Organization:		
Title: Vice President- Wilger Enterprises, Inc.		
Phone: 505-345-2854	Ext.:	
Email: scot@wilger.com		
Endenmered Species Protection		~
Endangered Species Protection		•

Using the Instructions in Appendix D of the CGP, under which criterion listed in Appendix D are you eligible for coverage under this permit?

Provide a brief summary of the basis for criterion selection listed above (the necessary content for a supportive basis statement is provided under the criterion you selected.):

Per communication with USFWS, there are no critical habitats within the project area.

V

V

Historic Preservation	~
Are you installing any stormwater controls as described in Appendix E (https://www.epa.gov/sites/production/files/2017- 02/documents/2017_cgp_final_appendix_ehistoric_properties_reqs_508.pdf) that require subsurface earth disturbances? (Appendix E (https://www.epa.gov/sites/production/files/2017-02/documents/2017_cgp_final_appendix_ehistoric_properties_reqs_508.pdf), Step 1) No	
Certification Information	*
I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gathered and evaluated the information submitted. Based on my inquiry of the person or persons who manage the system or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I have no personal knowledge that the information submitted is other than true, accurate, and complete. I am aware that there are significant penalties is submitting false information, including the possibility of fine and imprisonment for knowing violations. Signing an electronic document on behalf of another person subject to criminal, civil, administrative, or other lawful action. Certified By: CHRISTOPHER J. DIJULIO Certifier Title: Owner Certifier Email: chrisd@lincmove.com Certified On: 11/09/2021 10:22 AM ET	n, for is

L19E023

James D. Hughes

11/17/2021





UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, DC 20460 NOTICE OF INTENT (NOI) FOR THE 2017 NPDES CONSTRUCTION PERMIT

~

Submission of this Notice of Intent (NOI) constitutes notice that the operator identified in Section III of this form requests authorization to discharge pursuant to the NPDES Construction General Permit (CGP) permit number identified in Section II of this form. Submission of this NOI also constitutes notice that the operator identified in Section III of this form. Submission of this NOI also constitutes notice that the operator identified in Section III of this form meets the eligibility requirements of Part 1.1 CGP for the project identified in Section IV of this form. Permit coverage is required prior to commencement of construction activity until you are eligible to terminate coverage as detailed in Part 8 of the CGP. To obtain authorization, you must submit a complete and accurate NOI form. Discharges are not authorized if your NOI is incomplete or inaccurate or if you were nev er eligible for permit coverage. Refer to the instructions at the end of this form.

Permit Information

NPDES ID: NMR1003GJ

State/Territory to which your project/site is discharging: NM

Is your project/site located on federally recognized Indian Country lands? No

Are you requesting coverage under this NOI as a *"Federal Operator"* as defined in Appendix A (https://www.epa.gov/sites/production/files/2019-05/documents/final_2017_cgp_appendix_a_-_definitions.pdf)?

No

Have stormwater discharges from your current construction site been covered previously under an NPDES permit? No

Will you use polymers, flocculants, or other treatment chemicals at your construction site? No

Has a Stormwater Pollution Prevention Plan (SWPPP) been prepared in advance of filling this NOI, as required? Yes

Are you able to demonstrate that you meet one of the criteria listed in Appendix D (https://www.epa.gov/sites/production/files/2017-02/documents/2017_cgp_final_appendix_d_-endangered_species_reqs_508.pdf) with respect to protection of threatened or endangered species listed under the Endangered Species Act (ESA) and federally designated critical habitat? Yes

Have you completed the screening process in Appendix E (https://www.epa.gov/sites/production/files/2017-02/documents/2017_cgp_final_appendix_e_-_historic_properties_reqs_508.pdf) relating to the protection of historic properties? Yes

Indicating "Yes" below, I confirm that I understand that CGP only authorized the allowable stormwater discharges in Part 1.2.1 and the allowable non-stormwater discharges listed in Part 1.2.2. Any discharges not expressly authorized in this permit cannot become authorized or shielded from liability under CWA section 402(k) by disclosure to EPA, state or local authorities after issuance of this permit via any means, Including the Notice of Intent (NOI) to be covered by the permit, the Stormwater Pollution Prevention Plan (SWPPP), during an Inspection, etc. If any discharges requiring NPDES permit coverage other than the allowable stormwater and non-stormwater discharges listed in Parts 1.2.1 and 1.2.2 will be discharged, they must be covered under another NPDES permit.

 Operator Information
 Image: Coperator Information

 Operator Name: Wilger Enterprises, Inc.
 Image: Coperator Name: Wilger Enterprises, Inc.

 Operator Mailing Address:
 Image: Coperator Name: Cop

Operator Point of Contact Information	Malalland			
First Name Middle Initial Last Name: Scot	McLelland			
Title: Vice President				
Phone: 505-345-2854	Ext.:			
Email: scot@wilger.com				
NOI Preparer Information				
☑ This NOI is being prepared by someone othe	r than the certifier.			
First Name Middle Initial Last Name: Cassand	lra Durkin			
Organization: Inspections Plus				
Phone: 505-344-9410	Ext.:			
Email: cassandra@inspectionsplus.com				
Project/Site Information				~
Project/Site Name: C&D Storage				
Project/Site Address				
Address Line 1: 423 Wyoming Blvd SE				
Address Line 2:		City: Albuquerque		
ZIP/Postal Code: 87108		State: NM		
County or Similar Division: Bernalillo				
Latitude/Longitude: 35.0683°N, 106.5514°W				
Latitude/Longitude Data Source: Google Earth		Horizontal Reference Da	tum: WGS 84	
Project Start Date: 12/07/2020	Project End Date: 07/07	1/2021	Estimated Area to be Disturbed: 1.5	
Types of Construction Sites:				
Commercial				
• Utility				
Will there be demolition of any structure built of	or renovated before Janu	ary 1, 1980? Yes		
Do any of the structures being demolished	d have at least 10,000 squ	uare feet of floor space? Ye	25	
Was the pre-development land use used for agr	iculture? No			
Have earth-disturbing activities commenced on	your project/site? No			
Is your project/site located on federally recogni	ized Indian Country land	s? No		
Discharge Information				~

Does your project/site discharge stormwater into a Municipal Separate Storm Sewer System (MS4)? Yes

Are there any waters of the U.S. within 50 feet of your project's earth disturbances? No

Are any of the waters of the U.S. to which you discharge designated by the state or tribal authority under its antidegradation policy as a Tier 2 (or Tier 2.5) water (water quality exceeds levels necessary to support propagation of fish, shellfish, and wildlife and recreation in and on the water) or as a Tier 3 water (Outstanding National Resource Water)? See Appendix F (https://www.epa.gov/sites/production/files/2017-02/documents/2017_cgp_final_appendix_f_-_tier_3_tier_2_and_tier_2.5_waters_508.pdf)

No

001: Onsite Pond

Latitude/Longitude: 35.068178°N, 106.552552°W

Tier Designation: N/A

Is this receiving water impaired (on the CWA 303(d) list)? No

Has a TMDL been completed for this receiving waterbody? No

Stormwater Pollution Prevention Plan (SWPPP)

First Name Middle Initial Last Name: Scot McLelland

Organization:

Title: Vice President

Phone: 505-345-2854

Email: scot@wilger.com

Endangered Species Protection

Using the Instructions in Appendix D of the CGP, under which criterion listed in Appendix D are you eligible for coverage under this permit? Criterion A

Ext.:

Provide a brief summary of the basis for criterion selection listed above (the necessary content for a supportive basis statement is provided under the criterion you selected.):

Per communication with USFWS, there are no critical habitats within the project area.

Historic Preservation

Are you installing any stormwater controls as described in Appendix E (https://www.epa.gov/sites/production/files/2017-02/documents/2017_cgp_final_appendix_e_-_historic_properties_reqs_508.pdf) that require subsurface earth disturbances? (Appendix E (https://www.epa.gov/sites/production/files/2017-02/documents/2017_cgp_final_appendix_e_-_historic_properties_reqs_508.pdf), Step 1) No

Certification Information

~

v

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gathered and evaluated the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I have no personal knowledge that the information submitted is other than true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations. Signing an electronic document on behalf of another person is subject to criminal, civil, administrative, or other lawful action.

Certified By: Scot McLelland

Certifier Title: Vice President

Certifier Email: betsy@wilger.com

Certified On: 11/24/2020 1:14 PM ET

TAB 4



NOAA Atlas 14, Volume 1, Version 5 Location name: Albuquerque, New Mexico, USA* Latitude: 35.0683°, Longitude: -106.5514° Elevation: 5399.14 ft** * source: ESRI Maps ** source: USGS

POINT PRECIPITATION FREQUENCY ESTIMATES

Sanja Perica, Sarah Dietz, Sarah Heim, Lillian Hiner, Kazungu Maitaria, Deborah Martin, Sandra Pavlovic, Ishani Roy, Carl Trypaluk, Dale Unruh, Fenglin Yan, Michael Yekta, Tan Zhao, Geoffrey Bonnin, Daniel Brewer, Li-Chuan Chen, Tye Parzybok, John Yarchoan

NOAA, National Weather Service, Silver Spring, Maryland

PF_tabular | PF_graphical | Maps_&_aerials

PF tabular

PD	PDS-based point precipitation frequency estimates with 90% confidence intervals (in inches) ¹									
Duration		Average recurrence interval (years)								
Duration	1	2	5	10	25	50	100	200	500	1000
5-min	0.179	0.232	0.311	0.371	0.454	0.519	0.586	0.657	0.753	0.829
	(0.154-0.209)	(0.199-0.271)	(0.265-0.363)	(0.316-0.432)	(0.385-0.528)	(0.437-0.603)	(0.491-0.681)	(0.547-0.763)	(0.620-0.875)	(0.679-0.964)
10-min	0.272	0.353	0.473	0.565	0.692	0.789	0.892	1.00	1.15	1.26
	(0.234-0.318)	(0.303-0.412)	(0.404-0.552)	(0.481-0.657)	(0.586-0.803)	(0.665-0.917)	(0.747-1.04)	(0.832-1.16)	(0.944-1.33)	(1.03-1.47)
15-min	0.338	0.438	0.586	0.701	0.857	0.978	1.11	1.24	1.42	1.56
	(0.290-0.395)	(0.375-0.510)	(0.500-0.684)	(0.596-0.815)	(0.727-0.995)	(0.825-1.14)	(0.926-1.28)	(1.03-1.44)	(1.17-1.65)	(1.28-1.82)
30-min	0.455	0.589	0.789	0.943	1.15	1.32	1.49	1.67	1.91	2.11
	(0.391-0.531)	(0.504-0.687)	(0.674-0.921)	(0.802-1.10)	(0.978-1.34)	(1.11-1.53)	(1.25-1.73)	(1.39-1.94)	(1.58-2.22)	(1.73-2.45)
60-min	0.563	0.729	0.977	1.17	1.43	1.63	1.84	2.07	2.37	2.61
	(0.484-0.657)	(0.624-0.851)	(0.834-1.14)	(0.993-1.36)	(1.21-1.66)	(1.38-1.90)	(1.54-2.14)	(1.72-2.40)	(1.95-2.75)	(2.13-3.03)
2-hr	0.656	0.839	1.11	1.33	1.63	1.87	2.12	2.38	2.76	3.06
	(0.558-0.786)	(0.714-1.01)	(0.941-1.33)	(1.12-1.58)	(1.36-1.93)	(1.55-2.21)	(1.75-2.51)	(1.96-2.82)	(2.24-3.25)	(2.46-3.62)
3-hr	0.698	0.886	1.16	1.38	1.68	1.92	2.18	2.45	2.83	3.13
	(0.598-0.831)	(0.757-1.06)	(0.992-1.38)	(1.17-1.63)	(1.42-1.99)	(1.61-2.27)	(1.82-2.57)	(2.03-2.89)	(2.32-3.33)	(2.54-3.70)
6-hr	0.812	1.02	1.32	1.55	1.86	2.11	2.37	2.64	3.01	3.31
	(0.700-0.961)	(0.881-1.21)	(1.13-1.55)	(1.33-1.82)	(1.59-2.19)	(1.79-2.48)	(2.00-2.78)	(2.21-3.09)	(2.50-3.53)	(2.73-3.88)
12-hr	0.902	1.14	1.44	1.68	2.00	2.25	2.51	2.78	3.13	3.43
	(0.787-1.04)	(0.993-1.31)	(1.25-1.66)	(1.46-1.93)	(1.73-2.30)	(1.93-2.58)	(2.14-2.88)	(2.36-3.18)	(2.64-3.60)	(2.86-3.94)
24-hr	1.04	1.30	1.63	1.89	2.24	2.51	2.80	3.08	3.47	3.77
	(0.921-1.19)	(1.15-1.48)	(1.44-1.85)	(1.67-2.15)	(1.97-2.55)	(2.20-2.85)	(2.44-3.17)	(2.68-3.49)	(2.99-3.93)	(3.23-4.27)
2-day	1.10	1.38	1.73	2.00	2.37	2.65	2.95	3.25	3.65	3.96
	(0.977-1.24)	(1.23-1.56)	(1.53-1.95)	(1.77-2.25)	(2.09-2.66)	(2.34-2.98)	(2.59-3.31)	(2.83-3.65)	(3.17-4.11)	(3.42-4.47)
3-day	1.20	1.49	1.85	2.13	2.52	2.81	3.11	3.41	3.81	4.12
	(1.08-1.33)	(1.35-1.66)	(1.67-2.05)	(1.92-2.36)	(2.26-2.78)	(2.52-3.11)	(2.78-3.44)	(3.03-3.77)	(3.38-4.22)	(3.63-4.57)
4-day	1.29	1.61	1.98	2.27	2.67	2.97	3.27	3.58	3.98	4.29
	(1.19-1.41)	(1.47-1.76)	(1.81-2.16)	(2.08-2.47)	(2.43-2.90)	(2.70-3.23)	(2.97-3.56)	(3.23-3.89)	(3.59-4.34)	(3.85-4.68)
7-day	1.49	1.85	2.25	2.57	2.99	3.31	3.62	3.93	4.33	4.63
	(1.37-1.61)	(1.69-2.01)	(2.07-2.45)	(2.36-2.79)	(2.74-3.24)	(3.03-3.58)	(3.31-3.93)	(3.58-4.26)	(3.94-4.71)	(4.19-5.04)
10-day	1.65	2.04	2.51	2.87	3.36	3.72	4.09	4.45	4.93	5.28
	(1.52-1.78)	(1.88-2.22)	(2.31-2.72)	(2.65-3.11)	(3.09-3.63)	(3.41-4.02)	(3.74-4.42)	(4.06-4.81)	(4.47-5.34)	(4.77-5.73)
20-day	2.10	2.60	3.17	3.60	4.14	4.54	4.93	5.30	5.76	6.10
	(1.93-2.28)	(2.40-2.83)	(2.92-3.43)	(3.31-3.89)	(3.81-4.49)	(4.16-4.91)	(4.51-5.32)	(4.83-5.72)	(5.25-6.23)	(5.54-6.60)
30-day	2.52	3.12	3.77	4.25	4.85	5.28	5.69	6.08	6.55	6.89
	(2.32-2.72)	(2.88-3.37)	(3.47-4.07)	(3.91-4.58)	(4.46-5.22)	(4.84-5.68)	(5.22-6.12)	(5.56-6.54)	(5.98-7.06)	(6.28-7.43)
45-day	3.07	3.80	4.54	5.07	5.72	6.17	6.58	6.95	7.39	7.67
	(2.84-3.31)	(3.52-4.10)	(4.20-4.89)	(4.69-5.46)	(5.29-6.15)	(5.70-6.64)	(6.07-7.08)	(6.41-7.48)	(6.80-7.96)	(7.06-8.26)
60-day	3.54	4.38	5.24	5.85	6.59	7.10	7.57	8.00	8.50	8.83
	(3.27-3.82)	(4.06-4.73)	(4.85-5.65)	(5.42-6.30)	(6.10-7.10)	(6.57-7.65)	(7.00-8.16)	(7.40-8.63)	(7.85-9.18)	(8.16-9.54)

¹ Precipitation frequency (PF) estimates in this table are based on frequency analysis of partial duration series (PDS).

Numbers in parenthesis are PF estimates at lower and upper bounds of the 90% confidence interval. The probability that precipitation frequency estimates (for a given duration and average recurrence interval) will be greater than the upper bound (or less than the lower bound) is 5%. Estimates at upper bounds are not checked against probable maximum precipitation (PMP) estimates and may be higher than currently valid PMP values.

Please refer to NOAA Atlas 14 document for more information.

Back to Top

PF graphical





Dura	ation
5-min	- 2-day
10-min	- 3-day
15-min	— 4-day
30-min	— 7-day
60-min	— 10-day
— 2-hr	— 20-day
— 3-hr	— 30-day
— 6-hr	— 45-day
- 12-hr	- 60-day
24-hr	

NOAA Atlas 14, Volume 1, Version 5

Created (GMT): Tue Nov 24 14:55:13 2020

Back to Top

Maps & aerials

Small scale terrain



Large scale terrain



Large scale map



Large scale aerial



Back to Top

US Department of Commerce National Oceanic and Atmospheric Administration National Weather Service National Water Center 1325 East West Highway Silver Spring, MD 20910 Questions?: <u>HDSC.Questions@noaa.gov</u>

Disclaimer

V. Seasonality analysis 🖃

The seasonality graphs show the percentage of precipitation totals for a given duration that exceeded the precipitation frequency estimates for the duration and selected annual exceedance probabilities in each month for each region. The precipitation frequency estimates were derived from annual maximum series at each station in the region (as described in documentation). Results are provided for 60-min, 24-hr, 2-day, and 10-day durations and for annual exceedance probabilities of 1/2 (or 1-in-2), 1/5, 1/10, 1/25, 1/50, and 1/100. Seasonality graphs should not be used to derive seasonal precipitation frequency estimates.





United States Department of Agriculture

Natural Resources Conservation Service A product of the National Cooperative Soil Survey, a joint effort of the United States Department of Agriculture and other Federal agencies, State agencies including the Agricultural Experiment Stations, and local participants Custom Soil Resource Report for Bernalillo County and Parts of Sandoval and Valencia Counties, New Mexico

C&D Storage



Preface

Soil surveys contain information that affects land use planning in survey areas. They highlight soil limitations that affect various land uses and provide information about the properties of the soils in the survey areas. Soil surveys are designed for many different users, including farmers, ranchers, foresters, agronomists, urban planners, community officials, engineers, developers, builders, and home buyers. Also, conservationists, teachers, students, and specialists in recreation, waste disposal, and pollution control can use the surveys to help them understand, protect, or enhance the environment.

Various land use regulations of Federal, State, and local governments may impose special restrictions on land use or land treatment. Soil surveys identify soil properties that are used in making various land use or land treatment decisions. The information is intended to help the land users identify and reduce the effects of soil limitations on various land uses. The landowner or user is responsible for identifying and complying with existing laws and regulations.

Although soil survey information can be used for general farm, local, and wider area planning, onsite investigation is needed to supplement this information in some cases. Examples include soil quality assessments (http://www.nrcs.usda.gov/wps/portal/nrcs/main/soils/health/) and certain conservation and engineering applications. For more detailed information, contact your local USDA Service Center (https://offices.sc.egov.usda.gov/locator/app?agency=nrcs) or your NRCS State Soil Scientist (http://www.nrcs.usda.gov/wps/portal/nrcs/detail/soils/contactus/? cid=nrcs142p2_053951).

Great differences in soil properties can occur within short distances. Some soils are seasonally wet or subject to flooding. Some are too unstable to be used as a foundation for buildings or roads. Clayey or wet soils are poorly suited to use as septic tank absorption fields. A high water table makes a soil poorly suited to basements or underground installations.

The National Cooperative Soil Survey is a joint effort of the United States Department of Agriculture and other Federal agencies, State agencies including the Agricultural Experiment Stations, and local agencies. The Natural Resources Conservation Service (NRCS) has leadership for the Federal part of the National Cooperative Soil Survey.

Information about soils is updated periodically. Updated information is available through the NRCS Web Soil Survey, the site for official soil survey information.

The U.S. Department of Agriculture (USDA) prohibits discrimination in all its programs and activities on the basis of race, color, national origin, age, disability, and where applicable, sex, marital status, familial status, parental status, religion, sexual orientation, genetic information, political beliefs, reprisal, or because all or a part of an individual's income is derived from any public assistance program. (Not all prohibited bases apply to all programs.) Persons with disabilities who require

alternative means for communication of program information (Braille, large print, audiotape, etc.) should contact USDA's TARGET Center at (202) 720-2600 (voice and TDD). To file a complaint of discrimination, write to USDA, Director, Office of Civil Rights, 1400 Independence Avenue, S.W., Washington, D.C. 20250-9410 or call (800) 795-3272 (voice) or (202) 720-6382 (TDD). USDA is an equal opportunity provider and employer.

Contents

Preface	2
How Soil Surveys Are Made	5
Soil Map	8
Soil Map (C&D Storage)	9
Legend	10
Map Unit Legend (C&D Storage)	12
Map Unit Descriptions (C&D Storage)	12
Bernalillo County and Parts of Sandoval and Valencia Counties, New	
Mexico	14
EtC—Embudo-Tijeras complex, 0 to 9 percent slopes	14
Soil Information for All Uses	17
Soil Properties and Qualities	17
Soil Qualities and Features	17
Drainage Class (C&D Storage)	17
Hydrologic Soil Group (C&D Storage)	21
Representative Slope (C&D Storage)	26
Soil Reports	31
Soil Erosion	31
Conservation Planning (C&D Storage)	31
References	33

How Soil Surveys Are Made

Soil surveys are made to provide information about the soils and miscellaneous areas in a specific area. They include a description of the soils and miscellaneous areas and their location on the landscape and tables that show soil properties and limitations affecting various uses. Soil scientists observed the steepness, length, and shape of the slopes; the general pattern of drainage; the kinds of crops and native plants; and the kinds of bedrock. They observed and described many soil profiles. A soil profile is the sequence of natural layers, or horizons, in a soil. The profile extends from the surface down into the unconsolidated material in which the soil formed or from the surface down to bedrock. The unconsolidated material is devoid of roots and other living organisms and has not been changed by other biological activity.

Currently, soils are mapped according to the boundaries of major land resource areas (MLRAs). MLRAs are geographically associated land resource units that share common characteristics related to physiography, geology, climate, water resources, soils, biological resources, and land uses (USDA, 2006). Soil survey areas typically consist of parts of one or more MLRA.

The soils and miscellaneous areas in a survey area occur in an orderly pattern that is related to the geology, landforms, relief, climate, and natural vegetation of the area. Each kind of soil and miscellaneous area is associated with a particular kind of landform or with a segment of the landform. By observing the soils and miscellaneous areas in the survey area and relating their position to specific segments of the landform, a soil scientist develops a concept, or model, of how they were formed. Thus, during mapping, this model enables the soil scientist to predict with a considerable degree of accuracy the kind of soil or miscellaneous area at a specific location on the landscape.

Commonly, individual soils on the landscape merge into one another as their characteristics gradually change. To construct an accurate soil map, however, soil scientists must determine the boundaries between the soils. They can observe only a limited number of soil profiles. Nevertheless, these observations, supplemented by an understanding of the soil-vegetation-landscape relationship, are sufficient to verify predictions of the kinds of soil in an area and to determine the boundaries.

Soil scientists recorded the characteristics of the soil profiles that they studied. They noted soil color, texture, size and shape of soil aggregates, kind and amount of rock fragments, distribution of plant roots, reaction, and other features that enable them to identify soils. After describing the soils in the survey area and determining their properties, the soil scientists assigned the soils to taxonomic classes (units). Taxonomic classes are concepts. Each taxonomic class has a set of soil characteristics with precisely defined limits. The classes are used as a basis for comparison to classify soils systematically. Soil taxonomy, the system of taxonomic classification used in the United States, is based mainly on the kind and character of soil properties and the arrangement of horizons within the profile. After the soil

scientists classified and named the soils in the survey area, they compared the individual soils with similar soils in the same taxonomic class in other areas so that they could confirm data and assemble additional data based on experience and research.

The objective of soil mapping is not to delineate pure map unit components; the objective is to separate the landscape into landforms or landform segments that have similar use and management requirements. Each map unit is defined by a unique combination of soil components and/or miscellaneous areas in predictable proportions. Some components may be highly contrasting to the other components of the map unit. The presence of minor components in a map unit in no way diminishes the usefulness or accuracy of the data. The delineation of such landforms and landform segments on the map provides sufficient information for the development of resource plans. If intensive use of small areas is planned, onsite investigation is needed to define and locate the soils and miscellaneous areas.

Soil scientists make many field observations in the process of producing a soil map. The frequency of observation is dependent upon several factors, including scale of mapping, intensity of mapping, design of map units, complexity of the landscape, and experience of the soil scientist. Observations are made to test and refine the soil-landscape model and predictions and to verify the classification of the soils at specific locations. Once the soil-landscape model is refined, a significantly smaller number of measurements of individual soil properties are made and recorded. These measurements may include field measurements, such as those for color, depth to bedrock, and texture, and laboratory measurements, such as those for content of sand, silt, clay, salt, and other components. Properties of each soil typically vary from one point to another across the landscape.

Observations for map unit components are aggregated to develop ranges of characteristics for the components. The aggregated values are presented. Direct measurements do not exist for every property presented for every map unit component. Values for some properties are estimated from combinations of other properties.

While a soil survey is in progress, samples of some of the soils in the area generally are collected for laboratory analyses and for engineering tests. Soil scientists interpret the data from these analyses and tests as well as the field-observed characteristics and the soil properties to determine the expected behavior of the soils under different uses. Interpretations for all of the soils are field tested through observation of the soils in different uses and under different levels of management. Some interpretations are modified to fit local conditions, and some new interpretations are developed to meet local needs. Data are assembled from other sources, such as research information, production records, and field experience of specialists. For example, data on crop yields under defined levels of management are assembled from farm records and from field or plot experiments on the same kinds of soil.

Predictions about soil behavior are based not only on soil properties but also on such variables as climate and biological activity. Soil conditions are predictable over long periods of time, but they are not predictable from year to year. For example, soil scientists can predict with a fairly high degree of accuracy that a given soil will have a high water table within certain depths in most years, but they cannot predict that a high water table will always be at a specific level in the soil on a specific date.

After soil scientists located and identified the significant natural bodies of soil in the survey area, they drew the boundaries of these bodies on aerial photographs and

identified each as a specific map unit. Aerial photographs show trees, buildings, fields, roads, and rivers, all of which help in locating boundaries accurately.

Soil Map

The soil map section includes the soil map for the defined area of interest, a list of soil map units on the map and extent of each map unit, and cartographic symbols displayed on the map. Also presented are various metadata about data used to produce the map, and a description of each soil map unit.



ശ

st (ADI) Spoil Area The soil surveys that comprise your AOI were and futerest (AD) read futerest (AD) Story Spot Very Story Spot oil Map Unit Points Very Story Spot Very Story Spot oil Map Unit Points Very Story Spot Very Story Spot oil Map Unit Points Very Story Spot Very Story Spot oil Map Unit Points Very Story Spot Very Story Spot oil Map Unit Points Very Story Spot Very Story Spot oil Map Unit Points Very Story Spot Very Story Spot oil Map Unit Points Special Line Features Dote or Wet Spot Very Story Spot Very Story Spot Nate Features Storate and Canals Please rely on the bar scale on each map shout ADI were set on the bar scale on each map shout ADI were set on the bar scale on each map shout ADI were set on the bar scale on each map shout ADI were set on the bar scale on each map shout ADI were set on the bar scale on each map shout ADI were set on the bar scale on each map shout ADI were set on the bar scale on each map shout ADI were set on the bar scale on each map shout ADI were set on the bar scale on each map shout ADI were set on the bar scale on each map shout ADI were set on the bar scale on each map shout ADI were set on the bar scale on each map shout ADI were set on the bar scale on each map shout ADI were set on the bar scale on each map shout ADI were set on the bar scale on the bar scale on the bar sca		MAP LE	EGEND		MAP INFORMATION
Soil Map Unit Polygons Werk Storty Spot Soil Map Unit Lines Very Spot Soil Map Unit Points Very Spot Bitwout Special Line Features Bitwout Special Line Features Bitwout Special Line Features Bitwout Special Line Features Bitwout Mater Features Bitwout Lansportation Ravel Pit Lansportation Cary Spot Map Tow Gravel Pit Us Routes Gravel Pit Landfil Landfil <th>te (</th> <th>rrest (AOI) Area of Interest (AOI)</th> <th>W 0</th> <th>Spoil Area Stony Spot</th> <th>The soil surveys that comprise your AOI were mapped at 1:24,000.</th>	te (rrest (AOI) Area of Interest (AOI)	W 0	Spoil Area Stony Spot	The soil surveys that comprise your AOI were mapped at 1:24,000.
Soli Map Unit Lines ver sport Soli Map Unit Dinits Other Soli Map Unit Points Content frances beyond the scale of mapping at Point Fatures Special Line Features Special Line Features Blowout Pit Tansportation Blowout Pit Tansportation Clas Sport Tansportation Clas Routes Conser Clas New Pit Class Conser Conser Major Roads Major Roads		Soil Map Unit Polygons	8	Very Stony Spot	Warning: Soil Map may not be valid at this scale.
Derivation Special Line Features Iner placement. The maps do not show the su blowout Derivation Mater Features Iner state Iner state state out show the su blowout Derivation Mater Features Special Line Features contrasting solis that could have been shown Derivation Mater Features Mater Features contrasting solis that could have been shown Derivation Mater Features Mater Features contrasting solis that could have been shown Clay Spot Mater Features Mater Features contrasting solis that could have been shown Clay Spot Mater Features Mater Resources Contrasting solis that could have been shown Clay Spot Mater Resources Contrasting solis that could have been shown Scale on each map shown Clay Spot Major Roads Mater Rails Contrasting solis that could have been shown Scale on each map shown Clay Spot Maper Resources Conserverse from the Vescore Conserverse from the Vescore Conserverse from the Vescore (EPSG) Maps from the Vescore (EPSG) Maps from the Vescore (EPSG) Landfill Landfill Local Roads Maps from the Vescore (Maps from the Vescore (EPSG) Maps from the Vescore (EPSG) Maps from the Vescore (EPSG) Maps		Soil Map Unit Lines Soil Man Unit Points	& ⊲	wet spot Other	Enlargement of maps beyond the scale of mapping can cause misunderstanding of the detail of mapping and accuracy of soil
Blowut Water Features Scale. Burrow Pit Streams and Canals Streams and Canals Closed Depression List portration Leva Flow Local Roads Local Road Road Road Road Road Road Road Road		Point Features	Ĭ,	Special Line Features	line placement. The maps do not show the small areas of contrasting soils that could have been shown at a more detailed
Borrow Pit Transportation Clay Spot Transportation Clay Spot Transportation Closed Depression Total Resources Conser Closed Depression US Routes Closed Depression Source of Map: Natural Resources Conser Closed Depression US Routes Closed Depression US Routes Clavel IV Spot US Routes Clavel IV Spot Major Roads Landfil Local Roads Lara Flow Background Marsh or swamp Marsh or swamp Marsh or swamp Marsh or swamp Mine or Quarry Marsh or sequal-trans of distance or area are conic projection, that preserve direction and the distance or area are conic projection, that preserve direction and the distance or area are conic projection, which the version date(s) listed below. Mine or Quarry Marsh or sequal-trans of distance or area are conic projection, which the version date(s) listed below. Mine or Quarry Rock Outcrop Rock Outcrop Soil Survey Area Ian. Version 15, Jun 8, 2020 Saine Spot Soil Survey Area B		Blowout	Water Fea	tures	scale.
Clay Spot Transportation Clay Spot Interstate Highways Closed Depression Interstate Highways Closed Depression Veb Soil Survey URL: Gravel Pit US Routes Gravel Pit US Routes Gravel Pit US Routes Gravel V Spot Veb Soil Survey URL: Landfil Local Roads Landfil Local Roads Marsh or swamp Maps from the Web Soil Survey Jare based on projection, which preserves direction and sht distance and area. A projection and sht distance or area are Miscon Survey Jare based on projection and sht distance and area. A projection and sht distance and area. A projection and sht distance and area and area. A projection and sht distance and area and area. A projection and sht distance and area and area. A projection and sht distance and area and area. A projection and sht distance and area area area area area area area are		Borrow Pit	{	Streams and Canals	
Closed Depression Interstate Highways Gravel Pit US Routes Gravel Pit Eactor Landfil Local Roads Lava Flow Maps from the Web Soil Survey are based of projection, which preserves direction and shi distance or area are distance or area are distance or area are distance us valer Mine or Quarry Miscalaneous Water Miscalaneous Water This product is generated from the USDA-NF of the version date(s) listed below. Rock Outcrop Soil Survey Area: Bernalillo County and Pa Valencia Spot Sandy Spot Soil Survey Area Data: Version 15, Jun 8, 2020 Sandy Spot Soil map units are labeled (as space allows) Silkhole Soil map units are labeled (as space allows) Silkhole Soil map units are labeled (as space allows) Silkhole Soil area in mages were photographed:		Clay Spot		ation Rails	Please rely on the bar scale on each map sheet for map measurements.
Gravel Pti US Routes Source of Map: Natural Resources Conserved Conserved VIRL: Gravely Spot Major Roads Uocal Roads Landfill Local Roads Web Soil Survey URL: Law Flow Maps from the Web Soil Survey URL: Coordinate System: Web Mercator (EPSG: Marsh or swamp Maps from the Web Soil Survey URL: Coordinate System: Web Mercator (EPSG: Marsh or swamp Maps from the Web Soil Survey URL: Coordinate System: Web Mercator (EPSG: Marsh or swamp Maps from the Web Soil Survey URL: Coordinate System: Web Mercator (EPSG: Marsh or swamp Maps from the Web Soil Survey are based or Instance and area. A projection that preserve Marsh or swamp Marsh or swamp Maps from the Web Soil Survey are based or Marsh or swamp Marsh or swamp Maps from the USDA-NF Miscellaneous Water Fris product is generated from the USDA-NF Perennial Water Fris product is generated from the USDA-NF Rock Outcrop Saine Spot Saine Spot Soil Survey Area: Bernallilo County and Pa Saine Spot Soil Survey Area: Bernallilo County and Pa Saine Spot Soil Survey Area: Data: Version 15, Jun 8, 2020 Sinkole Soil map units are labeled (as space allows) Sinkole Soil map units are labeled (as space allows) Sink		Closed Depression	2	Interstate Highways	
Gravelty Spot Major Roads Coordinate System: Web Mercator (EPSG: Landfil Landfil Local Roads Maps from the Web Soil Survey are based of projection, which preserves direction and sha director and sha Marsh or swamp Maps from the Web Soil Survey are based of projection, which preserves direction and sha director and sha director and area. A projection that preserve Alerse qual-area conic projection, should be accurate calculations of distance or area are Mine or Quarry Mine or Quarry Maps from the Veb Soil Survey are based of projection, which preserves direction and sha director and area. A projection that preserve director and area. Version 15, Jun 8, 2020 Survey Area Data: Version 15, Jun 8, 2020		Gravel Pit	2	US Routes	Source of Map: Natural Resources Conservation Service Web Soil Survey URL:
Landfil Local Roads Lava Flow Maps from the Web Soil Survey are based on projection, which preserves direction and she distance and area. A projection, should b Mine or Quarry Marsh or swamp Maps from the Web Soil Survey are based on projection, which preserves direction and she distance and area. A projection, should b Abers equal-area conic projection, should b accurate calculations of distance or area are this product is generated from the USDA-NF of the version date(s) listed below. Rock Outcrop Soil Survey Area: Bernalillo County and Pa Valencia Counties, New Mexico Survey Area Data: Version 15, Jun 8, 2020 Survey Area Data: Version 15, Jun 8, 2020		Gravelly Spot	8	Major Roads	Coordinate System: Web Mercator (EPSG:3857)
Lava Flow Background Marsh or swamp Background Marsh or swamp Mine or Quarry Mine or Quarry Mine or Quarry Mine or Quarry Miscellaneous Water Miscellaneous Water Miscellaneous Water Miscellaneous Water Miscellaneous of distance or area are accurate calculations of distance or area are accurate calculations of distance or area are accurate below. Rock Outcrop Fris product is generated from the USDA-NF of the version date(s) listed below. Rock Outcrop Soil Survey Area: Bernalillo County and Pa Valencia Counties, New Mexico Sandy Spot Soil Survey Area Data: Version 15, Jun 8, 2020 Sendy Spot Soil map units are labeled (as space allows) Sinkhole Soil map units are labeled (as space allows) Sinkhole Soil map units are labeled (as space allows) Sinkhole Soil map units are labeled (as space allows) Sinkhole Soil map units are labeled (as space allows) Sinkhole Soil map units are labeled (as space allows) Sinkhole Soil map units are labeled (as space allows) Sinkhole Soil map units are labeled (as space allows) Sinkole Soil map units are labeled (as space allows)		Landfill	8	Local Roads	Maps from the Web Soil Survey are based on the Web Mercator
Marsh or swamp Marial Photography Mine or Quarry Mine or Quarry Mine or Quarry Miscellaneous Water Miscellaneous Water Albers equal-area conic projection, should be accurate calculations of distance or area are are area are area area Miscellaneous Water Perennial Water Perennial Water This product is generated from the USDA-NF of the version date(s) listed below. Rock Outcrop Soil Survey Area: Bernalillo County and Pa Valencia Counties, New Mexico Survey Area: Bernalillo County and Pa Valencia Counties, New Mexico Survey Area Data: Version 15, Jun 8, 2020 Sandy Spot Soil Burvey Area Data: Version 15, Jun 8, 2020 Sinkhole Soil map units are labeled (as space allows) Sinkhole Soil map units are labeled (as space allows) Sinkhole Soil map units are labeled (as space allows) Sinkhole Date(s) aerial images were photographed: 2018		Lava Flow	Backgrou	nd	projection, which preserves direction and shape but distorts
Mine or Quarry Miscellaneous Water Miscellaneous Water This product is generated from the USDA-NF Perennial Water This product is generated from the USDA-NF Perennial Water Soil Survey Area: Bernalillo County and Pa Rock Outcrop Soil Survey Area: Bernalillo County and Pa Sandy Spot Soil Survey Area Data: Version 15, Jun 8, 2020 Sandy Spot Survey Area Data: Version 15, Jun 8, 2020 Sinkhole Soil map units are labeled (as space allows) Sinkhole Soil map units are labeled (as space allows) Sinkhole Soil map units are labeled (as space allows) Sinkhole Soil map units are labeled (as space allows) Sinkhole Date(s) aerial images were photographed: 2018		Marsh or swamp	and	Aerial Photography	ubance and area. A projection that preserves area, such as the Albers equal-area conic projection, should be used if more
Miscellaneous Water Perennial Water Perennial Water Perennial Water Rock Outcrop Rock Outcrop Saline Spot Saline Spot Sandy Spot Sandy Spot Severely Eroded Spot Sinkhole Sinkhole Sinkhole Sinkhole Sinkhole Sinkhole Sinkhole Sinkhole Soil aerial images were photographed: 2018		Mine or Quarry			accurate calculations of distance or area are required.
Perennial Water of the version date(s) listed below. Rock Outcrop Soil Survey Area: Bernalillo County and Pa Saline Spot Soil Survey Area: Bernalillo County and Pa Saline Spot Valencia Counties, New Mexico Sandy Spot Survey Area Data: Version 15, Jun 8, 2020 Sandy Spot Survey Area Data: Version 15, Jun 8, 2020 Sinkhole Soil map units are labeled (as space allows) Sinkhole 1:50,000 or larger. Side or Slip Date(s) aerial images were photographed: 2018		Miscellaneous Water			This product is generated from the USDA-NRCS certified data as
Rock Outcrop Soil Survey Area: Bernalillo County and Pa Saline Spot Valencia Counties, New Mexico Sandy Spot Survey Area Data: Version 15, Jun 8, 2020 Sandy Spot Soil map units are labeled (as space allows) Sinkhole 1:50,000 or larger. Sinkhole Date(s) aerial images were photographed: Scotio cont 2018		Perennial Water			of the version date(s) listed below.
Saline Spot Valencia Counties, New Mexico Sandy Spot Survey Area Data: Version 15, Jun 8, 2020 Sandy Spot Soil map units are labeled (as space allows) Sinkhole 1:50,000 or larger. Side or Slip Date(s) aerial images were photographed: 2018		Rock Outcrop			Soil Survey Area: Bernalillo County and Parts of Sandoval and
Sandy Spot Severely Eroded Spot Sinkhole Slinkhole Slide or Slip Codia Scot		Saline Spot			Valencia Counties, New Mexico
Severely Eroded Spot Sinkhole Sinkhole Side or Slip Codia Cont		Sandy Spot			ource) thea bata. Version 10, 2020
Sinkhole		Severely Eroded Spot			Soil map units are labeled (as space allows) for map scales
Slide or Slip 2018 2018		Sinkhole			
2010 20110 August 2010		Slide or Slip			Date(s) aerial images were photographed: Jun 23, 2018—Sep 9
sould spot		Sodic Spot			20.10
					הטוווטוובת מווח חואוודבת טוחמשוא חווובו א ווטווו וווב המגעאויטעווע

Custom Soil Resource Report

MAP LEGEND

MAP INFORMATION

imagery displayed on these maps. As a result, some minor shifting of map unit boundaries may be evident.

Map Unit Legend (C&D Storage)

Map Unit Symbol	Map Unit Name	Acres in AOI	Percent of AOI
EtC	Embudo-Tijeras complex, 0 to 9 percent slopes	3.5	100.0%
Totals for Area of Interest	•	3.5	100.0%

Map Unit Descriptions (C&D Storage)

The map units delineated on the detailed soil maps in a soil survey represent the soils or miscellaneous areas in the survey area. The map unit descriptions, along with the maps, can be used to determine the composition and properties of a unit.

A map unit delineation on a soil map represents an area dominated by one or more major kinds of soil or miscellaneous areas. A map unit is identified and named according to the taxonomic classification of the dominant soils. Within a taxonomic class there are precisely defined limits for the properties of the soils. On the landscape, however, the soils are natural phenomena, and they have the characteristic variability of all natural phenomena. Thus, the range of some observed properties may extend beyond the limits defined for a taxonomic class. Areas of soils of a single taxonomic classes. Consequently, every map unit is made up of the soils or miscellaneous areas for which it is named and some minor components that belong to taxonomic classes other than those of the major soils.

Most minor soils have properties similar to those of the dominant soil or soils in the map unit, and thus they do not affect use and management. These are called noncontrasting, or similar, components. They may or may not be mentioned in a particular map unit description. Other minor components, however, have properties and behavioral characteristics divergent enough to affect use or to require different management. These are called contrasting, or dissimilar, components. They generally are in small areas and could not be mapped separately because of the scale used. Some small areas of strongly contrasting soils or miscellaneous areas are identified by a special symbol on the maps. If included in the database for a given area, the contrasting minor components are identified in the map unit descriptions along with some characteristics of each. A few areas of minor components may not have been observed, and consequently they are not mentioned in the descriptions, especially where the pattern was so complex that it was impractical to make enough observations to identify all the soils and miscellaneous areas on the landscape.

The presence of minor components in a map unit in no way diminishes the usefulness or accuracy of the data. The objective of mapping is not to delineate pure taxonomic classes but rather to separate the landscape into landforms or landform segments that have similar use and management requirements. The delineation of such segments on the map provides sufficient information for the development of resource plans. If intensive use of small areas is planned, however, onsite investigation is needed to define and locate the soils and miscellaneous areas.
An identifying symbol precedes the map unit name in the map unit descriptions. Each description includes general facts about the unit and gives important soil properties and qualities.

Soils that have profiles that are almost alike make up a *soil series*. Except for differences in texture of the surface layer, all the soils of a series have major horizons that are similar in composition, thickness, and arrangement.

Soils of one series can differ in texture of the surface layer, slope, stoniness, salinity, degree of erosion, and other characteristics that affect their use. On the basis of such differences, a soil series is divided into *soil phases*. Most of the areas shown on the detailed soil maps are phases of soil series. The name of a soil phase commonly indicates a feature that affects use or management. For example, Alpha silt loam, 0 to 2 percent slopes, is a phase of the Alpha series.

Some map units are made up of two or more major soils or miscellaneous areas. These map units are complexes, associations, or undifferentiated groups.

A *complex* consists of two or more soils or miscellaneous areas in such an intricate pattern or in such small areas that they cannot be shown separately on the maps. The pattern and proportion of the soils or miscellaneous areas are somewhat similar in all areas. Alpha-Beta complex, 0 to 6 percent slopes, is an example.

An *association* is made up of two or more geographically associated soils or miscellaneous areas that are shown as one unit on the maps. Because of present or anticipated uses of the map units in the survey area, it was not considered practical or necessary to map the soils or miscellaneous areas separately. The pattern and relative proportion of the soils or miscellaneous areas are somewhat similar. Alpha-Beta association, 0 to 2 percent slopes, is an example.

An *undifferentiated group* is made up of two or more soils or miscellaneous areas that could be mapped individually but are mapped as one unit because similar interpretations can be made for use and management. The pattern and proportion of the soils or miscellaneous areas in a mapped area are not uniform. An area can be made up of only one of the major soils or miscellaneous areas, or it can be made up of all of them. Alpha and Beta soils, 0 to 2 percent slopes, is an example.

Some surveys include *miscellaneous areas*. Such areas have little or no soil material and support little or no vegetation. Rock outcrop is an example.

Bernalillo County and Parts of Sandoval and Valencia Counties, New Mexico

EtC—Embudo-Tijeras complex, 0 to 9 percent slopes

Map Unit Setting

National map unit symbol: 1vwt Elevation: 2,700 to 7,000 feet Mean annual precipitation: 5 to 16 inches Mean annual air temperature: 48 to 70 degrees F Frost-free period: 130 to 250 days Farmland classification: Not prime farmland

Map Unit Composition

Embudo and similar soils: 50 percent *Tijeras and similar soils:* 35 percent *Minor components:* 15 percent *Estimates are based on observations, descriptions, and transects of the mapunit.*

Description of Embudo

Setting

Landform: Terraces Landform position (three-dimensional): Tread Down-slope shape: Concave Across-slope shape: Linear Parent material: Alluvium derived from igneous and sedimentary rock

Typical profile

- H1 0 to 4 inches: gravelly fine sandy loam
- H2 4 to 20 inches: gravelly sandy loam
- *H3 20 to 60 inches:* stratified gravelly loamy coarse sand to very gravelly loamy sand

Properties and qualities

Slope: 0 to 5 percent
Depth to restrictive feature: More than 80 inches
Drainage class: Well drained
Runoff class: Very low
Capacity of the most limiting layer to transmit water (Ksat): High (2.00 to 6.00 in/hr)
Depth to water table: More than 80 inches
Frequency of flooding: RareNone
Frequency of ponding: None
Calcium carbonate, maximum content: 7 percent
Maximum salinity: Nonsaline to very slightly saline (0.0 to 2.0 mmhos/cm)
Sodium adsorption ratio, maximum: 2.0
Available water capacity: Low (about 3.4 inches)

Interpretive groups

Land capability classification (irrigated): None specified Land capability classification (nonirrigated): 7e Hydrologic Soil Group: A Ecological site: R042XA051NM - Sandy Hydric soil rating: No

Description of Tijeras

Setting

Landform: Fan remnants Down-slope shape: Linear Across-slope shape: Linear Parent material: Alluvium derived from igneous and sedimentary rock

Typical profile

H1 - 0 to 4 inches: gravelly fine sandy loam

H2 - 4 to 14 inches: sandy clay loam

H3 - 14 to 19 inches: gravelly sandy loam

H4 - 19 to 60 inches: stratified very gravelly sand to very gravelly sandy loam

Properties and qualities

Slope: 1 to 9 percent
Depth to restrictive feature: More than 80 inches
Drainage class: Well drained
Runoff class: Medium
Capacity of the most limiting layer to transmit water (Ksat): Moderately high to high (0.60 to 2.00 in/hr)
Depth to water table: More than 80 inches
Frequency of flooding: None
Frequency of ponding: None
Calcium carbonate, maximum content: 5 percent
Maximum salinity: Nonsaline to very slightly saline (0.0 to 2.0 mmhos/cm)
Sodium adsorption ratio, maximum: 2.0
Available water capacity: Low (about 5.2 inches)

Interpretive groups

Land capability classification (irrigated): None specified Land capability classification (nonirrigated): 7c Hydrologic Soil Group: B Ecological site: R042XA051NM - Sandy Hydric soil rating: No

Minor Components

Wink

Percent of map unit: 5 percent Ecological site: R042XA052NM - Loamy Hydric soil rating: No

Tesajo

Percent of map unit: 5 percent Ecological site: R035XG114NM - Gravelly Hydric soil rating: No

Millett

Percent of map unit: 5 percent *Ecological site:* R035XG114NM - Gravelly *Hydric soil rating:* No Custom Soil Resource Report

Soil Information for All Uses

Soil Properties and Qualities

The Soil Properties and Qualities section includes various soil properties and qualities displayed as thematic maps with a summary table for the soil map units in the selected area of interest. A single value or rating for each map unit is generated by aggregating the interpretive ratings of individual map unit components. This aggregation process is defined for each property or quality.

Soil Qualities and Features

Soil qualities are behavior and performance attributes that are not directly measured, but are inferred from observations of dynamic conditions and from soil properties. Example soil qualities include natural drainage, and frost action. Soil features are attributes that are not directly part of the soil. Example soil features include slope and depth to restrictive layer. These features can greatly impact the use and management of the soil.

Drainage Class (C&D Storage)

"Drainage class (natural)" refers to the frequency and duration of wet periods under conditions similar to those under which the soil formed. Alterations of the water regime by human activities, either through drainage or irrigation, are not a consideration unless they have significantly changed the morphology of the soil. Seven classes of natural soil drainage are recognized-excessively drained, somewhat excessively drained, well drained, moderately well drained, somewhat poorly drained, and very poorly drained. These classes are defined in the "Soil Survey Manual."





Custom Soil Resource Report

MAP LEGEND

MAP INFORMATION

imagery displayed on these maps. As a result, some minor shifting of map unit boundaries may be evident.

Table—Drainage Class (C&D Storage)

Map unit symbol	Map unit name	Rating	Acres in AOI	Percent of AOI
EtC	Embudo-Tijeras complex, 0 to 9 percent slopes	Well drained	3.5	100.0%
Totals for Area of Interest			3.5	100.0%

Rating Options—Drainage Class (C&D Storage)

Aggregation Method: Dominant Condition Component Percent Cutoff: None Specified Tie-break Rule: Higher

Hydrologic Soil Group (C&D Storage)

Hydrologic soil groups are based on estimates of runoff potential. Soils are assigned to one of four groups according to the rate of water infiltration when the soils are not protected by vegetation, are thoroughly wet, and receive precipitation from long-duration storms.

The soils in the United States are assigned to four groups (A, B, C, and D) and three dual classes (A/D, B/D, and C/D). The groups are defined as follows:

Group A. Soils having a high infiltration rate (low runoff potential) when thoroughly wet. These consist mainly of deep, well drained to excessively drained sands or gravelly sands. These soils have a high rate of water transmission.

Group B. Soils having a moderate infiltration rate when thoroughly wet. These consist chiefly of moderately deep or deep, moderately well drained or well drained soils that have moderately fine texture to moderately coarse texture. These soils have a moderate rate of water transmission.

Group C. Soils having a slow infiltration rate when thoroughly wet. These consist chiefly of soils having a layer that impedes the downward movement of water or soils of moderately fine texture or fine texture. These soils have a slow rate of water transmission.

Group D. Soils having a very slow infiltration rate (high runoff potential) when thoroughly wet. These consist chiefly of clays that have a high shrink-swell potential, soils that have a high water table, soils that have a claypan or clay layer at or near the surface, and soils that are shallow over nearly impervious material. These soils have a very slow rate of water transmission. If a soil is assigned to a dual hydrologic group (A/D, B/D, or C/D), the first letter is for drained areas and the second is for undrained areas. Only the soils that in their natural condition are in group D are assigned to dual classes.





Custom Soil Resource Report

MAP LEGEND

MAP INFORMATION

imagery displayed on these maps. As a result, some minor shifting of map unit boundaries may be evident.

Table—Hydrologic Soil Group (C&D Storage)

Map unit symbol	Map unit name	Rating	Acres in AOI	Percent of AOI
EtC	Embudo-Tijeras complex, 0 to 9 percent slopes	В	3.5	100.0%
Totals for Area of Interest			3.5	100.0%

Rating Options—Hydrologic Soil Group (C&D Storage)

Aggregation Method: Dominant Condition Component Percent Cutoff: None Specified Tie-break Rule: Higher

Representative Slope (C&D Storage)

Slope gradient is the difference in elevation between two points, expressed as a percentage of the distance between those points.

The slope gradient is actually recorded as three separate values in the database. A low value and a high value indicate the range of this attribute for the soil component. A "representative" value indicates the expected value of this attribute for the component. For this soil property, only the representative value is used.





Custom Soil Resource Report

MAP LEGEND

MAP INFORMATION

imagery displayed on these maps. As a result, some minor shifting of map unit boundaries may be evident.

Table—Representative Slope (C&D Storage)

Map unit symbol	Map unit name	Rating (percent)	Acres in AOI	Percent of AOI
EtC	Embudo-Tijeras complex, 0 to 9 percent slopes	3.0	3.5	100.0%
Totals for Area of Interest			3.5	100.0%

Rating Options—Representative Slope (C&D Storage)

Units of Measure: percent Aggregation Method: Dominant Component Component Percent Cutoff: None Specified Tie-break Rule: Higher Interpret Nulls as Zero: No

Soil Reports

The Soil Reports section includes various formatted tabular and narrative reports (tables) containing data for each selected soil map unit and each component of each unit. No aggregation of data has occurred as is done in reports in the Soil Properties and Qualities and Suitabilities and Limitations sections.

The reports contain soil interpretive information as well as basic soil properties and qualities. A description of each report (table) is included.

Soil Erosion

This folder contains a collection of tabular reports that present soil erosion factors and groupings. The reports (tables) include all selected map units and components for each map unit. Soil erosion factors are soil properties and interpretations used in evaluating the soil for potential erosion. Example soil erosion factors can include K factor for the whole soil or on a rock free basis, T factor, wind erodibility group and wind erodibility index.

Conservation Planning (C&D Storage)

This report provides those soil attributes for the conservation plan for the map units in the selected area. The report includes the map unit symbol, the component name, and the percent of the component in the map unit. It provides the soil description along with the slope, runoff, T Factor, WEI, WEG, Erosion class, Drainage class, Land Capability Classification, and the engineering Hydrologic Group and the erosion factors Kf, the representative percentage of fragments, sand, silt, and clay in the mineral surface horizon. Missing surface data may indicate the presence of an organic surface layer. Further information on these factors can be found in the National Soil Survey Handbook section 618 found at the url http:// www.nrcs.usda.gov/wps/portal/nrcs/detail/soils/ref/?cid=nrcs142p2_054223#00 .

anic	
Org	
displayed.	
s are	
ropertie:	
orizon pi	
ral ho	
mine	
surface	
The	
n planning.	
onservatio	
for c	
retations	displayec
nterp	e not
and i	ns are
erties	orizor
prope	ace h
Soil	surfa

	Surface	Clay RV		10	12
		Silt RV		21	16
		Sand RV		68	70
		Frag- ments RV		25	22
		Kf Fact or		.24	.28
w Mexico		Depths in.		0 - 3	0 - 3
ties, Ne	Hydro logic Group			A	В
nty and Parts of Sandoval and Valencia Count	NIRR LCC			7e	7c
	Drainage			Well drained	Well drained
	Erosion			I	
	WEG			5	5
llo Cot	WEI			56	56
3ernali	T Fact or			3	5
Conservation Planning-B	Runoff			Very low	Medium
	USLE Slope Length ft.			160	160
	Slope RV			3.0	5.0
	Pct. of map unit			50	35
	Map symbol and soil		EtC—Embudo-Tijeras complex, 0 to 9 percent slopes	Embudo	Tijeras

References

American Association of State Highway and Transportation Officials (AASHTO). 2004. Standard specifications for transportation materials and methods of sampling and testing. 24th edition.

American Society for Testing and Materials (ASTM). 2005. Standard classification of soils for engineering purposes. ASTM Standard D2487-00.

Cowardin, L.M., V. Carter, F.C. Golet, and E.T. LaRoe. 1979. Classification of wetlands and deep-water habitats of the United States. U.S. Fish and Wildlife Service FWS/OBS-79/31.

Federal Register. July 13, 1994. Changes in hydric soils of the United States.

Federal Register. September 18, 2002. Hydric soils of the United States.

Hurt, G.W., and L.M. Vasilas, editors. Version 6.0, 2006. Field indicators of hydric soils in the United States.

National Research Council. 1995. Wetlands: Characteristics and boundaries.

Soil Survey Division Staff. 1993. Soil survey manual. Soil Conservation Service. U.S. Department of Agriculture Handbook 18. http://www.nrcs.usda.gov/wps/portal/ nrcs/detail/national/soils/?cid=nrcs142p2_054262

Soil Survey Staff. 1999. Soil taxonomy: A basic system of soil classification for making and interpreting soil surveys. 2nd edition. Natural Resources Conservation Service, U.S. Department of Agriculture Handbook 436. http://www.nrcs.usda.gov/wps/portal/nrcs/detail/national/soils/?cid=nrcs142p2_053577

Soil Survey Staff. 2010. Keys to soil taxonomy. 11th edition. U.S. Department of Agriculture, Natural Resources Conservation Service. http://www.nrcs.usda.gov/wps/portal/nrcs/detail/national/soils/?cid=nrcs142p2 053580

Tiner, R.W., Jr. 1985. Wetlands of Delaware. U.S. Fish and Wildlife Service and Delaware Department of Natural Resources and Environmental Control, Wetlands Section.

United States Army Corps of Engineers, Environmental Laboratory. 1987. Corps of Engineers wetlands delineation manual. Waterways Experiment Station Technical Report Y-87-1.

United States Department of Agriculture, Natural Resources Conservation Service. National forestry manual. http://www.nrcs.usda.gov/wps/portal/nrcs/detail/soils/ home/?cid=nrcs142p2 053374

United States Department of Agriculture, Natural Resources Conservation Service. National range and pasture handbook. http://www.nrcs.usda.gov/wps/portal/nrcs/ detail/national/landuse/rangepasture/?cid=stelprdb1043084

United States Department of Agriculture, Natural Resources Conservation Service. National soil survey handbook, title 430-VI. http://www.nrcs.usda.gov/wps/portal/ nrcs/detail/soils/scientists/?cid=nrcs142p2_054242

United States Department of Agriculture, Natural Resources Conservation Service. 2006. Land resource regions and major land resource areas of the United States, the Caribbean, and the Pacific Basin. U.S. Department of Agriculture Handbook 296. http://www.nrcs.usda.gov/wps/portal/nrcs/detail/national/soils/? cid=nrcs142p2_053624

United States Department of Agriculture, Soil Conservation Service. 1961. Land capability classification. U.S. Department of Agriculture Handbook 210. http://www.nrcs.usda.gov/Internet/FSE_DOCUMENTS/nrcs142p2_052290.pdf

TAB 5

https://gis.web.env.nm.gov/oem/?map=swqb NMED SWQB Mapper



WATERS GeoViewer



TAB 6

Critical Habitat for Threatened & Endangered Species [USFWS]



U.S. Fish and Wildlife Service | The data found in this file were developed by the U.S. Fish & Wildlife Service field offices. For more information please refer

to the species level metadata found with the individual shapefiles. The ECOS Joint Development Team is responsible for creating and serving this

conglomerate file. No data alterations are made by ECOS. | MRCOG-NM, Atlantic Group, USDA FSA, Maxar



United States Department of the Interior

FISH AND WILDLIFE SERVICE New Mexico Ecological Services Field Office 2105 Osuna Road Ne Albuquerque, NM 87113-1001 Phone: (505) 346-2525 Fax: (505) 346-2542 <u>http://www.fws.gov/southwest/es/NewMexico/</u> http://www.fws.gov/southwest/es/ES Lists Main2.html



In Reply Refer To: Consultation Code: 02ENNM00-2021-SLI-0183 Event Code: 02ENNM00-2021-E-00409 Project Name: C&D Storage November 24, 2020

Subject: List of threatened and endangered species that may occur in your proposed project location, and/or may be affected by your proposed project

To Whom It May Concern:

Thank you for your recent request for information on federally listed species and important wildlife habitats that may occur in your project area. The U.S. Fish and Wildlife Service (Service) has responsibility for certain species of New Mexico wildlife under the Endangered Species Act (ESA) of 1973 as amended (16 USC 1531 et seq.), the Migratory Bird Treaty Act (MBTA) as amended (16 USC 701-715), and the Bald and Golden Eagle Protection Act (BGEPA) as amended (16 USC 668-668c). We are providing the following guidance to assist you in determining which federally imperiled species may or may not occur within your project area and to recommend some conservation measures that can be included in your project design.

FEDERALLY-LISTED SPECIES AND DESIGNATED CRITICAL HABITAT

Attached is a list of endangered, threatened, and proposed species that may occur in your project area. Your project area may not necessarily include all or any of these species. Under the ESA, it is the responsibility of the Federal action agency or its designated representative to determine if a proposed action "may affect" endangered, threatened, or proposed species, or designated critical habitat, and if so, to consult with the Service further. Similarly, it is the responsibility of the Federal action agency or project proponent, not the Service, to make "no effect" determinations. If you determine that your proposed action will have "no effect" on threatened or endangered species or their respective critical habitat, you do not need to seek concurrence with the Service. Nevertheless, it is a violation of Federal law to harm or harass any federally-listed threatened or endangered fish or wildlife species without the appropriate permit.

If you determine that your proposed action may affect federally-listed species, consultation with the Service will be necessary. Through the consultation process, we will analyze information contained in a biological assessment that you provide. If your proposed action is associated with Federal funding or permitting, consultation will occur with the Federal agency under section 7(a) (2) of the ESA. Otherwise, an incidental take permit pursuant to section 10(a)(1)(B) of the ESA (also known as a habitat conservation plan) is necessary to harm or harass federally listed threatened or endangered fish or wildlife species. In either case, there is no mechanism for authorizing incidental take "after-the-fact." For more information regarding formal consultation and HCPs, please see the Service's Consultation Handbook and Habitat Conservation Plans at www.fws.gov/endangered/esa-library/index.html#consultations.

The scope of federally listed species compliance not only includes direct effects, but also any interrelated or interdependent project activities (e.g., equipment staging areas, offsite borrow material areas, or utility relocations) and any indirect or cumulative effects that may occur in the action area includes all areas to be affected, not merely the immediate area involved in the action. Large projects may have effects outside the immediate area to species not listed here that should be addressed. If your action area has suitable habitat for any of the attached species, we recommend that species-specific surveys be conducted during the flowering season for plants and at the appropriate time for wildlife to evaluate any possible project-related impacts.

Candidate Species and Other Sensitive Species

A list of candidate and other sensitive species in your area is also attached. Candidate species and other sensitive species are species that have no legal protection under the ESA, although we recommend that candidate and other sensitive species be included in your surveys and considered for planning purposes. The Service monitors the status of these species. If significant declines occur, these species could potentially be listed. Therefore, actions that may contribute to their decline should be avoided.

Lists of sensitive species including State-listed endangered and threatened species are compiled by New Mexico state agencies. These lists, along with species information, can be found at the following websites:

Biota Information System of New Mexico (BISON-M): www.bison-m.org

New Mexico State Forestry. The New Mexico Endangered Plant Program: www.emnrd.state.nm.us/SFD/ForestMgt/Endangered.html

New Mexico Rare Plant Technical Council, New Mexico Rare Plants: nmrareplants.unm.edu

Natural Heritage New Mexico, online species database: nhnm.unm.edu

WETLANDS AND FLOODPLAINS

Under Executive Orders 11988 and 11990, Federal agencies are required to minimize the destruction, loss, or degradation of wetlands and floodplains, and preserve and enhance their natural and beneficial values. These habitats should be conserved through avoidance, or mitigated to ensure that there would be no net loss of wetlands function and value.

We encourage you to use the National Wetland Inventory (NWI) maps in conjunction with ground-truthing to identify wetlands occurring in your project area. The Service's NWI program website, www.fws.gov/wetlands/Data/Mapper.html integrates digital map data with other resource information. We also recommend you contact the U.S. Army Corps of Engineers for permitting requirements under section 404 of the Clean Water Act if your proposed action could impact floodplains or wetlands.

MIGRATORY BIRDS

The MBTA prohibits the taking of migratory birds, nests, and eggs, except as permitted by the Service's Migratory Bird Office. To minimize the likelihood of adverse impacts to migratory birds, we recommend construction activities occur outside the general bird nesting season from March through August, or that areas proposed for construction during the nesting season be surveyed, and when occupied, avoided until the young have fledged.

We recommend review of Birds of Conservation Concern at website www.fws.gov/ migratorybirds/CurrentBirdIssues/Management/BCC.html to fully evaluate the effects to the birds at your site. This list identifies birds that are potentially threatened by disturbance and construction.

BALD AND GOLDEN EAGLES

The bald eagle (*Haliaeetus leucocephalus*) was delisted under the ESA on August 9, 2007. Both the bald eagle and golden eagle (*Aquila chrysaetos*) are still protected under the MBTA and BGEPA. The BGEPA affords both eagles protection in addition to that provided by the MBTA, in particular, by making it unlawful to "disturb" eagles. Under the BGEPA, the Service may issue limited permits to incidentally "take" eagles (e.g., injury, interfering with normal breeding, feeding, or sheltering behavior nest abandonment). For information on bald and golden eagle management guidelines, we recommend you review information provided at www.fws.gov/midwest/eagle/guidelines/bgepa.html.

On our web site www.fws.gov/southwest/es/NewMexico/SBC_intro.cfm, we have included conservation measures that can minimize impacts to federally listed and other sensitive species. These include measures for communication towers, power line safety for raptors, road and highway improvements, spring developments and livestock watering facilities, wastewater facilities, and trenching operations.

We also suggest you contact the New Mexico Department of Game and Fish, and the New Mexico Energy, Minerals, and Natural Resources Department, Forestry Division for information regarding State fish, wildlife, and plants.

Thank you for your concern for endangered and threatened species and New Mexico's wildlife habitats. We appreciate your efforts to identify and avoid impacts to listed and sensitive species in your project area. For further consultation on your proposed activity, please call 505-346-2525 or email nmesfo@fws.gov and reference your Service Consultation Tracking Number.

Attachment(s):

- Official Species List
- Migratory Birds
Official Species List

This list is provided pursuant to Section 7 of the Endangered Species Act, and fulfills the requirement for Federal agencies to "request of the Secretary of the Interior information whether any species which is listed or proposed to be listed may be present in the area of a proposed action".

This species list is provided by:

(505) 346-2525

New Mexico Ecological Services Field Office 2105 Osuna Road Ne Albuquerque, NM 87113-1001

Project Summary

Consultation Code:	02ENNM00-2021-SLI-0183
Event Code:	02ENNM00-2021-E-00409
Project Name:	C&D Storage
Project Type:	DEVELOPMENT
Project Description:	2.2 gross zero project for the co

Project Description: 3.3 gross acre project for the construction of improvements for a commercial storage facility to last approximately eight months.

Project Location:

Approximate location of the project can be viewed in Google Maps: <u>https://</u>www.google.com/maps/place/35.068216768023234N106.55162309985673W



Counties: Bernalillo, NM

Endangered Species Act Species

There is a total of 5 threatened, endangered, or candidate species on this species list.

Species on this list should be considered in an effects analysis for your project and could include species that exist in another geographic area. For example, certain fish may appear on the species list because a project could affect downstream species.

IPaC does not display listed species or critical habitats under the sole jurisdiction of NOAA Fisheries¹, as USFWS does not have the authority to speak on behalf of NOAA and the Department of Commerce.

See the "Critical habitats" section below for those critical habitats that lie wholly or partially within your project area under this office's jurisdiction. Please contact the designated FWS office if you have questions.

1. <u>NOAA Fisheries</u>, also known as the National Marine Fisheries Service (NMFS), is an office of the National Oceanic and Atmospheric Administration within the Department of Commerce.

Mammals

NAME	STATUS
New Mexico Meadow Jumping Mouse <i>Zapus hudsonius luteus</i> There is final critical habitat for this species. Your location is outside the critical habitat. Species profile: <u>https://ecos.fws.gov/ecp/species/7965</u>	Endangered
Birds	
NAME	STATUS
Mexican Spotted Owl <i>Strix occidentalis lucida</i> There is final critical habitat for this species. Your location is outside the critical habitat. Species profile: <u>https://ecos.fws.gov/ecp/species/8196</u>	Threatened
Southwestern Willow Flycatcher <i>Empidonax traillii extimus</i> There is final critical habitat for this species. Your location is outside the critical habitat. Species profile: <u>https://ecos.fws.gov/ecp/species/6749</u>	Endangered
Yellow-billed Cuckoo <i>Coccyzus americanus</i> Population: Western U.S. DPS There is proposed critical habitat for this species. Your location is outside the critical habitat. Species profile: <u>https://ecos.fws.gov/ecp/species/3911</u>	Threatened

Fishes

NAME	STATUS
Rio Grande Silvery Minnow <i>Hybognathus amarus</i>	Endangered
Population: Wherever found, except where listed as an experimental population	0
There is final critical habitat for this species. Your location is outside the critical habitat.	
Species profile: <u>https://ecos.fws.gov/ecp/species/1391</u>	

Critical habitats

THERE ARE NO CRITICAL HABITATS WITHIN YOUR PROJECT AREA UNDER THIS OFFICE'S JURISDICTION.

Migratory Birds

Certain birds are protected under the Migratory Bird Treaty Act¹ and the Bald and Golden Eagle Protection Act².

Any person or organization who plans or conducts activities that may result in impacts to migratory birds, eagles, and their habitats should follow appropriate regulations and consider implementing appropriate conservation measures, as described <u>below</u>.

- 1. The <u>Migratory Birds Treaty Act</u> of 1918.
- 2. The <u>Bald and Golden Eagle Protection Act</u> of 1940.
- 3. 50 C.F.R. Sec. 10.12 and 16 U.S.C. Sec. 668(a)

The birds listed below are birds of particular concern either because they occur on the <u>USFWS</u> <u>Birds of Conservation Concern</u> (BCC) list or warrant special attention in your project location. To learn more about the levels of concern for birds on your list and how this list is generated, see the FAQ <u>below</u>. This is not a list of every bird you may find in this location, nor a guarantee that every bird on this list will be found in your project area. To see exact locations of where birders and the general public have sighted birds in and around your project area, visit the <u>E-bird data</u> <u>mapping tool</u> (Tip: enter your location, desired date range and a species on your list). For projects that occur off the Atlantic Coast, additional maps and models detailing the relative occurrence and abundance of bird species on your list are available. Links to additional information about Atlantic Coast birds, and other important information about your migratory bird list, including how to properly interpret and use your migratory bird report, can be found <u>below</u>.

For guidance on when to schedule activities or implement avoidance and minimization measures to reduce impacts to migratory birds on your list, click on the PROBABILITY OF PRESENCE SUMMARY at the top of your list to see when these birds are most likely to be present and breeding in your project area.

NAME	BREEDING SEASON
Bald Eagle Haliaeetus leucocephalus This is not a Bird of Conservation Concern (BCC) in this area, but warrants attention because of the Eagle Act or for potential susceptibilities in offshore areas from certain types of development or activities. <u>https://ecos.fws.gov/ecp/species/1626</u>	Breeds Dec 1 to Aug 31
Black Rosy-finch <i>Leucosticte atrata</i> This is a Bird of Conservation Concern (BCC) throughout its range in the continental USA and Alaska. <u>https://ecos.fws.gov/ecp/species/9460</u>	Breeds Jun 15 to Aug 31

NAME	BREEDING SEASON
Brewer's Sparrow Spizella breweri This is a Bird of Conservation Concern (BCC) only in particular Bird Conservation Regions (BCRs) in the continental USA https://ecos.fws.gov/ecp/species/9291	Breeds May 15 to Aug 10
Brown-capped Rosy-finch <i>Leucosticte australis</i> This is a Bird of Conservation Concern (BCC) throughout its range in the continental USA and Alaska.	Breeds Jun 15 to Sep 15
Burrowing Owl Athene cunicularia This is a Bird of Conservation Concern (BCC) only in particular Bird Conservation Regions (BCRs) in the continental USA <u>https://ecos.fws.gov/ecp/species/9737</u>	Breeds Mar 15 to Aug 31
Chestnut-collared Longspur <i>Calcarius ornatus</i> This is a Bird of Conservation Concern (BCC) throughout its range in the continental USA and Alaska.	Breeds elsewhere
Grace's Warbler <i>Dendroica graciae</i> This is a Bird of Conservation Concern (BCC) only in particular Bird Conservation Regions (BCRs) in the continental USA	Breeds May 20 to Jul 20
Long-billed Curlew Numenius americanus This is a Bird of Conservation Concern (BCC) throughout its range in the continental USA and Alaska. <u>https://ecos.fws.gov/ecp/species/5511</u>	Breeds Apr 1 to Jul 31
Olive-sided Flycatcher <i>Contopus cooperi</i> This is a Bird of Conservation Concern (BCC) throughout its range in the continental USA and Alaska. <u>https://ecos.fws.gov/ecp/species/3914</u>	Breeds May 20 to Aug 31
Pinyon Jay <i>Gymnorhinus cyanocephalus</i> This is a Bird of Conservation Concern (BCC) throughout its range in the continental USA and Alaska. <u>https://ecos.fws.gov/ecp/species/9420</u>	Breeds Feb 15 to Jul 15
Rufous Hummingbird <i>selasphorus rufus</i> This is a Bird of Conservation Concern (BCC) throughout its range in the continental USA and Alaska. <u>https://ecos.fws.gov/ecp/species/8002</u>	Breeds elsewhere
Virginia's Warbler Vermivora virginiae This is a Bird of Conservation Concern (BCC) throughout its range in the continental USA and Alaska. https://ecos.fws.gov/ecp/species/9441	Breeds May 1 to Jul 31

NAME	BREEDING SEASON
Willow Flycatcher <i>Empidonax traillii</i>	Breeds May 20
This is a Bird of Conservation Concern (BCC) only in particular Bird Conservation Regions	to Aug 31
(BCRs) in the continental USA	0
https://ecos.fws.gov/ecp/species/3482	

Probability Of Presence Summary

The graphs below provide our best understanding of when birds of concern are most likely to be present in your project area. This information can be used to tailor and schedule your project activities to avoid or minimize impacts to birds. Please make sure you read and understand the FAQ "Proper Interpretation and Use of Your Migratory Bird Report" before using or attempting to interpret this report.

Probability of Presence (

Each green bar represents the bird's relative probability of presence in the 10km grid cell(s) your project overlaps during a particular week of the year. (A year is represented as 12 4-week months.) A taller bar indicates a higher probability of species presence. The survey effort (see below) can be used to establish a level of confidence in the presence score. One can have higher confidence in the presence score if the corresponding survey effort is also high.

How is the probability of presence score calculated? The calculation is done in three steps:

- 1. The probability of presence for each week is calculated as the number of survey events in the week where the species was detected divided by the total number of survey events for that week. For example, if in week 12 there were 20 survey events and the Spotted Towhee was found in 5 of them, the probability of presence of the Spotted Towhee in week 12 is 0.25.
- 2. To properly present the pattern of presence across the year, the relative probability of presence is calculated. This is the probability of presence divided by the maximum probability of presence across all weeks. For example, imagine the probability of presence in week 20 for the Spotted Towhee is 0.05, and that the probability of presence at week 12 (0.25) is the maximum of any week of the year. The relative probability of presence on week 12 is 0.25/0.25 = 1; at week 20 it is 0.05/0.25 = 0.2.
- 3. The relative probability of presence calculated in the previous step undergoes a statistical conversion so that all possible values fall between 0 and 10, inclusive. This is the probability of presence score.

Breeding Season (=)

Yellow bars denote a very liberal estimate of the time-frame inside which the bird breeds across its entire range. If there are no yellow bars shown for a bird, it does not breed in your project area.

Survey Effort ()

Vertical black lines superimposed on probability of presence bars indicate the number of surveys performed for that species in the 10km grid cell(s) your project area overlaps. The number of surveys is expressed as a range, for example, 33 to 64 surveys.

No Data (-)

A week is marked as having no data if there were no survey events for that week.

Survey Timeframe

Surveys from only the last 10 years are used in order to ensure delivery of currently relevant information. The exception to this is areas off the Atlantic coast, where bird returns are based on all years of available data, since data in these areas is currently much more sparse.

				prob	ability of	f presenc	e 📕 br	eeding se	eason	survey	effort	— no data
SPECIES	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
Bald Eagle Non-BCC Vulnerable	┼┼┼╪	++++	++++	$\left\{ \left\{ \right\} \right\}$	++++	++++	++++	++++	++++	++++	++++	- + + + +
Black Rosy-finch BCC Rangewide (CON)	++∎+	++++	++++	++++	++++	+		++++	++++	++++	++++	- ++++
Brewer's Sparrow BCC - BCR	++++	++++	++++	┼┼╪║	∳∎∔∳	++++	++++	<mark>┼┼</mark> ѱ┼	┼╢║║	++++	++++	- ++++
Brown-capped Rosy-finch BCC Rangewide (CON)	┼┼ ₩┼	++++	++++	++++	++++	+	++++	++++	++++	++++	++++	- ++++
Burrowing Owl BCC - BCR	++++	++++	↓ ↓	┼╪┼┼	┼╪┼┼	∎┼┼∎	• +++	↓ +++	++++	++++	++++	- ++++
Chestnut-collared Longspur BCC Rangewide (CON)	++++	++++	++++	++++	++++	++++	++++	++++	++++	++++	++++	•
Grace's Warbler BCC - BCR	++++	++++	++++	+++#	┼┼ <mark>┼</mark> ┼		++++	++++	++++	++++	++++	- ++++
Long-billed Curlew BCC Rangewide (CON)	++++	++++	++++	$\left\{ \left\{ \right\} \right\}$	$\left\{ \left\{ \right\} \right\}$	$\left\{ + + + + + + + + + + + + + + + + + + +$	++++	+++	++++	++++	++++	- + + + +
Olive-sided Flycatcher BCC Rangewide (CON)	++++	++++	++++	++++	┼┼ <mark>║</mark> ┼			<u></u> 	₩₩₩∔	++++	++++	- ++++
Pinyon Jay BCC Rangewide (CON)	++++	++++	$\left\{ \left\{ \right\} \right\}$	$\left\{ \left\ \cdot \right\ \right\}$	 	∎┼┼┼	++++	++++	++++	┼┼╪┼	++++	- ++++
Rufous Hummingbird BCC Rangewide (CON)	++++	++++	++++	++++	++++	┼┼┼脚				∎++∔	++++	- ++++
Virginia's Warbler BCC Rangewide (CON)	++++	++++	++++	+++	1 1++	++++	$\left\{ + + + \right\}$	++	₽₽₽₽	+++	++++	- ++++

SPECIES	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
Willow Flycatcher BCC - BCR	++++	++++	++++	++++	┼┿ <mark>║</mark> ┼	₽₽ ++	$\left\{ \left\{ +\right\} \right\}$	$\left\{ +\right\} $	++++	++++	++++	++++

Additional information can be found using the following links:

- Birds of Conservation Concern http://www.fws.gov/birds/management/managed-species/birds-of-conservation-concern.php
- Measures for avoiding and minimizing impacts to birds <u>http://www.fws.gov/birds/</u> <u>management/project-assessment-tools-and-guidance/</u> <u>conservation-measures.php</u>
- Nationwide conservation measures for birds <u>http://www.fws.gov/migratorybirds/pdf/</u> management/nationwidestandardconservationmeasures.pdf

Migratory Birds FAQ

Tell me more about conservation measures I can implement to avoid or minimize impacts to migratory birds.

<u>Nationwide Conservation Measures</u> describes measures that can help avoid and minimize impacts to all birds at any location year round. Implementation of these measures is particularly important when birds are most likely to occur in the project area. When birds may be breeding in the area, identifying the locations of any active nests and avoiding their destruction is a very helpful impact minimization measure. To see when birds are most likely to occur and be breeding in your project area, view the Probability of Presence Summary. <u>Additional measures</u> and/or <u>permits</u> may be advisable depending on the type of activity you are conducting and the type of infrastructure or bird species present on your project site.

What does IPaC use to generate the migratory birds potentially occurring in my specified location?

The Migratory Bird Resource List is comprised of USFWS <u>Birds of Conservation Concern</u> (<u>BCC</u>) and other species that may warrant special attention in your project location.

The migratory bird list generated for your project is derived from data provided by the <u>Avian</u> <u>Knowledge Network (AKN)</u>. The AKN data is based on a growing collection of <u>survey</u>, <u>banding</u>, <u>and citizen science datasets</u> and is queried and filtered to return a list of those birds reported as occurring in the 10km grid cell(s) which your project intersects, and that have been identified as warranting special attention because they are a BCC species in that area, an eagle (<u>Eagle Act</u> requirements may apply), or a species that has a particular vulnerability to offshore activities or development.

Again, the Migratory Bird Resource list includes only a subset of birds that may occur in your project area. It is not representative of all birds that may occur in your project area. To get a list of all birds potentially present in your project area, please visit the <u>AKN Phenology Tool</u>.

What does IPaC use to generate the probability of presence graphs for the migratory birds potentially occurring in my specified location?

The probability of presence graphs associated with your migratory bird list are based on data provided by the <u>Avian Knowledge Network (AKN)</u>. This data is derived from a growing collection of <u>survey, banding, and citizen science datasets</u>.

Probability of presence data is continuously being updated as new and better information becomes available. To learn more about how the probability of presence graphs are produced and how to interpret them, go the Probability of Presence Summary and then click on the "Tell me about these graphs" link.

How do I know if a bird is breeding, wintering, migrating or present year-round in my project area?

To see what part of a particular bird's range your project area falls within (i.e. breeding, wintering, migrating or year-round), you may refer to the following resources: <u>The Cornell Lab of Ornithology All About Birds Bird Guide</u>, or (if you are unsuccessful in locating the bird of interest there), the <u>Cornell Lab of Ornithology Neotropical Birds guide</u>. If a bird on your migratory bird species list has a breeding season associated with it, if that bird does occur in your project area, there may be nests present at some point within the timeframe specified. If "Breeds elsewhere" is indicated, then the bird likely does not breed in your project area.

What are the levels of concern for migratory birds?

Migratory birds delivered through IPaC fall into the following distinct categories of concern:

- 1. "BCC Rangewide" birds are <u>Birds of Conservation Concern</u> (BCC) that are of concern throughout their range anywhere within the USA (including Hawaii, the Pacific Islands, Puerto Rico, and the Virgin Islands);
- 2. "BCC BCR" birds are BCCs that are of concern only in particular Bird Conservation Regions (BCRs) in the continental USA; and
- 3. "Non-BCC Vulnerable" birds are not BCC species in your project area, but appear on your list either because of the <u>Eagle Act</u> requirements (for eagles) or (for non-eagles) potential susceptibilities in offshore areas from certain types of development or activities (e.g. offshore energy development or longline fishing).

Although it is important to try to avoid and minimize impacts to all birds, efforts should be made, in particular, to avoid and minimize impacts to the birds on this list, especially eagles and BCC species of rangewide concern. For more information on conservation measures you can implement to help avoid and minimize migratory bird impacts and requirements for eagles, please see the FAQs for these topics.

Details about birds that are potentially affected by offshore projects

For additional details about the relative occurrence and abundance of both individual bird species and groups of bird species within your project area off the Atlantic Coast, please visit the <u>Northeast Ocean Data Portal</u>. The Portal also offers data and information about other taxa besides birds that may be helpful to you in your project review. Alternately, you may download the bird model results files underlying the portal maps through the <u>NOAA NCCOS Integrative Statistical</u> <u>Modeling and Predictive Mapping of Marine Bird Distributions and Abundance on the Atlantic</u> <u>Outer Continental Shelf</u> project webpage.

Bird tracking data can also provide additional details about occurrence and habitat use throughout the year, including migration. Models relying on survey data may not include this information. For additional information on marine bird tracking data, see the <u>Diving Bird Study</u> and the <u>nanotag studies</u> or contact <u>Caleb Spiegel</u> or <u>Pam Loring</u>.

What if I have eagles on my list?

If your project has the potential to disturb or kill eagles, you may need to <u>obtain a permit</u> to avoid violating the Eagle Act should such impacts occur.

Proper Interpretation and Use of Your Migratory Bird Report

The migratory bird list generated is not a list of all birds in your project area, only a subset of birds of priority concern. To learn more about how your list is generated, and see options for identifying what other birds may be in your project area, please see the FAQ "What does IPaC use to generate the migratory birds potentially occurring in my specified location". Please be aware this report provides the "probability of presence" of birds within the 10 km grid cell(s) that overlap your project; not your exact project footprint. On the graphs provided, please also look carefully at the survey effort (indicated by the black vertical bar) and for the existence of the "no data" indicator (a red horizontal bar). A high survey effort is the key component. If the survey effort is high, then the probability of presence score can be viewed as more dependable. In contrast, a low survey effort bar or no data bar means a lack of data and, therefore, a lack of certainty about presence of the species. This list is not perfect; it is simply a starting point for identifying what birds of concern have the potential to be in your project area, when they might be there, and if they might be breeding (which means nests might be present). The list helps you know what to look for to confirm presence, and helps guide you in knowing when to implement conservation measures to avoid or minimize potential impacts from your project activities, should presence be confirmed. To learn more about conservation measures, visit the FAQ "Tell me about conservation measures I can implement to avoid or minimize impacts to migratory birds" at the bottom of your migratory bird trust resources page.

			inden øy	eeding a		epore
Row	COUNTY	RESOURCE NAME	ADDRESS	CITY	LISTED	MULTIPLE
1	Bernalillo	Albuquerque Municipal Airport Building, Old	2920 Yale Blvd. SE.	Albuquerque	1989-05-05	
2	Bernalillo	Albuquerque Veterans Administration Medical Center	2100 Ridgecrest, SE	Albuquerque	1983-08-19	
3	Bernalillo	Aldo Leopold Neighborhood Historic District	105-135 Fourteenth St., SW	Albuquerque	2002-10-16	Twentieth Century Suburban Growth of Albuquerque MPS
4	Bernalillo	Anaya, Gavino, House	2939 Duranes Rd., NW	Albuquerque	1984-02-09	Albuquerque North Valley MRA
5	Bernalillo	Armijo, Juan Cristobal, Homestead	207 Griegos Rd., NE	Albuquerque	1982-09-30	Albuquerque North Valley MRA
6	Bernalillo	Armijo, Salvador, House	618 Rio Grande Blvd., NW	Albuquerque	1976-10-08	
7	Bernalillo	Art Annex	NE corner of Central Ave. and Terrace St., UNM	Albuquerque	1988-09-22	New Mexico Campus Buildings Built 19061937 TR
8	Bernalillo	Aztec Auto Court	3821 Central Ave. NE.	Albuquerque	1993-11-22	Route 66 through New Mexico MPS
9	Bernalillo	Barela, Adrian, House	7618 Guadalupe Trail, NW	Albuquerque	1984-02-09	Albuquerque North Valley MRA
10	Bernalillo	Barela-Bledsoe House	7017 Edith Blvd., NE	Albuquerque	1979-03-12	Albuquerque North Valley MRA
11	Bernalillo	BarelasSouth Fourth Street Historic District	4th St. from Stover Ave. to Bridge St.	Albuquerque	1997-07-24	Auto-oriented Commercial Development in Albuquerque MPS
12	Bernalillo	Bottger, Charles A., House	110 San Felipe, NW	Albuquerque	1983-03-07	
13	Bernalillo	Building at 701 Roma NW	701 Roma, NW	Albuquerque	1985-02-28	
14	Bernalillo	Carlisle Gymnasium	UNM campus W of Yale Blvd.	Albuquerque	1988-09-22	New Mexico Campus Buildings Built 19061937 TR
15	Bernalillo	Carnes, Chester, House	701 13th St., NW	Albuquerque	1980-12-01	Albuquerque Downtown Neighborhoods MRA
16	Bernalillo	Castle Apartments	1410 Central SW	Albuquerque	1986-02-13	
17	Bernalillo	Chavez, Juan de Dios, House	205 Griegos Rd., NW	Albuquerque	1984-02-09	Albuquerque North Valley MRA

Historical Preservation Index by County and City report

Row	COUNTY	RESOURCE NAME	ADDRESS	CITY	LISTED	MULTIPLE
18	Bernalillo	Chavez, Juan, House	7809 4th St., NW	Albuquerque	1984-02-09	Albuquerque North Valley MRA
19	Bernalillo	Chavez, Rumaldo, House	10023 Edith Blvd., NE	Albuquerque	1980-11-24	Albuquerque North Valley MRA
20	Bernalillo	Coronado School	601 4th St., SW	Albuquerque	1996-11-22	New Deal in New Mexico MPS
21	Bernalillo	Cottage Bakery	2000 Central Ave. SE.	Albuquerque	1993-11-22	Route 66 through New Mexico MPS
22	Bernalillo	Davis House	704 Parkland Circle, SE	Albuquerque	1980-11-17	
23	Bernalillo	De Anza Motor Lodge	4301 Central Ave. NE	Albuquerque	2004-04-30	Route 66 through New Mexico MPS
24	Bernalillo	De Garcia, Tomasa Griego, House	6939 Edith Blvd., NE	Albuquerque	1979-06-19	Albuquerque North Valley MRA
25	Bernalillo	Dietz, Robert, Farmhouse	4117 Rio Grande Blvd., NW	Albuquerque	1984-02-09	Albuquerque North Valley MRA
26	Bernalillo	Eighth Street-Forrester District	Roughly bounded by Mountain Rd., Lomas Blvd., Forrester and 7th Sts.	Albuquerque	1980-12-01	Albuquerque Downtown Neighborhoods MRA
27	Bernalillo	El Campo Tourist Courts	5800 Central Ave. SW	Albuquerque	1994-01-13	Route 66 through New Mexico MPS
28	Bernalillo	El Vado Auto Court	2500 Central Ave. SW.	Albuquerque	1993-11-22	Route 66 through New Mexico MPS
29	Bernalillo	Eller Apartments	113-127 8th St., SW	Albuquerque	1984-01-12	
30	Bernalillo	Employees' New Dormitory and Club	Albuquerqu e Indian School Campus	Albuquerque	1982-07-26	
31	Bernalillo	Enchanted Mesa Trading Post	9612 Central Ave. SE.	Albuquerque	1998-01-09	Route 66 through New Mexico MPS
32	Bernalillo	Estufa	SE corner of University Blvd. and Grand Ave., UNM	Albuquerque	1988-09-22	New Mexico Campus Buildings Built 19061937 TR
33	Bernalillo	Federal Building	421 Gold Ave., SW	Albuquerque	1980-11-22	br>
34	Bernalillo	First Methodist Episcopal Church	3rd St. and Lead Ave.	Albuquerque	1976-11-07	

Row	COUNTY	RESOURCE NAME	ADDRESS	CITY	LISTED	MULTIPLE
35	Bernalillo	First National Bank Building	217-233 Central Ave., NW	Albuquerque	1979-02-02	
36	Bernalillo	Foraker, C. M., Farmhouse	905 Menaul Blvd., NW	Albuquerque	1984-02-09	Albuquerque North Valley MRA
37	Bernalillo	Fourth Ward District	Roughly bounded by Central Ave., Lomas Blvd., 8th and 15th Sts.	Albuquerque	1980-12-01	Albuquerque Downtown Neighborhoods MRA
38	Bernalillo	Garcia, Juan Antonio, House	7442 Edith Blvd., NE	Albuquerque	1982-09-28	Albuquerque North Valley MRA
39	Bernalillo	Gladding, James N., House	643 Cedar St., NE	Albuquerque	1980-11-17	
40	Bernalillo	Gomez, Refugio, House	7604 Guadalupe Trail, NW	Albuquerque	1984-02-09	Albuquerque North Valley MRA
41	Bernalillo	Grande, Charles, House	4317 Grande St., NW	Albuquerque	1984-02-09	Albuquerque North Valley MRA
42	Bernalillo	Gurule, Delfinia, House	306 16th St., NW	Albuquerque	1980-12-01	Albuquerque Downtown Neighborhoods MRA
43	Bernalillo	Harwood School	1114 7th St., NW	Albuquerque	1980-12-01	Albuquerque Downtown Neighborhoods MRA
44	Bernalillo	Hayden, A. W., House	609 Marble St., NW	Albuquerque	1980-12-01	Albuquerque Downtown Neighborhoods MRA
45	Bernalillo	Hendren Building	3001 Monte Vista Blvd. NE	Albuquerque	2000-01-27	Auto-oriented Commercial Development in Albuquerque MPS
46	Bernalillo	Hilltop Lodge	5410 Central Ave. SW.	Albuquerque	1998-01-09	Route 66 through New Mexico MPS
47	Bernalillo	Hope Building	220 Gold St., SW	Albuquerque	1980-08-29	br>
48	Bernalillo	Horn Oil Co. and Lodge	1720 Central Ave.	Albuquerque	1998-01-09	Route 66 through New Mexico MPS
49	Bernalillo	Hudson House	817 Gold Ave., SW	Albuquerque	1982-02-24	
50	Bernalillo	Huning Highlands Historic District	Bounded by Grand Ave., I-25, Iron Ave. and AT & amp; SF RR	Albuquerque	1978-11-17	

Row	COUNTY	RESOURCE NAME	ADDRESS	CITY	LISTED	MULTIPLE
51	Bernalillo	Jones Motor Company	3226 Central Ave. SE.	Albuquerque	1993-11-22	Route 66 through New Mexico MPS
52	Bernalillo	Jonson Gallery and House	1909 Las Lomas Rd. NE	Albuquerque	2002-02-22	
53	Bernalillo	Kimo Theater	421 Central Ave.	Albuquerque	1977-05-02	
54	Bernalillo	Kress, S. H., Building	414416 Central Ave., SW	Albuquerque	1984-04-19	
55	Bernalillo	Kromer House	1024 El Pueblo Rd., NW	Albuquerque	1982-10-04	Albuquerque North Valley MRA
56	Bernalillo	La Mesa Motel	7407 Central Ave. NE.	Albuquerque	1993-11-22	Route 66 through New Mexico MPS
57	Bernalillo	La Puerta Lodge	9710 Central Ave. SE.	Albuquerque	1998-01-09	Route 66 through New Mexico MPS
58	Bernalillo	LaGlorieta House	1801 Central Ave., NW	Albuquerque	1983-08-19	Albuquerque Downtown Neighborhoods MRA
59	Bernalillo	Las Imagines Archeological District Albuquerque West Mesa Escarpment	Address Restricted	Albuquerque	1986-11-19	
60	Bernalillo	LeFeber, Charles, House	313 5th St.	Albuquerque	1980-12-01	Albuquerque Downtown Neighborhoods MRA
61	Bernalillo	Lembke House	312 Laguna St., SW	Albuquerque	1980-11-25	
62	Bernalillo	Leverett, William J., House	301 Dartmouth NE	Albuquerque	1986-02-13	
63	Bernalillo	Lewis, Charles W. Building	14051407 2nd St., SW	Albuquerque	1979-07-03	
64	Bernalillo	Lopez, Hilario, House	208 16th St., NW	Albuquerque	1980-12-01	Albuquerque Downtown Neighborhoods MRA
65	Bernalillo	Los Candelarias Chapel- San Antonio Chapel	1934 Candelaria Rd., NW	Albuquerque	1984-02-09	Albuquerque North Valley MRA
66	Bernalillo	Los Duranes Chapel	2601 Indian School Rd., NW	Albuquerque	1984-02-09	Albuquerque North Valley MRA
67	Bernalillo	Los Griegos Historic District	Griegos Rd. and Rio Grande Blvd.	Albuquerque	1984-02-09	Albuquerque North Valley MRA

Row	COUNTY	RESOURCE NAME	ADDRESS	CITY	LISTED	MULTIPLE
68	Bernalillo	Los Tomases Chapel	3101 Los Tomases, NW	Albuquerque	1984-02-09	Albuquerque North Valley MRA
69	Bernalillo	Lucero y Montoya, Francisco, House	9742 4th St., NW	Albuquerque	1984-02-09	Albuquerque North Valley MRA
70	Bernalillo	Luna Lodge	9019 Central Ave. NE	Albuquerque	1998-06-11	Route 66 through New Mexico MPS
71	Bernalillo	Maisel's Indian Trading Post	510 Central Ave. SW.	Albuquerque	1993-11-22	Route 66 through New Mexico MPS
72	Bernalillo	Mann, Henry, House	723 14th St., NW	Albuquerque	1980-12-01	Albuquerque Downtown Neighborhoods MRA
73	Bernalillo	Manzano Court Addition Historic District	1000-1025 Manzano Court NW	Albuquerque	2004-10-14	Twentieth Century Suburban Growth of Albuquerque MPS
74	Bernalillo	McCanna-Hubbell Building	418424 Central, SW	Albuquerque	1982-05-13	
75	Bernalillo	Menaul School Historic District	Roughly bounded by Broadway, Claremont, Edith, and Menaul Aves. and 301 Menaul Blvd., NE	Albuquerque	1983-02-14	Albuquerque North Valley MRA
76	Bernalillo	Milne, John, House	804 Park Ave. SW	Albuquerque	1986-02-13	
77	Bernalillo	Modern Auto Court	3712 Central Ave. SE.	Albuquerque	1993-11-22	Route 66 through New Mexico MPS
78	Bernalillo	Monte Vista and College View Historic District	Roughly bounded by Girard and Lomas Blvds, Morningside Dr., Copper Ave., Campus and Monte Vista Blvds.	Albuquerque	2001-08-03	Twentieth Century Suburban Growth of Albuquerque MPS
79	Bernalillo	Monte Vista School	3211 Monte Vista Blvd., NE	Albuquerque	1981-08-12	
80	Bernalillo	National Humane Alliance Animal Fountain	615 Virginia Ave. SE	Albuquerque	1986-09-30	
81	Bernalillo	New Mexico-Arizona Wool Warehouse	520 1st St., NW	Albuquerque	1981-07-23	

Row	COUNTY	RESOURCE NAME	ADDRESS	CITY	LISTED	MULTIPLE
82	Bernalillo	Newlander Apartments	616 Coal Ave.	Albuquerque	2000-01-27	Multi-unit Dwellings in Albuquerque, New Mexico MPS
83	Bernalillo	Nob Hill Business District	3500 Central Ave. SE	Albuquerque	1994-03-18	
84	Bernalillo	Nordhaus, Robert, House	6900 Rio Grande Blvd., NW	Albuquerque	1984-02-09	Albuquerque North Valley MRA
85	Bernalillo	O'Rielly, J. H., House	220 9th St., NW	Albuquerque	1979-01-29	br>
86	Bernalillo	Occidental Life Building	119 3rd Ave., SW	Albuquerque	1978-01-30	
87	Bernalillo	Old Armijo School	1021 Isleta Blvd., SE	Albuquerque	1982-09-16	
88	Bernalillo	Old Hilton Hotel	125 2nd St., NW	Albuquerque	1984-03-02	
89	Bernalillo	Old Post Office	123 4th St.	Albuquerque	1980-11-17	
90	Bernalillo	Our Lady of Mt. Carmel Church	7813 Edith Blvd., NE	Albuquerque	1984-02-09	Albuquerque North Valley MRA
91	Bernalillo	Our Lady of the Angels School	320 Romero St., NW	Albuquerque	1984-11-29	
92	Bernalillo	Pacific Desk Building	213-215 Gold Ave., SW	Albuquerque	1980-09-30	
93	Bernalillo	Pearce, John, House	718 Central Ave., SW	Albuquerque	1980-11-22	
94	Bernalillo	Petroglyph National Monument	6001 Unser Blvd. NW	Albuquerque	1990-06-27	
95	Bernalillo	Piedras Marcadas Pueblo (LA 290)	Address Restricted	Albuquerque	1990-03-02	
96	Bernalillo	Pig 'n Calf Lunch	2106 Central Ave. SE.	Albuquerque	1994-02-15	Route 66 through New Mexico MPS
97	Bernalillo	President's House	NE corner of Roma Ave. and Yale Blvd., UNM	Albuquerque	1988-09-22	New Mexico Campus Buildings Built 19061937 TR
98	Bernalillo	Pyle, Ernie, House	900 Girard Blvd., SE	Albuquerque	1997-09-22	br>
99	Bernalillo	Rancho de Carnue Site	Address Restricted	Albuquerque	1977-05-04	
100	Bernalillo	Raynolds, Sara, Hall	UNM campus on Terrace St. north of Central Ave.	Albuquerque	1988-09-22	New Mexico Campus Buildings Built 19061937 TR
101	Bernalillo	Rio Puerco Bridge	I-40 over the Rio Puerco	Albuquerque	1997-07-15	Historic Highway Bridges of New Mexico MPS

Row	COUNTY	RESOURCE NAME	ADDRESS	CITY	LISTED	MULTIPLE
102	Bernalillo	Romero, Felipe, House	7522 Edith Blvd., NE	Albuquerque	1984-02-09	Albuquerque North Valley MRA
103	Bernalillo	Roosevelt Park	Jct. of Coal and Spruce Aves., SE	Albuquerque	1996-11-22	New Deal in New Mexico MPS
104	Bernalillo	Rosenwald Building	320 Central Ave., SW	Albuquerque	1978-06-29	
105	Bernalillo	Route 66, State maintained from Albuquerque to Rio Puerco	Rte. 66. West Central exit at I-40 to the Rio Puerco Bridge	Albuquerque	1997-11-19	Route 66 through New Mexico MPS
106	Bernalillo	Saint Joseph 1930 Hospital	715 Grand, NE	Albuquerque	1982-05-27	
107	Bernalillo	San Felipe de Neri Church	Old Town Plaza, NW	Albuquerque	1969-10-01	
108	Bernalillo	San Ignacio Church	1300 Walter St., NE	Albuquerque	1979-08-21	
109	Bernalillo	Santa Barbara School	1420 Edith Blvd., NE.	Albuquerque	1989-09-28	
110	Bernalillo	Scholes Hall	UNM campus S of Roma Ave.	Albuquerque	1988-09-22	New Mexico Campus Buildings Built 19061937 TR
111	Bernalillo	Second United Presbyterian Church	812 Edith Blvd., NE	Albuquerque	1984-12-06	
112	Bernalillo	Shalit, Samuel, House	5209 4th St., NW	Albuquerque	1984-02-09	Albuquerque North Valley MRA
113	Bernalillo	Shoup Boardinghouse	707 1st St., SW	Albuquerque	1983-02-17	
114	Bernalillo	Silver Hill Historic District	Roughly bounded by Central Ave., Yale Blvd., Lead Ave., and Sycamore St.	Albuquerque	1986-09-18	
115	Bernalillo	Simms Building	400 Gold Ave. SW	Albuquerque	1998-02-02	
116	Bernalillo	Skinner Building	722724 Central Ave. and 108 8th St., SW	Albuquerque	1980-11-22	
117	Bernalillo	Solar Building	213 Truman St., NE.	Albuquerque	1989-10-10	br>
118	Bernalillo	Southern Union Gas Company Building	723 Silver Ave. SW	Albuquerque	2004-03-31	Buildings Designed by John Gaw Meem MPS
119	Bernalillo	Southwestern Brewery and Ice Company	601 Commercial St., NE	Albuquerque	1978-03-30	

Row	COUNTY	RESOURCE NAME	ADDRESS	CITY	LISTED	MULTIPLE
120	Bernalillo	Spitz, Berthold, House	323 N. 10th St.	Albuquerque	1977-12-22	Albuquerque Downtown Neighborhoods MRA
121	Bernalillo	Springer Building	121 Tijeras Ave., NE	Albuquerque	1980-11-18	
122	Bernalillo	Spruce Park Historic District	Roughly bounded by University Blvd., Grand Ave., Las Lomas Rd. and Cedar St.	Albuquerque	1982-07-06	
123	Bernalillo	Superintendent's House, Atlantic & amp; Pacific Railroad	1023 S. 2nd St.	Albuquerque	1978-01-20	
124	Bernalillo	Tewa Lodge	5715 Central Ave. NE	Albuquerque	1998-06-11	Route 66 through New Mexico MPS
125	Bernalillo	Tower Courts	2210 Central Ave. SW.	Albuquerque	1993-11-22	Route 66 through New Mexico MPS
126	Bernalillo	Vigil, Antonio, House	413 Romero St.	Albuquerque	1978-05-05	
127	Bernalillo	Washington Apartments	10021008 Central Ave., SW	Albuquerque	1982-02-19	
128	Bernalillo	Werner-Gilchrist House	202 Cornell, SE	Albuquerque	1982-08-02	
129	Bernalillo	West San Jose School	1701 4th St., SW	Albuquerque	1996-11-22	New Deal in New Mexico MPS
130	Bernalillo	Zeiger, Charles, House	3200 Edith Blvd., NE	Albuquerque	1984-04-27	Albuquerque North Valley MRA
131	Sandoval	Pueblo of Santo Domingo (Kiua)	35 mi. NE of Albuquerqu e, off I-25	Albuquerque	1973-12-12	
132	Valencia	Laguna Pueblo	45 mi. W of Albuquerqu e off U.S. 66	Albuquerque	1973-06-19	

TAB 7

SUBCONTRACTOR CERTIFICATION STORMWATER POLLUTION PREVENTION PLAN

11/24/2020

C&D Storage

Operator(s):

As a subcontractor, you are required to comply with the Stormwater Pollution Prevention Plan (SWPPP) for any work that you perform on-site. Any person or group who violates any condition of the SWPPP may be subject to substantial penalties. You are encouraged to advise each of your employees working on this project of the requirements of the SWPPP. A copy of the SWPPP is available for your review at the office trailer.

Each subcontractor engaged in activities at the construction site that could impact stormwater must be identified and sign the following certification statement:

I certify under the penalty of law that I have read and understand the terms and conditions of the SWPPP for the above designated project and agree to follow the practices described in the SWPPP.

This certification is hereby signed in reference to the above named project:

Company:

Address:

Telephone Number:

Type of construction service to be provided:

Signature:

Title:

Date:

Project:	C&I	D Storage		Date		
BMP Location	on	Action Performed	Date Performed	Inspection Report	Signature	
Notes:	Notes:					

BMP Maintenance Log

Project:	C&D Storage				
Date	Time Start	Time Stopped	Rain Gauge Reading (inches)		
Notes:					

Rain Event Log

Sweeping Log

Project:	C&D Storage		
Date	Location	Time Duration	Preformed By

Watering Schedule

Project:	C&D Storage		
Date	Location	Time Duration	Performed By



Spill Report Form

NMED Incident# District	Code Country:	
*Received by:	*Date received:	Time:
Date spill occurred	Time:	
*Date spill discovered	Time:	
Date spill stopped	Time:	
Caller Name:	Title:	
Address:	City:	
Telephone No	State:	Zip Code
*Spiller (RP)		
Address:	City:	
Telephone No	State:	Zip Code
*Spill Location (such as highway, street names, etc.)		
Source/Cause:		
Materials spilled:	Amoun	t:
2)	Amoun	t:
Weather Conditions:	Injuries	8:
Environmental Damage:		
Mitigate Actions:		
Nearest waterbody affected:		
Depth to Groundwater:		



More Info Menu

1) NMED contacts				
Offices contacted:	SWQB	GWB	USTB	SWB
District/Field Office:				
NPDES Permits #		Groundwater Pe	ermit #	
2) Other contacts	(other agei	ncies)		
U.S. Fish & Wildlife _		NM Game & Fish	USEPA	
Epidemiology		Downstream Users		
Other:	y Officials, Indian	Pueblos, etc.)		
Other				
 Communication HWB detail(r 	a & Corresp nothing in t	ondence here)		
5) SWQB 1-203 De	etail			
Agency Jurisdiction _ (Private, Municipality, Doe, D	DOD, Parks, etc	has a lookup)		-
Latitude		Longitude		
And/or				
Township, Range, Se (Very important for future G	ection IS use)			
Cleanup started:	Yes o	No o	Date:	Time:
Cleanup completed:	Yes o	No o	Date:	_ Time:

Comments: _____
Spill Re	sponse	Plan	
	Point of Contact	t in case of a report	ible quantit
	EPA National Re	esponse Center (80	0) 424-8802
	NM Environmen Emergency Non-Emergency	tal Department (50 (86	5) 827-9329 6) 428-6535
		Reportable Quantit	es
	Material	Media Released To	Reportable Q
	Engine oil, fuel, hydraulic & brake fluid	Land	25 gallor
Leak or Spill	Engine oil, fuel, hydraulic & brake fluid	Water	Visible Sh
Report spills immediately to owner	Antifreeze	Land	100 lbs (13 Gal
Employees will not he nunished for	Battery Acid	Land, Water	100 lb
	Refrigerant	Air	1 lb
reporting spills	Gasoline	Air, Land, Water	100 lb
Contain spill, start cleanup, report if	Engine Degreasers	Air, Land, Water	100 lb
over reportable quantity			

•

.

(The Contractor shall provide training sessions at least every 30 days per)

Training Session 1 (TOPIC: EROSION AND SEDIMENT CONTROL PLAN)

Date:	Project:	
	- J	

Superintendent Signature :

Agenda:

Purpose + Objectives

The Erosion and Sediment Control Plan (ESC Plan) and SWPPP guide the process of environmental compliance for this Project. The plan is designed to meet certain performance objectives to limit erosion from disturbed soils and capture sediment from those soils before it leaves the site. The permit covers a specific project location and may include additional local jurisdictional requirements and allows the notice holder (the Operator at this construction site) to discharge storm water from areas where soil disturbing and other Construction Activities are occurring.

Methods + Procedures

- The ESC Plan includes an implementation sequence that follows the Project in logical sequence toward completion.
- The ESC Plan consists of structural and non structural BMP's for runoff control, Erosion Control, Sediment Control, and materials management. The locations for these measures, details for installation, and specifications for maintenance are included in the SWPPP and are shown on the plan.
- Changes in construction sequence or BMPs outlined on the plan are called modifications and must be documented.
- The ESC Plan and Permit require inspections by a Qualified Inspector once every seven (7) calendar days or every fourteen (14) calendar days depend on that regions requirements and within 24 hours of a .25 inch rain or more within 24 hour period (or more frequently if required by the local jurisdiction).
- Inspections require accurate rainfall reporting (Rain Gage to be located on site or localized weather stations), and accurate reporting of any corrective actions necessary to bring the Project into compliance. Any corrective actions required that are noted on the inspection report must be initiated within 24 hours and completed within 48 hours.
- All inspection reports must be signed by the inspector and/sometimes by the Project Manager or superintendent. Signatures must be original if required by the regulatory agency for the project area.

NPDES Compliance Issues + Common Mistakes

- Changes in construction sequence must be documented in the SWPPP. Change in sequence may result in compliance problems that were not addressed by the design engineer.
- Best Management Practices should be installed according to detail, specification and sequence. Changing BMPs is allowed provided approval is obtained from the Project Manager.
- A missed inspection is a severe violation of the NPDES permit. Assure accurate rainfall, inspector's qualifications, and signature is provided.
- If the corrective action noted on the inspection report is not dated then it didn't occur (in the eyes of the EPA). Assure all implementation dates for corrective actions are completed on the inspection report. Corrective actions must be initiated within 24 hours of report and completed within seven (7) days of report.

Summary

The ESC Plan and Permit serve as a guide for the environmental compliance of the Project. Changes are often needed and necessary. The plan construction sequence, installation, inspection and maintenance of BMPs and documentation for the Project must be kept up-to-date at all times.

(The Contractor shall provide training sessions at least every 30 days)

Training Session 2 (TOPIC: TEMPORARY SEDIMENT CONTROL)

Date:	Location:
Superintendent Signature	

Agenda:

Purpose + Objectives

Temporary Sediment Control is any practice that traps soil particles after they have been detached and moved by wind or water. These practices work to settle particles out of water and reduce turbidity. Turbidity is a measure of the amount of material suspended in water; high turbidity decreases the amount of light that can penetrate water and is harmful to aquatic life. Larger materials settle quicker, finer particles stay suspended in water longer and are harder to settle out.

Methods + Procedures

- Silt fence is possibly the most common and most incorrectly used sediment control measure. Silt fence traps sediment by detaining storm water in sheet flow. Silt fence is limited by steepness and length of slope behind it and may not be used in areas of concentrated flow. Sediment behind silt fences must be cleaned out when 50% full.
- Inlet protection is a measure used to detain storm water flow long enough for sediment particles to settle out. Several different types of inlet protection may be used for this site. Different types of inlet protection should be used for different phases of the Project. Inlet protection measures should not completely block storm water from flowing into storm drainage system. Sediment trapped in inlet protection measures must be cleaned when 25% full.
- Sediment traps are used trap water long enough for sediment to settle out. Sediment traps should a large surface area as apposed to more depth. The larger the surface area the more efficient the trap. Sediment should be cleaned out of traps when 50% full.
- Sediment basins are larger traps designed with pipe outlets. It's important to provide and maintain inlet protection for the outlet to the sediment basin. Sediment basins should always be designed with an emergency spillway as part of the conduit or cut into natural ground. Again, the sediment basin detains water long enough for soil particles to settle out. Sediment should be cleaned out of basins when 50% full.

NPDES Compliance Issues + Common Mistakes

- Typical compliance issues with silt fence are posts too widely spaced, inappropriate post type (not meeting the manufature's criteria), and bottoms not anchored to the soil. Silt fences should always be placed on contour, minimize the amount of Drainage Area behind the fence, minimize the length of slope behind the fence, and never be placed in areas of concentrated flow.
- Typical compliance issues with inlet protection include not providing it where specified on the plan, allowing the flow to bypass the measure and run into the inlet, and not accepting enough flow and causing flooding downstream.
- Sediment traps should be of adequate size (volume) to contain expected sediment yield from upstream. Often the trap is too small or has too little surface area to be effective, the trap or sump is too deep, the width is greater than length, flow short circuits the measure, and has an inadequate spillway, no access for maintenance or inadequate freeboard or a low point in the embankment.
- Sediment basins should be located where temporary Diversions can bring sediment laden water into the basin with a minimum Velocity and turbulence. Common problems with sediment basins include inadequate volume or surface area, head cuts at the inflow, turbulent flow, width greater than length, inadequate dewatering to allow proper maintenance.

(The Contractor shall provide training sessions at least every 30 days per)

Training Session 3 (TOPIC: WIND EROSION CONTROL)

Date: _____ Project: _____

Superintendent Signature:

Agenda:

Purpose + Objectives

The purpose of wind Erosion Control is to prevent erosion on disturbed soils where wind Velocity is able to suspend sediments due to low soil moisture content (dry conditions). Suspended sediments are fine particles that cause air pollution and deposition of sediment on areas down-wind from the source. As soil particles fall they damage plants and destroy other stable soil particles.

Methods + Procedures

- The most common method used to control wind erosion is applying water to the surface of Disturbed • Areas. Care should be exercised to provide enough water to prevent wind erosion but not too much to cause water erosion.
- Surface manipulation by roughening the surface perpendicular to prevailing winds can reduce wind • erosion by 80%.
- Mulch with straw with a 30% ground coverage along with tackifier can reduce wind erosion by 80%.
- Chemical soil stabilization and dust control may be used. Common chemicals include calcium chloride, magnesium chloride, acrylic co-polymers, and polymer emulsion and soybean bio-polymers. The Project Manager should be consulted before using any chemical control. EPA does not permit the use of petroleum resins for dust/wind Erosion Control.
- Wind barriers can be constructed perpendicular to the prevailing wind. Sediment deposition will occur down wind from the fence five to fifteen times the height of the barrier.

NPDES Compliance Issues + Common Mistakes

- Not using enough water to prevent wind erosion or using to much which causes water erosion.
- Surface manipulation not perpendicular to the prevailing winds.
- Mulch not anchored to the ground with tackifier or by crimping.
- Deposition will occur down wind from the wind barrier. Assure deposition is not on the adjacent • property.
- Distance between wind barriers is to great to be effective. •

Summary

Only five to ten percent of the total volume of sediment carried by the wind is in the form of suspended particles yet these are the most visible and draw the most complaints. Clouds of dust and sediment at the construction site are a red flag to the public and regulators. The most simple control method is by spraying enough water on the surface to suppress the dust.

(The Contractor shall provide training sessions at least every 30 days)

Training Session 4 (TOPIC: TRACKING CONTROL)

Date: _____ Location: _____

Superintendent Signature:

Agenda:

Purpose + Objectives

Control of off-site vehicle tracking of sediments onto paved surfaces is a requirement of this plan. Tracking control consists of minimizing off-site vehicle tracking of sediments and the generation of dust. Dust is a concern where sediments dry on the pavement and passing vehicles help suspend it or storm water transports the contaminants to an active drop inlet.

Methods + Procedures

- A temporary gravel construction entrance/exit is a gravel strip or pad located at the entrance and exit points of the construction site. The pad provides an un-even surface to help remove mud and sediment from tires prior to leaving the site.
- A clean and functional construction entrance that keeps the public's roadway free of sediment, mud, and • dust can enhance the public's perception of the Project. Failure to install or properly maintain the construction entrance can be one of the first areas the public will complain about when sediment, mud, and dust are tracked onto the roadway.
- The construction entrance should be installed as part of the ESC Plan. All future driveway entrances used for construction that can be adequately graded as part of the initial grading work should receive this BMP. Future driveway entrances without this BMP should be barricaded and not used.
- Construction entrances should be wide enough for vehicles to easily enter and long enough to maximize tire contact with the stone. Minimum width should be 20 feet, minimum length 50 feet or four times the diameter of the largest vehicle on the site whichever is greater. A 25 foot radius should be provided where the stone meets the public roadway. If due to site limitations, a project is incapable of accepting a track out pad, then frequent street sweeping to control the track out must be implemented.
- Temporary gravel construction entrances should be constructed of a minimum of 6 inches of 3-5 inch stone. Water should be controlled so it does not run down the entrance onto the public roadway.
- Where site conditions are especially muddy and wet, the construction entrance/exit stone by itself may not be adequate to remove sediment and mud from tires. A wash rack may be used where tires can be hosed off over a drainage channel that leads to a sediment trap.
- Where the gravel construction entrance fails to keep sediment from tracking on the public roadway. sweeping must be performed at the frequency required to keep the roadway clean.

NPDES Compliance Issues + Common Mistakes

- The gravel pad maintenance is often neglected and track out increases.
- The surface of the construction entrance/exit is allowed to become compacted. Periodic roughening of the stone is required to maintain function of the construction entrance.
- Gravel construction entrance/exits does not meet criteria for width, length, thickness, and stone size.
- Gravel pad/construction entrance/exits not constructed at all drives that serve as construction entrances.
- Sweeping not be performed where construction entrances fail to keep all sediment off the roadway.

Summarv

Maintaining tracking control of the public highway should be a key priority. Often sediment tracked on the highway provides the incentive for a public complaint against the Project.

STORM WATER POLLUTION PREVENTION PLAN

TRAINING LOG

(The Contractor shall provide training sessions at least every 30 days)

Training Session 5 (TOPIC: TEMPORARY SOIL STABILIZATION)

Date:	Location:		
Superintendent Signature:		Telephone:	

Agenda:

Purpose + Objectives

Temporary soil stabilization is a practice used to reduce erosion and sediment discharge from Disturbed Areas. The practice is used to temporarily stabilize an area where grading has ceased but will resume later. NPDES requires temporary soil stabilization to occur on any disturbed soil where grading work has ceased for more than 14 days.

Methods + Procedures

- Methods of temporary soil stabilization include polymers, erosion control mats, seeding using either temporary or permanent seed, mulching and straw crimping. Mulch or straw crimping may be used alone when out of seeding season. Some type of tackifier or method of securing the Mulch to the ground must be used.
- Surface roughening may also be used as a method of temporary soil stabilization, especially for steeper slopes. Roughening perpendicular to the grade can reduce sediment yield by as much as 52%.
- Slope length and steepness are significant factors in total sediment volume. Slope Terraces may be used on steep cut or fill slopes higher than 20 feet. One 8 foot wide Terrace should be provided for every 20 feet vertical.
- Existing vegetation protection may also be considered a soil stabilization method where areas of the site remain vegetated until ready to be graded or disturbed. It is best for areas to be cleared no more than 7 days prior to grading.

NPDES Compliance Issues + Common Mistakes

- Failure to seed a Disturbed Area 14 days after temporary or permanent cease of grading and improper calculation of seeding rate is a common construction mistake. Too much seed, not enough seed, and/or inadequate coverage are also common problems. Mulch should be applied at 2 tons per acre (use 1/2 to 1 ton per acre in arid landscapes with less than 12" annual rainfall) and crimped or tacked to prevent blowing or washing.
- Surface roughening a slope the improper direction (parallel to grade) will 'build-in' rills and accelerate erosion.
- Long steep disturbed slopes produce the most sediment yield. Failure to provide any slope break, like a Terrace or wattle at the mid slope causes additional erosion and sedimentation.
- Clearing the entire site prior to beginning grading operations on the entire site, installing tree protection fencing inside the drip line of a tree or not installing tree protection as indicated on the plan are also common mistakes.

Summary

Providing temporary soil stabilization on Disturbed Areas where Construction Activity and grading have ceased reduces the amount of erosion from these areas and also reduces the volume of sediment storage required. Stabilizing a site from the 'outside-in' is a practice that will reduce Disturbed Area and the man hours necessary to maintain sediment control practices.

(The Contractor shall provide training sessions at least every 30 days)

FORM E-6 (TOPIC: NON-STORM WATER MANAGEMENT)

Date: _____ Project _____

Superintendent Signature:______

Agenda:

Purpose + Objectives

Allowable non-storm water discharges associated with the Construction Activity are listed in the Storm Water Pollution Prevention Plan (SWPPP) for this Project. These discharges are allowed only under the conditions that no pollutants are allowed to come into contact with surface waters prior to or after its discharge. Appropriate pollution prevention measures for these discharges include reduction and elimination of these sources.

Methods + Procedures

- Allowable non-storm water discharges are listed in the SWPPP. The following non-storm water • discharges are commonly allowed by the EPA (some states and/or local jurisdictions do not allow any non-storm water discharge):
- Discharges from fire-fighting activities; •
- Fire hydrant flushing;
- Waters used to wash vehicles where detergents are not used;
- Water used to control dust;
- Potable water including uncontaminated water line flushing;
- Routine external building wash down that does not use detergents;
- Pavement wash waters where spills or leaks of toxic or Hazardous Substances have not occurred (unless all spilled material has been removed) and where detergents are not used;
- Uncontaminated air condition or compressor condensate;
- Uncontaminated ground water or spring water;
- Foundation or footing drains where flows are not contaminated with process materials such as solvents;
- Uncontaminated excavation dewatering •
- Landscape irrigation.

NPDES Compliance Issues + Common Mistakes

- Compliance issues include discharges other than what the jurisdiction allows as a non-storm water discharge (note the list above is the EPA list, other jurisdictions will vary).
- Check to see if state requires Contractor to neutralize any super-chlorinated water from distribution pipes before releasing it into the environment.
- Some states require a separate permit for groundwater discharge.

Summary

Non-storm water discharge management is required as a part of the NPDES permit. These discharges are allowed only under the conditions that no pollutants are allowed to come into contact with surface waters prior to or after its discharge. Subcontractors should become aware of what discharges are and are not permitted on the site.

(The Contractor shall provide training sessions at least every 30 days)

Training Session 7 (TOPIC: WASTE MANAGEMENT AND MATERIALS POLLUTION CONTROL)

Date:	Project

Superintendent Signature:_____

Agenda:

Purpose + Objectives

The SWPPP includes a list of construction and waste materials and substances expected to be stored on site during construction, a description of controls, including storage practices, to minimize exposure of the materials to storm water, and spill prevention and response practices. In addition the SWPPP addresses measures to prevent the discharge of solid materials, including building materials, to surface waters.

Methods + Procedures

- Concrete wash water has a pH of 12 and is considered a Hazardous Waste due to its caustic nature. Concrete wash water is not allowed to flow into drainage ways, inlets, receiving waters, or highway rights-of-ways and must be located at least 100 feet from these features. Washout facility must have sufficient volume to contain solids, wash water, and have a minimum of 12" freeboard. Facility is not to be filled beyond 95% capacity and shall be cleaned out once 75% full unless a new facility is constructed.
- Any petroleum tank stored on site is required to have a containment area designed with an impervious surface between the tank and ground that equals or exceeds 110% volume of the largest tank.
- On site refueling should have portable second containment on hand in case of equipment failure.
- The maximum aggregate above ground storage capacity shall not exceed 1,320 gallons (which includes both bulk and equipment operational storage volumes in tanks 55 gallons and greater) unless a SPCC Plan is prepared and implemented. Total aggregate petroleum storage exceeding 1,320 gallons shall require preparation, certification and implementation of a Spill Prevention Control and Countermeasures Plan on or before July 1, 2009.
- Oil handling personnel must be trained in the operation and maintenance of equipment to prevent discharges; discharge procedure protocols; applicable pollution control laws, rules and regulations; general facility operations; and the contents of the SPCC Plan if prepared.. Training should discuss and describe known discharges or failures, malfunctioning equipment, and any recently developed precautionary measures.
- Oil or Hazardous Waste spills must be reported. 'Spill Prevention and Response Procedures' should be followed. Spills of petroleum and other products under the threshold of a "reportable spill" shall be immediately cleaned up and stored in sealed containers until disposed of by a licensed waste disposal company.
- All construction debris and trash shall be disposed of in a metal dumpster provided on site. Construction debris and trash should be picked up and placed in the dumpster daily. Dumpsters will be emptied at least once per week or when 95% full, or more often when necessary to prevent overflow. All dumpsters must be located at minimum 50 feet from any storm inlet, drainage way, or surface water.
- All containers of liquid building materials must be covered or stored in a covered area when not in use. Paints, solvents, diamond-hard, dry fall, saw joint material, etc... must be disposed of properly. Used material containers must be disposed of properly (and may be considered Hazardous Waste).

NPDES Compliance Issues + Common Mistakes

• Failure to provide a liner for concrete washout, washout full of liquid and overflowing, discharging to surface waters or no washout provided are common issues of non-compliance. Not having proper signage of the concrete washout can cause washout to occurring outside the designated area.

Inspections Plus, Inc. 4382 Alexander Blvd. NE Albuquerque, NM 87107

7

- Fuel secondary containment is required for any fuel container and containment must be at least 110% of the size of the largest tank. Secondary containment must be impervious, plastic lining must be continuous with no lap joints, and total stored on site (containers 55 gallons or more including operational equipment) must not exceed 1,320 gallons unless a SPCC Plan is prepared.
- Construction waste and trash is often allowed to accumulate and is not cleaned up daily and deposited in dumpsters provided. Dumpsters not emptied at least once per week or more often if necessary and are allowed to be more than 95% full. Dumpsters not covered in conditions where wind will blow trash and debris out of the facility.
- Empty containers of liquid building materials, spray paint for marking utility lines, and other waste disposed of properly. Empty containers can be considered Hazardous Waste.
- Mortar mixing stations not provided with adequate BMPs to contain all mix water and grout dust.

Summary

Construction and waste materials used on the site must be stored, used and disposed of properly. Many if not all these substances are considered pollution when exposed to storm water. Concrete wash water, petroleum products, paints, solvents, fertilizers, and empty containers must be managed so there is no contact with surface waters. Areas where these products are stored and used should be inspected daily. Construction debris and trash (including lunch and break trash) must be disposed of properly.

TAB 8

BMP Phasing Page				
	For C&D Storage			
BMP Used	When Installed			
Silt Fence/Mulch Sock	Install as soon as practical. Before clearing and grubbing if feasible or after the perimeter is grubbed to make an access lane.			
Stabilized construction trackout pad	Install after grubbing and the elevation has been graded for the entrance			
Concrete washout	Install the washout before pouring the first load of cement.			
Chemical toilet	Have the toilet onsite when construction begins			
Maintain existing vegetation	Limit soil disturbance to the grading limits so as to keep existing vegetation in place.			
Retention pond	Install the retention pond during rough grading			



Wire Backed Silt Fence SF-90 w 36" 2x4 14ga welded wire

Silt Fence Fabric is a preassembled silt fence with 36" TerraTex SF-90 woven geotextile attached to 36" 14 gauge 2x4 welded wire. The TerraTex SF-90 is made up of polypropylene filaments. These filaments are woven to form a stable and durable network such that the filaments retain their relative position. It is non-biodegradable and resistant to most soil chemicals, acids, and alkali with a pH range of 3 to 12. TerraTex SF-90 is manufactured to meet or exceed the following minimum average roll values:

<u>Property</u>	Test Method	Minimum Average Roll Value <u>English</u>	Minimum Average Roll Value <u>Metric</u>
Grab Tensile	ASTM D-4632	100 x 100 lb	0.445 x 0.445 kN
Elongation	ASTM D-4632	15% x 20%	15% x 20%
Mullen Burst	ASTM D-3786	250 psi	1723 kPa
Puncture	ASTM D-4833	50 lb	0.223 kN
Trap Tear	ASTM D-4533	50 lb	0.223 kN
UV Resistance	ASTM D-4355	80% @ 500 hr	80% @ 500 hr
AOS	ASTM D-4751	20 - 50 US Sieve	0.85 - 0.300 mm
Permittivity	ASTM D-4491	0.10 sec-1	0.10 sec-1
Flow Rate	ASTM D-4491	8 gal/min/ft ²	325.6 l/min/m ²

11/2009

815 Buxton Street Winston Salem, NC 27101 888 - 239 - 4539 • Fax: 336 - 747 - 1652 www.hanesgeo.com info@hanesgeo.com



Storm drain inlet protection is a secondary sediment control device and is not to be used in place of a sediment trapping device unless approved by the appropriated approval authority.

Design Criteria

Storm drain inlet protection shall be used when the drainage area to an inlet is disturbed and the following conditions prevail:

- 1. It is not possible to temporarily divert the storm drain outfall into a sediment trapping device.
- 2. Watertight blocking of the inlets is not advisable.
- 3. Drainage area is less than 1/4 acre for curb or standard inlet protections and 1 acre for elevated or yard inlets. For yard inlets, the total for inlets in series must be 1 acre or less and the contributing drainage area must have slopes flatter than 5 percent. Maintenence requirements for storm drain inlet protection are intense, due to the susceptibility to clogging. When the structure does not drain completely within 24 hours after a storm event, it is clogged. When this occurs, accumulated sediment must be removed and the geotextile fabric or filtering device must be cleaned and replaced.

Several methods of covering inlets have been developed recently. It is important to use methods that have been proven effective. Follow local ordinances. Some communities do not allow covering of storm inlets due to the possibility of increased flooding. Several other important design considerations include traffic safety, elimination of seepage at the ends and underneath the filter cloth, and prevention of the filter entering the inlet.

CURB STORM DRAIN INLET PROTECTION

Construction Specifications

- 1. Bend a continuous piece of 6" X 6" 10 gauge welded wire fabric to form a "Z" shape as shown on the drawing. The width of the wire should extend at least 6 inches past the left and right sides of the drain opening.
- 2. Attach a continuous piece of approved Geotextile fabric the same width as the wire mesh. Fold the fabric along the top for added tie strength.
- 3. The Geotextile should extend out from the curb the same distance as the wire fabric and should extend up the wire fabric so that approximately 2/3 of the drain opening is covered. This allows for sediment storage and overflow during periods of high rainfall. Note: The Geotextile opening size should be selected based on the filtered soil gradation testing.
- 4. Place the assembly against the inlet throat. The top of wire fabric is held in place by sand/gravel bags. Place gravel bags against the curb and the fabric to prevent seepage between the curb and the filter cloth. Place small gravel bags around the opening to prevent seepage under the filter cloth and also to form a sediment trap. Graded gravel is preferable for primary filtering. The infiltration rate through the bag should permit the allowable flow rate. **Caution: Gravel bags should be placed off the street surface unless a suitable reflector is used for traffic safety.**

7



A temporary sediment barrier used where laden runoff from small drainage areas occurs.

Purpose

The purpose is to reduce runoff velocity and filter sediment from construction areas.

Conditions where the Practice Applies

A triangular filter fabric fence is effective on all sites with concrete or asphalt surfaces where runoff will flow onto adjacent properties from parking lots or similar areas.

Design Criteria

- 1. Dikes are to be installed along a line of constant elevation (along a contour line).
- 2. Maximum slope perpendicular to the dike is 1:1.
- 3. Maximum drainage flow to the dike shall be 11 CFS per 100 linear feet of dike.
- 4. Maximum distance of flow to dike should be 200 feet or less.
- 5. Maximum concentrated flow to dike shall be 1 CFS.
- 6. If 50% or less of soil, by weight, passes the U.S. Standard sieve #200, select the equivalent opening size (E.O.S.) to retain 85% of the soil.
- 7. Maximum equivalent opening size shall be 70 (#70 Sieve).
- 8. Minimum equivalent opening size shall be 100 (#100 Sieve).
- 9. If 85% or more of soil, by weight, passes the U.S. Standard sieve #200, triangular sediment dike shall not be used due to clogging.

8

 Sufficient room for the operation of sediment removal equipment shall be provided between the dike and other obstructions in order to properly remove sediment.

11. The ends of the dike shall be turned upgrade to prevent bypass of stormwater.

TRIANGULAR FILTER FABRIC FENCE

Limitations

Ponding will likely occur directly adjacent to the dike, which may possibly cause flooding.

Triangular sediment filter dikes are not effective for conditions, which include substantial concentrated flows or when they are not constructed along a contour line due to the potential for flow concentration and overtopping.

Maintenance Requirements

Inspection should be made on a regular basis, especially after large (>0.5") storm events. If the fabric becomes clogged, it should be cleaned or if necessary, replaced.

Sediment should be removed when it reaches approximately 6" in depth. In addition, inspections should be made on a regular basis to check the structural integrity of the dike. If structural deficiencies are found, the dike should become immediately repaired or replaced.

As with silt fence, integrity of the filter fabric is important to the effectiveness of the dike. Overlap between dike sections must be checked on a regular basis and repaired if deficient.



A stabilized layer of aggregate that is underlain with Geotextile Class "C" (See Standards for Geotextile). Stabilized entrances are located at any point where traffic enters or leaves a construction site. Purpose

The purpose of the stabilized construction entrance is to reduce tracking of sediment onto streets or public rights-of-way and provide a stable area for entrance or exit from the construction site.

Conditions where the Practice Applies

- 1. Stabilized construction entrances shall be located at points of construction ingress and egress.
- 2. For single family residences, the entrance should be located at the permanent driveway.
- 3. Stabilized construction entrances should not be used on existing pavement.

Design Criteria

- 1. Length Minimum of 50'-0" (30'-0" for single residence lot).
- 2. Width Minimum of 10'-0", should be flared at the existing road to provide a turning radius.
- 3. Geotextile Class "C" shall be placed over the exiting ground prior to placing stone. The Plan approval authority may not require geotextile fabric for single family residence.
- 4. Stone-crushed aggregate 2"-3" (See Standards for Geotextile and Rock). Recycled concrete equivalent may be used also. The rock should be placed at least 6" deep over the length and width of the entrance.
- 5. Surface Water All the surface water flowing to or diverted toward construction entrances shall be piped under the entrance to maintain positive drainage. Pipe installed under the construction entrance shall be protected with a mountable berm. The pipe shall be sized according to the drainage, with the minimum diameter being 6".
- Location A stabilized construction entrance shall be located at every point where construction traffic enters of leaves a construction site. Vehicles leaving the site must travel over the entire length of the stabilized construction entrance.

STABILIZED CONSTRUCTION ENTRANCE

Construction Specifications

- 1. Length minimum of 50' (30' for single residence lot).
- 2. Width 10' minimum, should be flared at the existing road to provide a turning radius.
- 3. Geotextile fabric (filter cloth) shall be placed over the existing ground prior to placing stone. **The plan approval authority may not require single-family residences to use geotextile.
- 4. Stone crushed aggregate (2" to 3") or reclaimed or recycled concrete equivalent shall be placed at least 6" deep over the length and width of the entrance.
- 5. Surface Water all surface water flowing to or diverted toward construction entrances shall be piped through the entrance, maintaining positive drainage. Pipe installed through the stabilized construction entrance shall be protected with a mountable berm with 5:1 slopes and a minimum of 6" of stone over the pipe. Pipe has to be sized according to the drainage. When the stabilized construction entrance is located at the high spot and has no drainage to convey a pipe will not be necessary. Pipe should be sized according to the amount of runoff to be conveyed. A 6" minimum will be required.

Location

A stabilized construction entrance shall be located at every point where construction traffic enters or leaves a construction site. Vehicles leaving the site must travel over the entire length of the stabilized construction entrance.

Earth Dike



Definition

A temporary berm or ridge of soil, compacted, stabilized, and located in such a manner as to direct storm water to a desired location.

Purpose

The purpose of the earth dike is to direct runoff to a sediment trapping device which reduces the potential for erosion and sedimentation. Earth dikes can also be used for diverting clean water away from disturbed areas.

Conditions where the Practice Applies

Earth dikes are often constructed across disturbed areas and around construction sites such as parking lots and subdivisions. The dikes shall remain in place until the disturbed area are permanently stabilized.

Earth dikes are constructed:

- 1. To divert sediment laden runoff from a disturbed area to a sediment trapping device.
- 2. Across disturbed areas to shorten overland flow distances.
- 3. To direct sediment laden water along the base of slopes to a trapping device.
- 4. To divert clear water from an undisturbed area to a stabilized outlet. Runoff shall be discharged at a non-erosive velocity.

Design Criteria

The basis for the engineering design shall be the 2-year 24-hour duration storm using NRCS criteria, assuming the worst soil cover conditions to prevail in the contributing drainage area over the life of the earth dike. Manning's Equation shall be used to determine earth dike flow channel velocities associated with the developed discharges. The Manning's Roughness coefficients to be used in the equation are 0.025 for seed and mulch, 0.03 for soil stabilization matting or sod, and 4"-7" stone use 0.045 for flow depths up to 1' (Dike A) and 0.038 for flow depths between 1 and 2 feet (Dike B). Allowable flow channel velocities shall be less than 4 fps for seed and mulch, less than 6 fps for stabilization matting or sod, and less than 8 fps for 4"-7" stone.

EARTH DIKE

Construction Specifications

- 1. All temporary earth dikes shall have uninterrupted positive grade to an outlet. Earth dikes having longitudinal slopes flatter than 1% should have spot elevations along the flow line.
- 2. Diverted runoff from the disturbed areas shall be directed to a sediment trapping devices.
- 3. Diverted runoff from undisturbed areas shall outlet directly onto an undisturbed, stabilized area at a non-erosive velocity (<4 fps for grass).
- 4. All trees, brush, stumps, and obstructions shall be removed and disposed of so as not to interfere with the proper functioning of the earth dike berm and flow channel.
- 5. The dike shall be excavated or shaped to line, grade and cross section as required to meet the criteria specified herein and be free of bank projections or other irregularities, which will impede normal flow.
- 6. Fill shall be compacted by earth moving equipment.
- 7. All earth removed and not needed for construction shall be placed so that it will not interfere with the functioning of the earth dike berm and flow channel.
- 8. Inspection and maintenance must be provided periodically and after each rain event.



A temporary swale is a temporary, excavated drainage way constructed and located to convey runoff to a desired location.

Purpose

The purpose of a temporary swale is to prevent runoff from entering disturbed areas by intercepting and diverting it to a stabilized outlet or to intercept sediment laden water and divert it to a sediment trapping device.

Conditions Where Practice Applies

Temporary swales are constructed:

- 1. To divert sediment laden runoff from a disturbed area to a sediment trapping device.
- 2. Across disturbed areas to shorten overland flow distances.
- 3. To direct sediment laden water along the base of slopes to a trapping device.
- 4. To divert clear water from an undisturbed area to a stabilized outlet. Runoff shall be discharged at non-erosive velocities.

Design Criteria

The basis for engineering design shall be the 2-year, 24-hour duration storm using N.R.C.S. criteria, a ssuming the worst soil cover conditions to prevail in the contributing drainage area over the life of the earth dike. Manning's Equation shall be used to determine earth dike flow channel velocities associated with the developed discharges. The Manning's Roughness coefficients to be used in the equation are 0.025 for seed and mulch, 0.03 for soil stabilization matting or sod, and 4"-7" stone use 0.045 for flow depths up to 1 foot (Dike A) and 0.038 for flow depths between 1 and 2 feet (Dike B, See earth Dike). Allowable flow channel velocities shall be less than 4 fps for seed and mulch, less than 6 fps for stabilization matting or sod, and less than 8 fps for 4"-7" stone.

TEMPORARY SWALE

Construction Specifications

- 1. Swales and ditches shall be prepared in accordance with the construction specifications described in Section A-2, Standards and Specifications for Temporary Swale.
- 2. The check dam shall be constructed of 4" to 7" stone. The stone shall be placed so that it completely covers the width of the channel and keyed into the channel banks.
- 3. The top of the check dam shall be constructed so that the center is approximately 6 inches lower than the outer edges, forming a weir that water can flow across.
- 4. The maximum height of the check dam at the center shall not exceed 2':
- 5. The upstream side of the check dam shall be lined with approximately 1' of 0.75" 1.5" aggregate.
- 6. Accumulated sediment shall be removed when it has built up to half of the original height of the weir crest.

Sediment Removal

While this practice is not intended to be used for sediment trapping, some sediment will accumulate behind the check dam. Check dams should be checked periodically and after each significant rainfall. Accumulated sediment should be removed when it has reached half of the original height of the weir crest.

Check Dam Removal

In temporary swales and channels, check dams should be removed and the ditch filled in when it is no longer needed. In permanent channel structures, check dams may be removed when a permanent lining can be installed. In the case of grass-lined ditches, check dams may be removed when the grass has matured sufficiently to protect the swale or channel. The area beneath the check dams should be seeded and mulched immediately after they are removed.



A temporary stone dike installed in conjunction with and as a part of an earth dike.

Purpose

The purpose of the Stone Outlet Structure is to filter sediment laden runoff, provide a protected outlet for an earth dike, provide for diffusion of concentrated flow, and allow the area behind the dike to dewater. Conditions where the Practice Applies

Stone outlet structures apply to any point of discharge where there is a need to dispose of runoff at a protected outlet or to diffuse concentrated flow for the duration of the period of construction. The drainage area to this practice shall be 1/2 acre or less.

Outlet

The stone outlet structure shall be located so as to discharge onto an already stabilized area or into a stable watercourse. Stabilization shall consist of complete vegetative cover, paving, etc., sufficiently established to be erosion resistant.

Design Criteria

- 1. Refer to Material Specifications, Stone. Stone 2" to 3" diameter or recycled concrete equivalent is preferred but clean gravel may be used if stone is not available.
- 2. The crest of the stone dike shall be at least 6" lower than the lowest elevation of the top of the earth dike and shall be level.
- 3. The stone outlet structure shall be embedded into the soil a minimum of 4"
- 4. The minimum legth of the crest of the stone outlet structure shall be 6'.
- 5. The baffle board shall extend 1' into the dike and 4" into the ground and be staked in place.
- 6. The drainage area to this structure shall be less than 1/2 acre.

STONE OUTLET STRUCTURE

Construction Specifications

- 1. 2" to 3" stone or recycled concrete equivalent is preferred but clean gravel may be used if stone is not available.
- 2. The crest of the stone dike shall be at least 6" lower that the lowest elevation of the top of the earth dike and shall be level.
- 3. The stone outlet structure shall be embedded into the soil a minimum of 4".
- 4. The minimum length of the crest of the stone outlet structure shall be 6'.
- 5. The baffle board shall extend 1' into the dike and 4" into the ground and be staked in place.
- 6. The drainage area to this structure shall be less that 0.5 acre.



Rock placed at the outfall of channels or culverts.

Purpose

The purpose of rock outlet protection is to reduce the velocity of flow to non-erosive rates in the receiving channel. Conditions Where Practice Applies

This practice applies where discharge velocities and energies at the outlets of culverts are sufficient to erode the next downstream reach. This applies to outlets of all types such as sediment basins, storm water management ponds, and road culverts.

Design Criteria

The design method applies to sizing rock rip-rap and gabions to protect a downstream area. It does not apply to rock lining of channels or streams. Many counties and state agencies have regulations and design procedures established for dimensions, type, and size of materials, and locations where outlet protection is required.

Design Procedures

- 1. Investigate the downstream channel to assure that non-erosive velocities can be maintained.
- 2. Determine the tailwater condition at the outlet.
- 3. Using the discharge velocity and depth of flow, determine the rip-rap size and apron length required.
- 4. Calculate apron width at the downstream end if a flared section is to be used.

There are three classifications of rock outlet protection: (1.) Discharge to semi-confined section (maximum tailwater condition); (2.) Discharge to a confined channel section; (3.) Discharge to a flat area with no tailwater influence.

The outlet protection may be done using rock rip-rap, or gabions. Rip-rap thickness is 19", 32", and 46" for Class I, II, and III respectively. The stone chall consist of field stone and hewn quarry stone. The filter is a layer of material placed between the rip-rap and the underlaying soil surface to prevent soil movement into and through the rip-rap. Rip-rap shall have a filter placed under it in all cases. A filter can be gravel or Geotextile Class "C". Gabion baskets may be substituted for rock rip-rap. Gabions shall be of single unit construction. Place Geotextile under all gabions and follow manufacturer's specifications.

ROCK OUTLET PROTECTION

Construction Specifications

- 1. The subgrade for the filter, rip-rap, or gabion shall be prepared to the required lines and grades. Any fill required in the subgrade shall be compacted to a density of approximately that of the surrounding undisturbed material.
- 2. The rock or gravel shall conform to the specified grading limits when installed respectively in the rip-rap or filter.
- 3. Geotextile Class C or better shall be protected from punching, cutting, or tearing. Any damage other than an occasional small hole shall be repaired by placing another piece of geotextile fabric over the damaged part or by completely replacing the geotextile fabric. All overlaps whether for repairs or for joining two pieces of geotextile fabric shall be a minimum of one foot.
- 4. Stone for the rip-rap or gabion outlets may be placed by equipment. They shall be constructed to the full course thickness in one operation and in such a manner as to avoid displacement of underlying materials. The stone rip-rap or gabion outlets shall be delivered and placed in a manner that will ensure that it is reasonably homogenous with the smaller stones and spalls filling the voids between the larger stones. Rip-rap shall be placed in a manner to prevent damage to the filter blanket or geotextile fabric. Hand placement will be required to the extent necessary to prevent damage to the permanent works.
- 5. The stone shall be placed so that it blends in with the existing ground. If the stone is placed too high then the flow will be forced out of the channel and scour adjacent to the stone will occur.


Definition

A temporary or permanent, lined drainage way installed to convey concentrated runoff into sediment traps and basins or down steep slopes as applicable. Rip-rap inflow protection consists of the installation of rock or recycled concrete equivalent in a flow channel for stabilization.

<u>Purpose</u>

The purpose of rip-rap inflow protection is to provide stable conveyance of concentrated runoff down steep slopes, (I.e. into temporary sediment traps and basins) thereby preventing erosion of the flow channel. Conditions Where Practice Applies

Rip-rap inflow protection is required where the flow velocities of a drainage waycause erosion along the bottom or sides of the drainage way. Runoff may be directed to the inflow device by means of dikes or swales.

Design Criteria

Rip-rap inflow protection shall be 4"-12" rip-rap (minimum), underlain with Geotextile Class "C" (See Material Specifications, Geotextile Fabrics) and placed from the the ditch overfall elevation to the bottom of the trap or basin when the inflow slope is between 4:1 and 10:1. Slopes flatter than 10:1 shall be stabilized in accordance with Temporary Swale or Earth Dike criteria as applicable. For slopes

steeper than 4:1, see Gabion Inflow Protection.

STONE SIZE					
	SIZE RANGE	D ₅₀	D ₁₀₀	AASHTO	WEIGHT
NUMBER 57*	3/8" – 1 1/2"	1/2"	1 1/2"	M-43	N/A
NUMBER 1	2"-3"	2 1/2"	3"	M-43	N/A
RIP-RAP**	4" – 7"	5 1/2"	7"	N/A	N/A
CLASS I	N/A	9.5"	15"	N/A	150 lb. max
CLASS II	N/A	16"	24"	N/A	700 lb max
CLASS III	N/A	23"	34"	N/A	2,000 lb max

* This classification is to be used on the inside face of stone outlets and check dams.

** This classification is to be used whenever small rip-rap is required. The State Highway Administration designation for this stone is Stone For Gabions (§905.01.04).

STONE FOR GABION BASKETS

BASKET T	HICKNESS	SIZE OF INDIVIDUAL STONES		
INCHES	MM	INCHES	MM	
6	150	3 - 5	75 - 125	
9	225	4 – 7	100 - 175	
12	300	4 <u> 7</u>	100 - 175	
18	460	4 – 7	100 – 175	
36	910	4 – 12	100 - 300	

NOTE: Recycled concrete equivalent may be substituted for all stone classifications. Recycled concrete equivalent shall be concrete broken into the sizes meeting the appropriate classification, shall contain no steel reinforcement, and shall have a density of 150 pounds per cubic foot.







A temporary sediment control device formed by excavated and/or an embankment with an approved outlet used to intercept sediment laden runoff and to retain the sediment.

Purpose

The purpose of a sediment trap is to intercept sediment laden runoff and trap the sediment in order to protect drainage ways, properties, and rights-of-way downstream, of the sediment trap from sedimentation. Conditions where the Practice Applies

A sediment trap is installed at points of discharge from a disturbed area.

Wet and Dry Storage

The storage requirement for sediment traps and sediment basins is 3600 cubic feet per acre of contributory drainage area. The sediment traps and basins storage volume of 3600 cubic feet minimum per acre shall be divided equally into "dry" or dewatered storage and "wet" or retention storage. The basins and traps will be dewatered to the wet pool elevation corresponding to 1800 cubic feet of storage per acre of drainage.

Design Criteria

1. The maximum drainage area for each type sediment trap shall be as follows:

Practice Type	Maximum Drainage Area	
Pipe Outlet	5 Acres	
Stone Outlet	5 Acres	
Rip-rap Outlet	10 Acres	
Stone Outlet / Rip-rap	10 Acres	

2. To estimate the present volume of sediment available in a trap use the following:

Volume (Cubic Feet) = 0.4 [Surface Area (sq. ft.) times the Maximum Depth (ft.)]

3. All embankment for sediment traps shall not exceed 4 feet in height as measured at the low point of the original ground along centerline of the embankment. If any of the design criteria for traps are exceeded, standards for basins must be used.

RIP-RAP OUTLET SEDIMENT TRAP

Construction Specifications

- 1. The area under embankment shall be cleared, grubbed and stripped of any vegetation and root mat. The pool area shall be cleared.
- 2. The fill material for the embankment shall be free of roots or other woody vegetation as well as over-sized stones, rocks, organic material or other objectionable material. The embankment shall be compacted by traversing with equipment while it is being constructed. Maximum height of embankment shall be 4', measured at centerline of embankment.
- 3. All cut and fill slopes shall be 2:1 or flatter.
- 4. Elevation of the top of any dike directing water into trap must equal or exceed the height of trap embankment.
- 5. Storage area provided shall be figured by computing the volume measured from top of excavation.
- 6. Filter cloth shall be placed over the bottom and sides of the outlet channel prior to placement of stone. Section of fabric must overlap at least 1' with section nearest the entrance placed on top. Fabric shall be embedded at least 6" into existing ground at entrance of outlet channel.
- 7. Stone used in the outlet channel shall be 4" 7" placed 18" thick.
- 8. Outlet An outlet shall be provided, which includes a means of conveying the discharge in an erosion free manner to an existing stable channel. Protection against scour at the discharge end shall be provided as necessary.
- 9. Outlet channel must have positive drainage from the trap.
- 10. Sediment shall be removed and trap restored to its original dimensions when the sediment has accumulated to ¹/₄ of the wet storage depth of the trap (1350 cf/ac). Removed sediment shall be deposited in a suitable area and in such a manner that it will not erode.
- 11. The structure shall be inspected periodically after each rain and repaired as needed.
 - 12. Construction of traps shall be carried out in such a manner that sediment pollution is abated. Once constructed, the top and outside face of the embankment shall be stabilized with seed and mulch. Points of concentrated inflow shall be protected in accordance with Grade Stabilization Structure criteria. The remainder of the interior slopes should be stabilized (one time) with seed and mulch upon trap completion and monitored and maintained erosion free during the life of the trap.
 - 13. The structure shall be dewatered by approved methods, removed and the area stabilized when the drainage area has been properly stabilized.



Definition

Stone check dams are stone weirs in series in swales and ditches.

Purpose

Stone check dams are constructed to reduce runoff velocities to non-erosive rates and to prevent channel erosion in drainage courses.

Design Criteria

1. Stone check dams shall be located so as to provide maximum velocity reduction. This may be acheived by considering the volume of runoff, the drainage area and the slope. The check dams should be placed in reasonably straight ditch sections to minimize the potential for erosion in the channel bend. All stone check dams should be keyed into the sides and bottom of the channel. This is not to be used as a sediment trapping device. Sediment laden runoff must pass through a sediment trapping device prior to being discharged from the site.

2. The distance between the stone check dams will vary with the longitudinal ditch slope. Stone check dams shall be constructed using 4"-7" stone (See Materials Specifications, Stone Size), or recycled concrete equivalent and shall be placed to form a weir. The outlet crest or top of the stone weir shall be approximately 6 feet lower than the outer edges. The inside or upstream side of the weir shall be lined with a 1 foot thick layer of washed (3/4" to 1 1/2") crushed aggregate. Geotextile Class "E" (See Materials Specifications, Geotextiles) or better under the bottom and sides of the dam prior to placement of stone is optional.

3. The height of the stone outlet weir should not exceed 1/2 the ditch or swale. Additionally, the maximum height of the weir must not exceed 2 feet to prevent scour of the toe of the dam. If the check dam exceeds this, these provisions do not apply and an engineering analysis should be conducted. The stone check dam should be wide enough to reach from bank to bank of the ditch or swale with the weir section length in the center of the dam.

4. The number of check dams will depend on the length and slope of the ditch or swale. The required spacing is determined as:

x=y/S where
x = Check dam spacing in Feet
y = Check dam height in Feet
S = Natural Channel Slope Ft./Ft.
The spacing is most sensitive to channel slope and height of dam.

STONE CHECK DAM

Construction Specifications

- 1. Swales and ditches shall be prepared in accordance with the construction specifications described in Section A-2. Standards and Specifications for Temporary Swale.
- 2. The check dam shall be constructed of 4"-7" stone. The stone shall be placed so that it completely covers the width of the channel and is key into the channel banks.
- 3. The top of the check dam shall be constructed so the center is approximately 6" lower than the outer edges, forming a weir that water can flow across.
- 4. The maximum height of the check dam at the center shall not exceed 2'.
- 5. The upstream side of the check dam shall be lined with approximately 1' of 0.75" to 1.5" aggregate.
- 6. Accumulated sediment shall be removed when it has built up to half of the original height of the weir crest.

Slope	Spacing
2% or less	80'
2.1% to 4%	40'
4.1% to 7%	25'
7.1% to 10%	15'
Over 10%	Used lined
	waterway design

Standard Stone Check Dam Design



Definition

A temporary barrier or dam constructed across a drainage way to intercept sediment laden runoff. Excavation to build may be used to achieve the required storage.

Purpose

The purpose of a sediment basin is to protect downstream properties and drainage ways by trapping sediment and controlling the release of storm water runoff.

Wet and Dry Storage

The minimum storage volume requirement for sediment basins in 3600 cubic feet per acre of contributory drainage area. The basin storage volume of 3600 cubic feet per acre shall be divided equally into "dry" or dewatered storage and "wet" or retention storage. Basins shall be dewatered to the wet pool elevation corresponding to 1800 cubic feet of storage per acre of drainage area.

Conditions where the Practice Applies

A sediment basin is required to control runoff and sediment from large areas where sediment traps are not appropriate. Detention ponds may be used as sediment basins provided that they meet the requirements of and the construction sequence addresses converting the sediment basin to a permanent storm water detention pond.

Conditions of Use

This standard applies to the installation of temporary sediment basins on sites where: (A.) failure of the structure would not result in the loss of life, damage to homes or buildings, or interruption of use or service of public roads or utilities; (B.) the drainage area does not exceed 100 acres; (C.) the maximum embankment height does not exceed 15 feet measured from the natural ground to the embankment top along the centerline of the embankment; (D.) the basin is to be removed within 36 months after the beginning of construction of the basin. Where these criteria cannot be met, the structure shall be designed to conform with the U.S.D.A., Natural Resource Conservation Service, formerly Soil Conservation Service standard for farm ponds (378). Design Criteria

Design and construction shall comply with the state and local safety laws, ordinances, rules, and regulations. Contact Paradigm Engineering for detailed design assistance.

30

SEDIMENT BASIN WITH RISER

Construction Specifications

- 1. <u>Site Preparation</u>: Perimeter sediment control devices must be installed prior to clearing and grubbing. Areas where the embankment is to be placed shall be cleared, grubbed, and stripped of topsoil to remove trees, vegetation, roots or other objectionable material. The pool area shall not be cleared until completion of the dam embankment unless the pool area is to be used for borrow. In order to facilitate clean-out and restoration, the pool area (measured at the top of the pipe spillway) shall be cleared of all brush, trees, and other objectionable materials.
- 2. <u>Cut-off Trench</u>: A cut-off trench shall be excavated along the centerline of earth fill embankments. The minimum depth shall be four feet. The cut-off trench shall extend up both abutments to the riser crest elevation. The minimum bottom width shall be two feet, but wide enough to permit operation of excavation and compaction equipment. The side slopes shall be no steeper than 1:1. Compaction requirements shall be the same as those for the embankment. The trench shall be dewatered during the backfilling-compaction operations.
- 3. Embankment: The fill material shall be taken from approved areas shown on the plans. It shall be clean mineral soil free of roots, woody vegetation, oversized stones, rocks, or other objectionable material. Relatively pervious materials such as sand or gravel (Unified Soil Classes GW, GP, SW & SP) or organic materials (Unified Soil Classes OL and OH) shall not be placed in the embankment. Areas on which fill is to be placed shall be scarified prior to placement of fill. The fill material shall contain sufficient moisture so that it can be formed by hand into a ball without crumbling. If water can be squeezed out of the ball, it is to wet for proper compaction. Fill material shall be placed in six-inch to eight-inch thick continuous lifts over the entire length of the fill. Compaction shall be obtained by routing and hauling the construction equipment over the fill so that the entire surface of each layer of the fill is traversed by at least one wheel or tread track of the equipment or by the use of a compactor. The embankment shall be constructed to an elevation 10 percent higher than the design height to allow for settlement.
- 4. <u>Principal Spillway</u>: Steel risers shall be securely attached to the barrel or barrel stub by welding the full circumference making a watertight structural connection. Concrete risers shall be poured with the principal spillway in place or precast with voids around the principal spillway filled with concrete or shrink proof grout for watertight connection. The barrel stub must be attached to the riser at the same percent (angle) of grade as the outlet conduit. The connection between the riser and the riser base shall be watertight. All connections between barrel sections must be achieved by approved watertight band assemblies. The barrel and riser shall be placed on a firm, smooth foundation of impervious soil as the embankment is constructed. Breaching the embankment to install the barrel is unacceptable. Pervious materials such as sand, gravel or crushed stone shall not be used as backfill around the pipe or anti-seep collars. The fill material around the pipe to at least the same density as the adjacent embankment. A depth of 1.5 times the pipe diameter (min.) shall be backfilled over the principal spillway and hand compacted before crossing it with construction equipment.

- 5. <u>Emergency Spillway</u>: The emergency spillway shall be installed in undisturbed ground. The achievement of planned elevations, grades, design width, entrance and exit channel slopes are critical to the successful operation of the emergency spillway and must be constructed within a tolerance of \pm 0.2 feet.
- 6. <u>Vegetative Treatment</u>: Stabilize the embankment in accordance with the appropriate vegetative Standard and Specifications immediately following construction. In no case shall the embankment remain unstabilized for more than seven (7) days. Once constructed, the top and outside face of the embankment shall be stabilized with seed and mulch. The remainder of the interior slopes should be stabilized (one time) with seed and mulch upon basin completion and monitored and maintained erosion free during the life of the basin.
- 7. <u>Safety</u>: Local requirement concerning fencing and signs shall be met, warning the public of hazards of soft sediment and floodwater.
- 8. <u>Maintenance</u>: Repair all damage caused by soil erosion and construction equipment at or before the end of each working day. Sediment shall be removed from the basin when it reaches the specified distance below the top of the riser as shown on the riser. This sediment shall be placed in such a manner that it will not erode from the site. The sediment shall not be deposited downstream from the embankment, adjacent to a stream or floodplain. Disposal areas must be stabilized.
- 9. <u>Final Disposal</u>: When temporary structures have served their intended purpose and the contributing drainage area has been properly stabilized, the embankment and resulting sediment deposits are to be leveled or otherwise disposed of in accordance with the approved sediment control plan. The proposed use of a sediment basin site will often dictate final disposition of the basin and any sediment contained therein. If the site is scheduled for future construction, then the basin material and trapped sediments must be removed and safely disposed of and the basin shall be backfilled with a structural fill. When the basin area is to remain open space, the pond may be pumped dry (using Dewatering methods), graded, and back filled.
- 10. <u>Conversion to Stormwater Management Structure</u>: After permanent stabilization of all disturbed contributory drainage areas, temporary sediment basins, if initially built and certified to meet permanent standards, may be converted to permanent stormwater management structures. To convert the basin from temporary to permanent use, the outlet structure must be modified in accordance with approved stormwater management design plans. Additional grading may also be necessary to provide the required storage volume in the basin. Conversion can only take place after all disturbed areas have been permanently stabilized to the satisfaction of the inspection authority and storm drains have been flushed.





Definition

A temporary barrier or dam constructed across a drainage way to intercept sediment laden runoff. Excavation to build may be used to achieve the required storage.

Purpose

The purpose of a sediment basin is to protect downstream properties and drainage ways by trapping sediment and controlling the release of storm water runoff.

Wet and Dry Storage

The minimum storage volume requirement for sediment basins in 3600 cubic feet per acre of contributory drainage area. The basin storage volume of 3600 cubic feet per acre shall be divided equally into "dry" or dewatered storage and "wet" or retention storage. Basins shall be dewatered to the wet pool elevation corresponding to 1800 cubic feet of storage per acre of drainage area.

Conditions where the Practice Applies

A sediment basin is required to control runoff and sediment from large areas where sediment traps are not appropriate. Detention ponds may be used as sediment basins provided that they meet the requirements of and the construction sequence addresses converting the sediment basin to a permanent storm water detention pond.

Conditions of Use

This standard applies to the installation of temporary sediment basins on sites where: (A.) failure of the structure would not result in the loss of life, damage to homes or buildings, or interruption of use or service of public roads or utilities; (B.) the drainage area does not exceed 100 acres; (C.) the maximum embankment height does not exceed 15 feet measured from the natural ground to the embankment top along the centerline of the embankment; (D.) the basin is to be removed within 36 months after the beginning of construction of the basin. Where these criteria cannot be met, the structure shall be designed to conform with the U.S.D.A., Natural Resource Conservation Service, formerly Soil Conservation Service standard for farm ponds (378).

Design Criteria

Design and construction shall comply with the state and local safety laws, ordinances, rules, and regulations. Contact Paradigm Engineering for detailed design assistance.

SEDIMENT BASIN WITH PIPE SPILLWAY

Construction Specifications

- 1. The total area of the perforations must be greater than 2 times the area of the internal orifice.
- 2. The perforated portion of the draw-down devise shall be wrapped with 0.5" hardware cloth and geotextile fabric. The geotextile fabric shall meet the specifications for Geotextile Class E.
- 3. Provide support of draw-down device to prevent sagging and floatation. An acceptable preventative measure is to stake both sides of draw-down device with 1" steel angle, or 1' by 4" square or 2" round wooden posts set 3' minimum into the ground then joining them to the device by wrapping with 12 gauge minimum wire.



Proud Participant in NTPEP and Proud Member of:



<u>PRODUCT DATA SHEET</u> AEC PREMIER COCONUT[™] FIBRENET[™]

DESCRIPTION

AEC Premier Coconut FibreNet erosion control blanket (ECB) consists of coconut fibers. The fibers are evenly distributed throughout the entire area of the blanket. The top and bottom of each blanket is covered with 100% biodegradable jute netting. The product is 100% biodegradable when biodegradable thread is ordered. AEC Premier Coconut FibreNet shall be manufactured in the U.S.A.

AEC Premier Coconut FibreNet has a design soil loss ratio (event-based RUSLE C factor) of .05 and is typically suitable for slopes up to 1H:1V. AEC Premier Coconut is rated for channel flows up to 9.0 ft/s (2.7 m/s) and 2.25 lb/ft^2 (108 Pa) shear stress.

PHYSICAL PROPERTIES

AEC Premier Coconut FibreNet measurements at time of manufacturing:

Width	8.0 ft (2.4 m)
Length	112.5 ft (34.3 m)
Area	$100.0 \text{ yd}^2 (83.6 \text{ m}^2)$
Weight ^a	50.0 lb (22.7 kg)
Mass per Unit Area	0.50 lb/yd^2
(± 10%)	(0.27 kg/m^2)
Not Openings	≈ 0.5 in x 1.0 in
Ther Openings	(12.7 mm x 25.4 mm)

TYPICAL INDEX VALUES

Index Property	Test Method	Value
Thickness	ASTM D 6525	0.294 in (7.47 mm)
Light Penetration	ASTM D 6567	19.4%
Mass per Unit Area	ASTM D 6475	$0.57 \text{ lb/yd}^2 (0.307 \text{ kg/m}^2)$
MD-Tensile Strength Max.	ASTM D 6818	356.4 lb/ft (5.20 kN/m)
TD-Tensile Strength Max.	ASTM D 6818	169.2 lb/ft (2.47 kN/m)
MD-Elongation	ASTM D 6818	3.2%
TD-Elongation	ASTM D 6818	4.3%
Water Absorption	ASTM D 1117/ECTC	334%
Bench-Scale Rain Splash	ECTC Method 2	$SLR = 12.61 \text{ (a) } 2 \text{ in/hr}^{b,c}$
Bench-Scale Rain Splash	ECTC Method 2	$SLR = 17.95 (a) 4 in/hr_{1}^{b,c}$
Bench-Scale Rain Splash	ECTC Method 2	$SLR = 25.55 (a) 6 in/hr^{b,c}$
Bench-Scale Shear	ECTC Method 3	2.56 lb/ft^2 @ 0.5 in soil loss ^c
Germination Improvement	ECTC Method 4	496%

^a Weight is based on a dry fiber weight basis at time of manufacture. Baseline moisture content of AEC Premier Coconut fibers is 20%.

^b SLR is the Soil Loss Ratio, as reported by NTPEP/AASHTO. ^b Bench-scale index values should not be used for design purposes.



DUST CONTROL

Definition

Controlling dust blowing and movement on construction sites and roads.

Purpose

To prevent blowing and movement of dust from exposed soil surfaces, reduce on and offsite damage, health hazards, and improve traffic safety.

Conditions Where Practice Applies

This practice is applicable to areas subject to dust blowing and movement where on and off-site damage is likely without treatment.

Specifications

Temporary Methods

Vegetative Cover - See standards for temporary vegetative cover.

Tillage – To roughen surface and bring clods to the surface. This is an emergency measure, which should be used before soil blowing starts. Begin plowing on windward side of site. Chisel-type plows spaced about 12" apart, spring-toothed harrows, and similar plows are examples of equipment, which may produce the desired effect.

Irrigation – This is generally done as an emergency treatment. Site is sprinkled with water until the surface is moist. Repeat as needed. At no time should the site be irrigated to the point that runoff begins to flow.

Barriers – Solid board fences, silt fences, snow fences, burlap fences, straw bales, and similar material can be used to control air currents and soils blowing. Barriers placed at right angles to prevailing currents at intervals of about 10 times their height are effective in controlling soil blowing.

Permanent Methods

1. Permanent Vegetation – See standards for permanent vegetative cover and permanent stabilization with sod. Existing trees or large shrubs may afford valuable protection if left in place.

2. Topsoiling - Covering with less erosive soil materials. See standards for topsoiling.

3. Stone – Cover surface with crushed stone or coarse gravel.

References

1. Agriculture Handbook 346. Wind Erosion Forces in the United States and Their Use in Predicting Soil Loss.

H-30-1

2. Agriculture Information Bulletin 354. How to Control Wind Erosion, USDA-ARS.

45

SOLID WASTE MANAGEMENT

Description

Large volumes of solid waste are often generated at construction sites including; packaging, pallets, wood waste, concrete waste, soil, electrical wiring, cuttings, and a variety of other materials. The solid waste management practice lists techniques to minimize the potential of storm water contamination from solid waste through appropriate storage and disposal practices.

Primary Use

The practices should be a part of all construction practices. By limiting the trash and debris on site, storm water quality is improved along with reduced clean up requirements at the completion of the projects.

Applications

The solid waste management practice for construction sites is based on proper storage and disposal practices by construction workers and supervisors. Key elements of the program are education and modification of improper disposal habits. Cooperation and vigilance is required on the part of supervisors and workers to ensure that the recommendations and procedures are followed. Following are lists describing the targeted materials and recommended procedures:

Targeted Solid Waste Materials

Paper and cardboard containers Plastic packaging Styrofoam packing and forms Insulation materials (non-hazardous) Wood pallets Wood cuttings Pipe and electrical cuttings Concrete, brick, and mortar waste Shingle cuttings and waste Roofing tar Steel (cuttings, nails, rust residue) Gypsum board cuttings and waste Sheathing cuttings and waste Miscellaneous cutting and waste Food waste Demolition waste

Storage Procedures

- Wherever possible, minimize production of solid waste materials.
- Designate a foreman or supervisor to oversee and enforce proper solid waste procedures.
- Instruct construction workers in proper waste procedures.
- Segregate potentially hazardous waste from non-hazardous construction site debris.
- Keep solid waste materials under cover in either a closed dumpster or other enclosed trash container that limits contact with rain and runoff.
- Store waste materials away from drainage ditches, swales and catch basins.
- Do not allow trash containers to overflow.
- Do not allow waste materials to accumulate on the ground.
- Prohibit littering by workers and visitors.

48

- Police site daily for litter and debris.
- Enforce solid waste handling and storage procedures.

Disposal Procedures

- If feasible, segregate recyclable wastes from non-recyclables waste materials and dispose of properly.
- General construction debris may be hauled to a licensed construction debris landfill (typically less expensive that a sanitary landfill).
- Use waste facilities approved by local jurisdiction.
- Runoff which comes into contact with unprotected waste shall be directed into structural treatment such as silt fence to remove debris.

Education

- Educate all workers on solid waste storage and disposal procedures.
- Instruct workers in identification of solid waste and hazardous waste.
- Having regular meetings to discuss and reinforce disposal procedures (incorporate in regular safety seminars).
- Clearly mark on all solid waste containers which materials are acceptable.

Quality Control

- Foreman and/or construction supervisor shall monitor on-site solid waste storage and disposal procedures.
- Discipline workers who repeatedly violate procedures.

Requirements

- Job-site waste handling and disposal education and awareness program.
- Commitment by management to implement and enforce Solid Waste Management Program.
- Compliance by workers.
- Sufficient and appropriate waste storage containers.
- Timely removal of stored solid waste materials.
- Possible modest cost impact for additional waste storage containers.
- Small cost impact for training and monitoring.
- Minimal overall cost impact.

Limitations

Only addresses non-hazardous solid waste.

One part of a comprehensive construction site management program.

Corrugate Washout

wheel barrow washout containment. Dispose of 'portable" washout. Good for mixer truck and Outpak Corrugate Washout is a Universal, after job completion.

Easy Setup

































trucks. It has a greater capacity (1.33 cu. yds.) and a slightly lower rim to easily fit under the trap door specifically designed to accommodate pump Outpak's largest 6'x6' corrugate washout is and elbow.





PVC Washout

PVC Washouts are designed for larger volume of containment for pump trucks and mixer trucks. The high UV resistance of the PVC Washout allows for longer job life and higher tolerance to weather conditions



Since 1981...

The most significant change was the requirement of an (BMP's) for erosion control and sediment containment 2008 local inspection agencies began enforcement of since 1981 specializing in foundation and flatwork. In We have been in the concrete construction business implementation of Best Management Practices the Federal Clean Water Act resulting in the onsite washout prior to footing inspection.

obviously took time, money and focus away from the washout that was easy to procure, store and deploy. One that also would be able to accommodate mixer Many contractors and job sites began building lined washout solutions, we saw the need for a universal pits or above ground straw bale containment. This actual construction work. After analyzing other trucks, pump trucks, wheelbarrows and other equipment.

Washouts and began using them for other construction contractors saw the ease and convenience of Outpak So at Outpak, Inc., we created Outpak TM Washout Systems to offer a wide variety of concrete washout materials including paint, stucco, drywall mud and and other spill containment solutions. Over time mortar. Outpak Washout - A Better Solution for Construction Site Washout.





fax: 208-562-8868 email: sales@outpak.com Info: 208-890-0383 Sales: 208-376-6967 PO Box 190738, Boise, Idaho 83719 www.outpak.com



Outpak Concrete Washout[®] unit is designed to be Vith Outpak Concrete Washouts your job site will



© 2012 Outpak Washout Systems[®] All Rights Reserved.

AVOID COSTLY EPA FINES

working in. Purchase Outpak Washout products and begin cost-effective construction site washout today. Protection Agency per the Federal Clean Water Act, Don't be the government's next victim. Prepare for is \$11,000.00 PER DAY, PER PROJECT. A large national retailer recently paid \$7 million in fines. The maximum fine levied by the Environmental enforcement within the city or county you are

LIMIT YOUR ONSITE LIABILITY

Imagine the legal problems you could face if a child ever found his or her way into a pool with a water pH balance equal to Liquid Drano. Can you say, 'kiddy" pools for their concrete washout needs. Some construction companies are resorting to 'lawsuit?"

SAVE TIME & MONEY

There is no faster or cost-effective way to manage construction site washout.

- Outpak Washouts are:
 - Easy to store
- Easy to deploy Easy to dispose

DO THE RIGHT THING!

Idahoan. That means he appreciates what Mother concrete construction business, and he's a native steward of the land, by providing affordable and The president and founder is a veteran of the Nature has provided. He values being a good efficient eco-friendly development.



6x6 Outpak Pump Washout holds up to 1.3 cubic yards of concrete and waste water.



Other Outpak Products

Outpak Spill Kits

and conveniently stores behind or under the seat of The Outpak Spill Kit is a universal spill kit good for hydrolic oil, fuel and radiator spills. It is compact your truck.





Outpak Plan Bag

elements. They are made from a durable 20oz PVC to guarantee a long life of the product. The bag has conditions. They also have tabs to hang from a wall The Outpak plan bag protects blueprints from the sleeves for no. 4 rebar to keep them flat in windy





Outpak Slurry Solution

Outpak Slurry Solution is specifically designed to help you save time, money and labor at your job site.

cleanup easy and efficient. Just solidify the slurry container. The material becomes EPA compliant Our innovative product makes your slurry waste waste and throw it away in any standard waste and landfill ready.



HAZARDOUS WASTE MANAGEMENT

Description

The hazardous waste management BMP addresses the problem of the storm water polluted with hazardous waste through spill or other forms of contact. The objective of the Management Program is to minimize the potential of stormwater contamination from common construction site hazardous wastes through appropriate recognition, handling storage and disposal practices.

It is not the intent of this Management Program to supercede or replace normal site assessment and remediation procedures. Significant spills and/or contamination warrant immediate response by trained professionals. Suspected job-site contamination should be immediately reported to regulatory authorities and protective actions taken. The General Permit requires reporting of significant spills to the National Response Center (NCR) at (800) 424-8802.

Primary Use

These management practices along with applicable OSHA and EPA guidelines should be incorporated at all construction sites, which use or generate hazardous waste. Many wastes such as fuel, oil, grease, fertilizer and pesticide are present at most construction sites.

Installation, Application and Disposal Criteria

The hazardous waste management techniques presented here are based on proper recognition, handling, and disposal practices by construction workers and supervisors. Key elements of the management program are education, proper disposal practices, as well as provisions for safe storage and disposal. Following are lists describing the targeted materials and recommended procedures:

Targeted Hazardous Waste Materials

Paints Solvents Stains Wood preservatives Cutting oils Greases Roofing tar Pesticides Fuels & lube oils Lead based paints (Demolition)

Storage Procedures

- Wherever possible minimize use of hazardous materials.
- Minimize generation of hazardous wastes on the job-site.
- Segregate potentially hazardous waste from non-hazardous construction site debris.
- Designate a foreman or supervisor to oversee hazardous materials handling procedures.
- Keep liquid or semi-liquid hazardous waste in appropriate containers (closed drums or similar) and under cover.
- Store waste materials away from drainage ditches, swales and catch basins.
- Use containment berms in fueling and maintenance areas and where the potential for spills is high.

49

- Ensure that adequate hazardous waste storage volume is available.
- Ensure that hazardous waste collection containers are convientely located.
 - Do not allow potentially hazardous waste handling and disposal procedures.

• Clearly mark on all hazardous waste containers which materials are acceptable for the container.

Disposal Procedures

- Regularly schedule hazardous waste removal to minimize on-site storage.
- Use reputable, licensed hazardous waste haulers.

Education

- Instruct workers in identification of hazardous waste.
- Educate workers of potential dangers to humans and the environment from hazardous wastes
- Instruct workers on safety procedures for common construction site hazardous wastes
- Educate all workers on hazardous waste storage and disposal procedures.
- Have regular meetings to discuss and reinforce identification, handling aand disposal procedures (incorporate in regular safety seminars).
- Establish a continuing education program to indoctrinate new employees.

Quality Assurance

- Foreman and/or construction supervisor shall monitor on-site hazardous waste storage and disposal procedures.
- Educate and if necessary, discipline workers who violate procedures.
- Ensure that the hazardous waste disposal contractor is reputable and licensed.

Requirements

- Job-site hazardous waste handling and disposal education and awareness program.
- Commitment by management to implement hazardous waste management practices.
- Compliance by workers
- Sufficient and appropriate hazardous waste storage containers.
- Timely removal of stored hazardous waste materials.

<u>Costs</u>

- Possible modest cost impact for additional hazardous storage containers.
- Small cost impact for training and monitoring.
- Potential cost impact for hazardous waste collection and disposal by licensed hauleractual cost depends on type of material and volume.

Limitations

This practice is not intended to address site-assessments and pre-existing contamination. Major contamination, large spills or other serious hazardous waste incidents require immediate response from specialists. Demolition activities and potential pre-existing materials, such as asbestos, are not addressed by this program. Site specific information on plans is necessary. Contaminated soils are not addressed. One part of a comprehensive construction site waste management program.

TAB 9

National Pollutant Discharge Elimination System General Permit for Discharges from Construction Activities

In compliance with the provisions of the Clean Water Act, 33 U.S.C. §1251 et. seq., (hereafter CWA), as amended by the Water Quality Act of 1987, P.L. 100-4, "operators" of construction activities (defined in Appendix A) that meet the requirements of Part 1.1 of this National Pollutant Discharge Elimination System (NPDES) general permit, are authorized to discharge pollutants in accordance with the effluent limitations and conditions set forth herein. Permit coverage is required from the "commencement of construction activities" (see Appendix A) until one of the conditions for terminating CGP coverage has been met (see Part 8.2).

This permit becomes effective on February 16, 2017.

This permit and the authorization to discharge expire at 11:59pm, February 16, 2022.

Signed and issued this 11 th day of January 2017	Signed and issued this 11 th day of January 2017
Deborah Szaro, Acting Regional Administrator, EPA Region 1	William K. Honker, P.E., Director, Water Division, EPA Region 6
Signed and issued this 11 th day of January 2017	Signed and issued this 11 th day of January 2017
Javier Laureano, Ph.D., Director, Clean Water Division, EPA Region 2	Karen Flournoy, Director, Water, Wetlands, and Pesticides Division, EPA Region 7
Signed and issued this 11 th day of January 2017	Signed and issued this 11 th day of January 2017
Jose C. Font, Acting Director, Caribbean Environmental Protection Division, EPA Region 2.	Darcy O'Connor, Assistant Regional Administrator, Office of Water Protection, EPA Region 8
Signed and issued this 11 th day of January 2017	Signed and issued this 11 th day of January 2017
Dominique Lueckenhoff, Acting Director, Water Protection Division, EPA Region 3	Kristin Gullatt Deputy Director, Water Division, EPA Region 9
Signed and issued this 11 th day of January 2017	Signed and issued this 11 th day of January 2017
César A. Zapata, Deputy Director, Water Protection Division, EPA Region 4	Daniel D. Opalski, Director, Office of Water and Watersheds, EPA Region 10

Christopher Korleski, Director, Water Division, EPA Region 5

Signed and issued this 11th day of January 2017

C 1	ON I	TENTS How to Obtain Coverage Under the Construction General Permit (CGP)	1
1	11		1
	1.1	Types of Discharges Authorized	I 2
	1.2	Prohibited Discharges	2 4
	1.0	Submitting your Notice of Intent (NOI)	т Д
	1.5	Requirement to Post a Notice of Your Permit Coverage	1
2	1.0	Technology-Based Effluent Limitations	6
-	2.1	General Stormwater Control Design, Installation, and Maintenance Requirements	7
	2.2	Frosion and Sediment Control Requirements	8
	2.3	Pollution Prevention Requirements	14
	2.4	Construction Dewatering Requirements	18
3	١	Water Quality-Based Effluent Limitations	18
	3.1	General Effluent Limitation to Meet Applicable Water Quality Standards	18
	3.2	Discharge Limitations for SItes Discharging to Sensitive Waters	19
4	C	Site Inspection Requirements	20
	4.1	Person(s) Responsible for Inspecting Site	20
	4.2	Prequency of Inspections	20
	4.3	Increase in Inspection Frequency for Sites Discharging to Sensitive Waters	20
	4.4	Reductions in Inspection Frequency	21
	4.5	Areas that MUST Be Inspected	22
	4.6	Requirements for Inspections	22
	4.7	Inspection Report	23
	4.8	Inspections By EPA	23
5	(Corrective Actions	24
	5.1	Conditions Triggering Corrective Action	24
	5.2	Corrective Action Deadlines	24
	5.3	Corrective Action Required by EPA	25
	5.4	Corrective Action Report	25
6	0	Staff Training Requirements	25
7	0	Stormwater Pollution Prevention Plan (SWPPP)	26
	7.1	General Requirements	26
	7.2	SWPPP Contents	26
	7.3	On-Site Availability of Your SWPPP	32
	7.4	SWPPP Modifications	33

8	How to Terminate Coverage		
8	3.1	Minii	mum Information Required in NOT
8	3.2	Con	ditions for Terminating CGP Coverage
8	3.3	How	to Submit Your NOT
8	3.4	Dea	dline for Submitting the NOT
8	3.5	Effec	ctive Date of Termination of Coverage35
9	Perm	hit Co	onditions Applicable to Specific States, Indian Country Lands, or Territories
Ар	pendi	x A:	Definitions and AcronymsA-1
Ар	pendi	x B:	Permit Areas Eligible for Coverage and EPA Regional Addresses
Appendix C: Small Construction Waivers and InstructionsC			
Ар	pendi	x D:	Eligibility Procedures Relating to Threatened & Endangered Species Protection. D-1
Appendix E: Historic Property Screening Process			
Ар	pendi	x F:	List of Tier 3, Tier 2, and Tier 2.5 WatersF-1
Ар	pendi	x G:	Buffer RequirementsG-1
Ар	pendi	x H:	2-Year, 24-Hour Storm FrequenciesH-1
Ар	pendi	x I:	Standard Permit ConditionsI-1
Ар	pendi	x J:	Notice of Intent (NOI) Form and InstructionsJ-1
Ар	pendi	x K:	Notice of Termination (NOT) Form and InstructionsK-1
Ар	pendi	x L:	Suggested Format for Request for Chemical TreatmentL-1

1 HOW TO OBTAIN COVERAGE UNDER THE CONSTRUCTION GENERAL PERMIT (CGP)

To be covered under this permit, you must meet the eligibility conditions and follow the requirements for obtaining permit coverage in this Part.

1.1 ELIGIBILITY CONDITIONS

- 1.1.1 You are an "operator" of a construction site for which discharges will be covered under this permit. For the purposes of this permit and in the context of stormwater discharges associated with construction activity, an "operator" is any party associated with a construction project that meets either of the following two criteria:
 - a. The party has operational control over construction plans and specifications, including the ability to make modifications to those plans and specifications (e.g., in most cases this is the owner of the site); or
 - b. The party has day-to-day operational control of those activities at a project that are necessary to ensure compliance with the permit conditions (e.g., they are authorized to direct workers at a site to carry out activities required by the permit; in most cases this is the general contractor (as defined in Appendix A) of the project).

Where there are multiple operators associated with the same project, all operators must obtain permit coverage.¹ Subcontractors generally are not considered operators for the purposes of this permit.

- 1.1.2 Your site's construction activities:
 - a. Will disturb one or more acres of land, or will disturb less than one acre of land but are part of a common plan of development or sale that will ultimately disturb one or more acres of land; or
 - b. Have been designated by EPA as needing permit coverage under 40 CFR 122.26(a)(1)(v) or 40 CFR 122.26(b)(15)(ii);
- 1.1.3 Your site is located in an area where EPA is the permitting authority (see Appendix B);
- 1.1.4 Discharges from your site are not:
 - $\boldsymbol{\alpha}.$ Already covered by a different NPDES permit for the same discharge; or
 - **b.** In the process of having coverage under a different NPDES permit for the same discharge denied, terminated, or revoked.^{2, 3}
- 1.1.5 You are able to demonstrate that you meet one of the criteria listed in Appendix D with respect to the protection of species that are federally listed as endangered or threatened under the Endangered Species Act (ESA) and federally designated critical habitat;

¹ If the operator of a "construction support activity" (see Part 1.2.1c) is different than the operator of the main site, that operator must also obtain permit coverage. See Part 7.1 for clarification on the sharing of liability between and among operators on the same site and for conditions that apply to developing a SWPPP for multiple operators associated with the same site.

² Parts 1.1.4a and 1.1.4b do not include sites currently covered under the 2012 CGP that are in the process of obtaining coverage under this permit, nor sites covered under this permit that are transferring coverage to a different operator.

³ Notwithstanding a site being made ineligible for coverage under this permit because it falls under the description of Parts 1.1.4a or 1.1.4b, above, EPA may waive the applicable eligibility requirement after specific review if it determines that coverage under this permit is appropriate.

- 1.1.6 You have completed the screening process in Appendix E relating to the protection of historic properties; and
- 1.1.7 You have complied with all requirements in Part 9 imposed by the applicable state, Indian tribe, or territory in which your construction activities and/or discharge will occur.

1.1.8 For "new sources" (as defined in Appendix A) only:

- a. EPA has not, prior to authorization under this permit, determined that discharges from your site will cause, have the reasonable potential to cause, or contribute to an excursion above any applicable water quality standard. Where such a determination is made prior to authorization, EPA may notify you that an individual permit application is necessary. However, EPA may authorize your coverage under this permit after you have included appropriate controls and implementation procedures designed to bring your discharge into compliance with this permit, specifically the requirement to meet water quality standards. In the absence of information demonstrating otherwise, EPA expects that compliance with the requirements of this permit, including the requirements applicable to such discharges in Part 3, will result in discharges that will not cause, have the reasonable potential to cause, or contribute to an excursion above any applicable water quality standard.
- b. Discharges from your site to a Tier 2, Tier 2.5, or Tier 3 water⁴ will not lower the water quality of the applicable water. In the absence of information demonstrating otherwise, EPA expects that compliance with the requirements of this permit, including the requirements applicable to such discharges in Part 3.2, will result in discharges that will not lower the water quality of such waters.
- 1.1.9 If you plan to add "cationic treatment chemicals" (as defined in Appendix A) to stormwater and/or authorized non-stormwater prior to discharge, you may not submit your Notice of Intent (NOI) unless and until you notify your applicable EPA Regional Office (see Appendix L) in advance and the EPA Regional Office authorizes coverage under this permit after you have included appropriate controls and implementation procedures designed to ensure that your use of cationic treatment chemicals will not lead to discharges that cause an exceedance of water quality standards.

1.2 TYPES OF DISCHARGES AUTHORIZED⁵

- 1.2.1 The following stormwater discharges are authorized under this permit provided that appropriate stormwater controls are designed, installed, and maintained (see Parts 2 and 3):
 - a. Stormwater discharges, including stormwater runoff, snowmelt runoff, and surface runoff and drainage, associated with construction activity under 40 CFR 122.26(b)(14) or 122.26(b)(15)(i);

⁴ Note: Your site will be considered to discharge to a Tier 2, Tier 2.5, or Tier 3 water if the first water to which you discharge is identified by a state, tribe, or EPA as a Tier 2, Tier 2.5, or Tier 3 water. For discharges that enter a storm sewer system prior to discharge, the first water of the U.S. to which you discharge is the waterbody that receives the stormwater discharge from the storm sewer system. See list of Tier 2, Tier 2.5, and Tier 3 waters in Appendix F.

⁵ See "Discharge" as defined in Appendix A. Note: Any discharges not expressly authorized in this permit cannot become authorized or shielded from liability under CWA section 402(k) by disclosure to EPA, state, or local authorities after issuance of this permit via any means, including the Notice of Intent (NOI) to be covered by the permit, the SWPPP, or during an inspection.

- b. Stormwater discharges designated by EPA as needing a permit under 40 CFR 122.26(a)(1)(v) or 122.26(b)(15)(ii);
- c. Stormwater discharges from construction support activities (e.g., concrete or asphalt batch plants, equipment staging yards, material storage areas, excavated material disposal areas, borrow areas) provided that:
 - i. The support activity is directly related to the construction site required to have permit coverage for stormwater discharges;
 - ii. The support activity is not a commercial operation, nor does it serve multiple unrelated construction sites;
 - iii. The support activity does not continue to operate beyond the completion of the construction activity at the site it supports; and
 - iv. Stormwater controls are implemented in accordance with Part 2 and Part 3 for discharges from the support activity areas.
- d. Stormwater discharges from earth-disturbing activities associated with the construction of staging areas and the construction of access roads conducted prior to active mining.
- 1.2.2 The following non-stormwater discharges associated with your construction activity are authorized under this permit provided that, with the exception of water used to control dust and to irrigate vegetation in stabilized areas, these discharges are not routed to areas of exposed soil on your site and you comply with any applicable requirements for these discharges in Parts 2 and 3:
 - a. Discharges from emergency fire-fighting activities;
 - b. Fire hydrant flushings;
 - c. Landscape irrigation;
 - d. Water used to wash vehicles and equipment, provided that there is no discharge of soaps, solvents, or detergents used for such purposes;
 - e. Water used to control dust;
 - f. Potable water including uncontaminated water line flushings;
 - g. External building washdown, provided soaps, solvents, and detergents are not used, and external surfaces do not contain hazardous substances (as defined in Appendix A) (e.g., paint or caulk containing polychlorinated biphenyls (PCBs));
 - h. Pavement wash waters, provided spills or leaks of toxic or hazardous substances have not occurred (unless all spill material has been removed) and where soaps, solvents, and detergents are not used. You are prohibited from directing pavement wash waters directly into any water of the U.S., storm drain inlet, or stormwater conveyance, unless the conveyance is connected to a sediment basin, sediment trap, or similarly effective control;
 - i. Uncontaminated air conditioning or compressor condensate;
 - j. Uncontaminated, non-turbid discharges of ground water or spring water;
 - k. Foundation or footing drains where flows are not contaminated with process materials such as solvents or contaminated ground water; and
 - I. Construction dewatering water discharged in accordance with Part 2.4.

- 1.2.3 Also authorized under this permit are discharges of stormwater listed above in Part 1.2.1, or authorized non-stormwater discharges listed above in Part 1.2.2, commingled with a discharge authorized by a different NPDES permit and/or a discharge that does not require NPDES permit authorization.
- 1.3 PROHIBITED DISCHARGES⁶
- 1.3.1 Wastewater from washout of concrete, unless managed by an appropriate control as described in Part 2.3.4;
- 1.3.2 Wastewater from washout and cleanout of stucco, paint, form release oils, curing compounds, and other construction materials;
- 1.3.3 Fuels, oils, or other pollutants used in vehicle and equipment operation and maintenance;
- 1.3.4 Soaps, solvents, or detergents used in vehicle and equipment washing or external building washdown; and
- 1.3.5 Toxic or hazardous substances from a spill or other release.

To prevent the above-listed prohibited non-stormwater discharges, operators must comply with the applicable pollution prevention requirements in Part 2.3.

1.4 SUBMITTING YOUR NOTICE OF INTENT (NOI)

All "operators" (as defined in Appendix A) associated with your construction site, who meet the Part 1.1 eligibility requirements, and who seek coverage under this permit, must submit to EPA a complete and accurate NOI in accordance with the deadlines in Table 1 prior to commencing construction activities.

Exception: If you are conducting construction activities in response to a public emergency (e.g., mud slides, earthquake, extreme flooding conditions, widespread disruption in essential public services), and the related work requires immediate authorization to avoid imminent endangerment to human health, public safety, or the environment, or to reestablish essential public services, you may discharge on the condition that a complete and accurate NOI is submitted within 30 calendar days after commencing construction activities (see Table 1) establishing that you are eligible for coverage under this permit. You must also provide documentation in your Stormwater Pollution Prevention Plan (SWPPP) to substantiate the occurrence of the public emergency.

1.4.1 Prerequisite for Submitting Your NOI

You must develop a SWPPP consistent with Part 7 before submitting your NOI for coverage under this permit.

1.4.2 How to Submit Your NOI

You must use EPA's NPDES eReporting Tool (NeT) to electronically prepare and submit your NOI for coverage under the 2017 CGP, unless you received a waiver from your EPA Regional Office.

To access NeT, go to <u>https://www.epa.gov/npdes/stormwater-discharges-</u> construction-activities#ereporting.

⁶ EPA includes these prohibited non-stormwater discharges here as a reminder to the operator that the only non-stormwater discharges authorized by this permit are at Part 1.2.2. Any unauthorized non-stormwater discharges must be covered under an individual permit or alternative general permit.

Waivers from electronic reporting may be granted based on one of the following conditions:

- a. If your operational headquarters is physically located in a geographic area (*i.e., ZIP code or census tract*) that is identified as under-served for broadband Internet access in the most recent report from the Federal Communications Commission; or
- b. If you have limitations regarding available computer access or computer capability.

If the EPA Regional Office grants you approval to use a paper NOI, and you elect to use it, you must complete the form in Appendix J.

1.4.3 Deadlines for Submitting Your NOI and Your Official Date of Permit Coverage

Table 1 provides the deadlines for submitting your NOI and the official start date of your permit coverage, which differ depending on when you commence construction activities.

Type of Operator	NOI Submittal Deadline ⁷	Permit Authorization Date ⁸	
Operator of a new site (i.e., a site where construction activities commence on or after February 16, 2017)	At least 14 calendar days before commencing construction activities.	14 calendar days after EPA notifies you that it has received a complete NOI, unless EPA notifies you that	
Operator of an existing site (i.e., a site with 2012 CGP coverage where construction activities commenced prior to February 16, 2017)	No later than May 17, 2017.	or denied.	
New operator of a permitted site (i.e., an operator that through transfer of ownership and/or operation replaces the operator of an already permitted construction site that is either a "new site" or an "existing site")	At least 14 calendar days before the date the transfer to the new operator will take place.		
Operator of an "emergency -related project" (i.e., a project initiated in response to a public emergency (e.g., mud slides, earthquake, extreme flooding conditions, disruption in essential public services), for which the related work requires immediate authorization to avoid imminent endangerment to human health or the environment, or to reestablish essential public services)	No later than 30 calendar days after commencing construction activities.	You are considered provisionally covered under the terms and conditions of this permit immediately, and fully covered 14 calendar days after EPA notifies you that it has received a complete NOI, unless EPA notifies you that your authorization is delayed or denied.	

Table 1 NOI Submittal Deadlines and Official Start Date for Permit Coverage.

⁷ If you miss the deadline to submit your NOI, any and all discharges from your construction activities will continue to be unauthorized under the CWA until they are covered by this or a different NPDES permit. EPA may take enforcement action for any unpermitted discharges that occur between the commencement of construction activities and discharge authorization.

⁸ Discharges are not authorized if your NOI is incomplete or inaccurate or if you are not eligible for permit coverage.

1.4.4 Modifying your NOI

If after submitting your NOI you need to correct or update any fields, you may do so by **submitting a "Change NOI" form using NeT.** Waivers from electronic reporting may be granted as specified in Part 1.4.1. If the EPA Regional Office has granted you approval to submit a paper NOI modification, you may indicate any NOI changes on the same NOI form in Appendix J.

When there is a change to the site's operator, the new operator must submit a new NOI, and the previous operator must submit a Notice of Termination (NOT) form as specified in Part 8.3.

1.4.5 Your Official End Date of Permit Coverage

Once covered under this permit, your coverage will last until the date that:

- a. You terminate permit coverage consistent with Part 8; or
- b. You receive permit coverage under a different NPDES permit or a reissued or replacement version of this permit after expiring on February 16, 2022; or
- c. You fail to submit an NOI for coverage under a revised or replacement version of this permit before the deadline for existing construction sites where construction activities continue after this permit has expired.

1.5 REQUIREMENT TO POST A NOTICE OF YOUR PERMIT COVERAGE

You must post a sign or other notice of your permit coverage at a safe, publicly accessible location in close proximity to the construction site. The notice must be located so that it is visible from the public road that is nearest to the active part of the construction site, and it must use a font large enough to be readily viewed from a public right-of-way.⁹ At a minimum, the notice must include:

- a. The NPDES ID (i.e., permit tracking number assigned to your NOI);
- b. A contact name and phone number for obtaining additional construction site information;
- c. The Uniform Resource Locator (URL) for the SWPPP (if available), or the following statement: "If you would like to obtain a copy of the Stormwater Pollution Prevention Plan (SWPPP) for this site, contact the EPA Regional Office at [include the appropriate CGP Regional Office contact information found at https://www.epa.gov/npdes/contact-us-stormwater#regional];" and
- d. The following statement "If you observe indicators of stormwater pollutants in the discharge or in the receiving waterbody, contact the EPA through the following website: <u>https://www.epa.gov/enforcement/report-environmental-violations.</u>"

2 TECHNOLOGY-BASED EFFLUENT LIMITATIONS

You must comply with the following technology-based effluent limitations in this Part for all authorized discharges. $^{\rm 10}$

⁹ If the active part of the construction site is not visible from a public road, then place the notice of permit coverage in a position that is visible from the nearest public road and as close as possible to the construction site.

¹⁰ For each of the effluent limits in Part 2, as applicable to your site, you must include in your SWPPP (1) a
2.1 GENERAL STORMWATER CONTROL DESIGN, INSTALLATION, AND MAINTENANCE REQUIREMENTS

You must design, install, and maintain stormwater controls required in Parts 2.2 and 2.3 to minimize the discharge of pollutants in stormwater from construction activities. To meet this requirement, you must:

- 2.1.1 Account for the following factors in designing your stormwater controls:
 - $\boldsymbol{\alpha}.$ The expected amount, frequency, intensity, and duration of precipitation;
 - b. The nature of stormwater runoff and run-on at the site, including factors such as expected flow from impervious surfaces, slopes, and site drainage features. You must design stormwater controls to control stormwater volume, velocity, and peak flow rates to minimize discharges of pollutants in stormwater and to minimize channel and streambank erosion and scour in the immediate vicinity of discharge points; and
 - c. The soil type and range of soil particle sizes expected to be present on the site.
- 2.1.2 Design and install all stormwater controls in accordance with good engineering practices, including applicable design specifications.¹¹
- 2.1.3 Complete installation of stormwater controls by the time each phase of construction activities has begun.
 - **a.** By the time construction activity in any given portion of the site begins, install and make operational any downgradient sediment controls (e.g., buffers, perimeter controls, exit point controls, storm drain inlet protection) that control discharges from the initial site clearing, grading, excavating, and other earth-disturbing activities.¹²
 - b. Following the installation of these initial controls, install and make operational all stormwater controls needed to control discharges prior to subsequent earth-disturbing activities.
- 2.1.4 Ensure that all stormwater controls are maintained and remain in effective operating condition during permit coverage and are protected from activities that would reduce their effectiveness.
 - a. Comply with any specific maintenance requirements for the stormwater controls listed in this permit, as well as any recommended by the manufacturer.¹³

description of the specific control(s) to be implemented to meet the effluent limit; (2) any applicable design specifications; (3) routine maintenance specifications; and (4) the projected schedule for its (their) installation/implementation. See Part 7.2.6.

¹¹ Design specifications may be found in manufacturer specifications and/or in applicable erosion and sediment control manuals or ordinances. Any departures from such specifications must reflect good engineering practices and must be explained in your SWPPP. You must also comply with any additional design and installation requirements specified for the effluent limits in Parts 2.2 and 2.3.

¹² Note that the requirement to install stormwater controls prior to each phase of construction activities for the site does not apply to the earth disturbance associated with the actual installation of these controls. Operators should take all reasonable actions to minimize the discharges of pollutants during the installation of stormwater controls.

¹³ Any departures from such maintenance recommendations made by the manufacturer must reflect good engineering practices and must be explained in your SWPPP.

- b. If at any time you find that a stormwater control needs routine maintenance, you must immediately initiate the needed maintenance work, and complete such work by the close of the next business day.
- c. If at any time you find that a stormwater control needs repair or replacement, you must comply with the corrective action requirements in Part 5.
- 2.2 EROSION AND SEDIMENT CONTROL REQUIREMENTS

You must implement erosion and sediment controls in accordance with the following requirements to minimize the discharge of pollutants in stormwater from construction activities.

- 2.2.1 Provide and maintain natural buffers and/or equivalent erosion and sediment controls when a water of the U.S. is located within 50 feet of the site's earth disturbances.
 - a. Compliance Alternatives. For any discharges to waters of the U.S. located within 50 feet of your site's earth disturbances, you must comply with one of the following alternatives:
 - i. Provide and maintain a 50-foot undisturbed natural buffer; or
 - ii. Provide and maintain an undisturbed natural buffer that is less than 50 feet and is supplemented by erosion and sediment controls that achieve, in combination, the sediment load reduction equivalent to a 50-foot undisturbed natural buffer; or
 - iii. If infeasible to provide and maintain an undisturbed natural buffer of any size, implement erosion and sediment controls to achieve the sediment load reduction equivalent to a 50-foot undisturbed natural buffer.

See Appendix G, Part G.2 for additional conditions applicable to each compliance alternative.

- b. Exceptions. See Appendix G, Part G.2 for exceptions to the compliance alternatives.
- 2.2.2 Direct stormwater to vegetated areas and maximize stormwater infiltration and filtering to reduce pollutant discharges, unless infeasible.
- 2.2.3 Install sediment controls along any perimeter areas of the site that will receive pollutant discharges.¹⁴
 - a. Remove sediment before it has accumulated to one-half of the above-ground height of any perimeter control.
 - b. Exception. For areas at "linear construction sites" (as defined in Appendix A) where perimeter controls are infeasible (e.g., due to a limited or restricted right-of-way), implement other practices as necessary to minimize pollutant discharges to perimeter areas of the site.
- 2.2.4 Minimize sediment track-out.
 - a. Restrict vehicle use to properly designated exit points;
 - b. Use appropriate stabilization techniques¹⁵ at all points that exit onto paved roads.

¹⁴ Examples of perimeter controls include filter berms, silt fences, vegetative strips, and temporary diversion dikes.

¹⁵ Examples of appropriate stabilization techniques include the use of aggregate stone with an underlying geotextile or non-woven filter fabric, and turf mats.

- i. Exception: Stabilization is not required for exit points at linear utility construction sites that are used only episodically and for very short durations over the life of the project, provided other exit point controls¹⁶ are implemented to minimize sediment track-out;
- c. Implement additional track-out controls¹⁷ as necessary to ensure that sediment removal occurs prior to vehicle exit; and
- d. Where sediment has been tracked-out from your site onto paved roads, sidewalks, or other paved areas outside of your site, remove the deposited sediment by the end of the same business day in which the track-out occurs or by the end of the next business day if track-out occurs on a non-business day. Remove the track-out by sweeping, shoveling, or vacuuming these surfaces, or by using other similarly effective means of sediment removal. You are prohibited from hosing or sweeping tracked-out sediment into any stormwater conveyance, storm drain inlet, or water of the U.S.¹⁸
- 2.2.5 Manage stockpiles or land clearing debris piles composed, in whole or in part, of sediment and/or soil:
 - **a.** Locate the piles outside of any natural buffers established under Part 2.2.1 and away from any stormwater conveyances, drain inlets, and areas where stormwater flow is concentrated;
 - b. Install a sediment barrier along all downgradient perimeter areas;¹⁹
 - c. For piles that will be unused for 14 or more days, provide cover²⁰ or appropriate temporary stabilization (consistent with Part 2.2.14);
 - d. You are prohibited from hosing down or sweeping soil or sediment accumulated on pavement or other impervious surfaces into any stormwater conveyance, storm drain inlet, or water of the U.S.
- 2.2.6 Minimize dust. On areas of exposed soil, minimize the generation of dust through the appropriate application of water or other dust suppression techniques.
- 2.2.7 Minimize steep slope disturbances. Minimize the disturbance of "steep slopes" (as defined in Appendix A).

²⁰ Examples of cover include tarps, blown straw and hydroseeding.

¹⁶ Examples of other exit point controls include preventing the use of exit points during wet periods; minimizing exit point use by keeping vehicles on site to the extent possible; limiting exit point size to the width needed for vehicle and equipment usage; using scarifying and compaction techniques on the soil; and avoiding establishing exit points in environmentally sensitive areas (e.g., karst areas; steep slopes).

¹⁷ Examples of additional track-out controls include the use of wheel washing, rumble strips, and rattle plates.

¹⁸ Fine grains that remain visible (*i.e.*, *staining*) on the surfaces of off-site streets, other paved areas, and sidewalks after you have implemented sediment removal practices are not a violation of Part 2.2.4.

¹⁹ Examples of sediment barriers include berms, dikes, fiber rolls, silt fences, sandbags, gravel bags, or straw bale.

- 2.2.8 Preserve native topsoil, unless infeasible.²¹
- 2.2.9 Minimize soil compaction.²² In areas of your site where final vegetative stabilization will occur or where infiltration practices will be installed:
 - a. Restrict vehicle and equipment use in these locations to avoid soil compaction; and
 - b. Before seeding or planting areas of exposed soil that have been compacted, use techniques that rehabilitate and condition the soils as necessary to support vegetative growth.
- 2.2.10 Protect storm drain inlets.
 - a. Install inlet protection measures that remove sediment from discharges prior to entry into any storm drain inlet that carries stormwater flow from your site to a water of the U.S., provided you have authority to access the storm drain inlet;²³ and
 - b. Clean, or remove and replace, the protection measures as sediment accumulates, the filter becomes clogged, and/or performance is compromised. Where there is evidence of sediment accumulation adjacent to the inlet protection measure, remove the deposited sediment by the end of the same business day in which it is found or by the end of the following business day if removal by the same business day is not feasible.
- 2.2.11 Minimize erosion of stormwater conveyance channels and their embankments, outlets, adjacent streambanks, slopes, and downstream waters. Use erosion controls and velocity dissipation devices²⁴ within and along the length of any stormwater conveyance channel and at any outlet to slow down runoff to minimize erosion.
- 2.2.12 If you install a sediment basin or similar impoundment:
 - a. Situate the basin or impoundment outside of any water of the U.S. and any natural buffers established under Part 2.2.1;
 - b. Design the basin or impoundment to avoid collecting water from wetlands;
 - c. Design the basin or impoundment to provide storage for either:
 - i. The calculated volume of runoff from a 2-year, 24-hour storm (see Appendix H); or
 - ii. 3,600 cubic feet per acre drained.

²¹ Stockpiling topsoil at off-site locations, or transferring topsoil to other locations, is an example of a practice that is consistent with the requirements in Part 2.2.8. Preserving native topsoil is not required where the intended function of a specific area of the site dictates that the topsoil be disturbed or removed. For example, some sites may be designed to be highly impervious after construction, and therefore little or no vegetation is intended to remain, or may not have space to stockpile native topsoil on site for later use, in which case, it may not be feasible to preserve topsoil.

²² Minimizing soil compaction is not required where the intended function of a specific area of the site dictates that it be compacted.

²³ Inlet protection measures can be removed in the event of flood conditions or to prevent erosion.

²⁴ Examples of velocity dissipation devices include check dams, sediment traps, riprap, and grouted riprap at outlets.

- **d.** Utilize outlet structures that withdraw water from the surface of the sediment basin or similar impoundment, unless infeasible;²⁵
- e. Use erosion controls and velocity dissipation devices to prevent erosion at inlets and outlets; and
- f. Remove accumulated sediment to maintain at least one-half of the design capacity and conduct all other appropriate maintenance to ensure the basin or impoundment remains in effective operating condition.
- 2.2.13 If using treatment chemicals (e.g., polymers, flocculants, coagulants):
 - a. Use conventional erosion and sediment controls before and after the application of treatment chemicals. Chemicals may only be applied where treated stormwater is directed to a sediment control (e.g., sediment basin, perimeter control) before discharge.
 - b. Select appropriate treatment chemicals. Chemicals must be appropriately suited to the types of soils likely to be exposed during construction and present in the discharges being treated (i.e., the expected turbidity, pH, and flow rate of stormwater flowing into the chemical treatment system or area).
 - c. Minimize discharge risk from stored chemicals. Store all treatment chemicals in leakproof containers that are kept under storm-resistant cover and surrounded by secondary containment structures (e.g., spill berms, decks, spill containment pallets), or provide equivalent measures designed and maintained to minimize the potential discharge of treatment chemicals in stormwater or by any other means (e.g., storing chemicals in a covered area, having a spill kit available on site and ensuring personnel are available to respond expeditiously in the event of a leak or spill).
 - d. Comply with state/local requirements. Comply with applicable state and local requirements regarding the use of treatment chemicals.
 - e. Use chemicals in accordance with good engineering practices and specifications of the chemical provider/supplier. Use treatment chemicals and chemical treatment systems in accordance with good engineering practices, and with dosing specifications and sediment removal design specifications provided by the provider/supplier of the applicable chemicals, or document in your SWPPP specific departures from these specifications and how they reflect good engineering practice.
 - f. Ensure proper training. Ensure that all persons who handle and use treatment chemicals at the construction site are provided with appropriate, product-specific training. Among other things, the training must cover proper dosing requirements.
 - g. Perform additional measures specified by the EPA Regional Office for the authorized use of cationic chemicals. If you have been authorized to use cationic chemicals at your site pursuant to Part 1.1.9, you must perform all additional measures as conditioned by your authorization to ensure that the use of such chemicals will not cause an exceedance of water quality standards.

²⁵ The circumstances in which it is infeasible to design outlet structures in this manner are rare. Exceptions may include areas with extended cold weather, where using surface outlets may not be feasible during certain time periods (although they must be used during other periods). If you determine that it is infeasible to meet this requirement, you must provide documentation in your SWPPP to support your determination, including the specific conditions or time periods when this exception will apply.

- 2.2.14 Stabilize exposed portions of the site. Implement and maintain stabilization measures (e.g., seeding protected by erosion controls until vegetation is established, sodding, mulching, erosion control blankets, hydromulch, gravel) that minimize erosion from exposed portions of the site in accordance with Parts 2.2.14a and 2.2.14b.
 - a. Stabilization Deadlines:²⁶

Total Amount of Land Disturbance Occurring At Any One Time ²⁷	Deadline
 Five acres or less (≤5.0) Note: this includes sites disturbing more than five acres (>5.0) total over the course of a project, but that limit disturbance at any one time (<i>i.e.</i>, phase the disturbance) to five acres or less (≤5.0) 	 Initiate the installation of stabilization measures immediately²⁸ in any areas of exposed soil where construction activities have permanently ceased or will be temporarily inactive for 14 or more calendar days;²⁹ and Complete the installation of stabilization measures as soon as practicable, but no later than 14 calendar days after stabilization has been initiated.³⁰

²⁶ EPA may determine, based on an inspection carried out under Part 4.8 and corrective actions required under Part 5.3, that the level of sediment discharge on the site makes it necessary to require a faster schedule for completing stabilization. For instance, if sediment discharges from an area of exposed soil that is required to be stabilized are compromising the performance of existing stormwater controls, EPA may require stabilization to correct this problem.

²⁷ Limiting disturbances to five (5) acres or less at any one time means that at no time during the project do the cumulative earth disturbances exceed five (5) acres. The following examples would qualify as limiting disturbances at any one time to five (5) acres or less:

- 1. The total area of disturbance for a project is five (5) acres or less.
- 2. The total area of disturbance for a project will exceed five (5) acres, but the operator ensures that no more than five (5) acres will be disturbed at any one time through implementation of stabilization measures. In this way, site stabilization can be used to "free up" land that can be disturbed without exceeding the five (5)-acre cap to qualify for the 14-day stabilization deadline. For instance, if an operator completes stabilization of two (2) acres of land on a five (5)-acre disturbance, then two (2) additional acres could be disturbed while still qualifying for the longer 14-day stabilization deadline.

²⁸ The following are examples of activities that would constitute the immediate initiation of stabilization:

- 1. Prepping the soil for vegetative or non-vegetative stabilization as long as seeding, planting, and/or installation of non-vegetative stabilization products takes place as soon as practicable, but no later than one (1) calendar day of completing soil preparation;
- 2. Applying mulch or other non-vegetative product to the exposed area;
- 3. Seeding or planting the exposed area;
- 4. Starting any of the activities in # 1 3 on a portion of the entire area that will be stabilized; and
- 5. Finalizing arrangements to have stabilization product fully installed in compliance with the deadlines for completing stabilization.

²⁹ The requirement to initiate stabilization immediately is triggered as soon as you know that construction work on a portion of the site is temporarily ceased and will not resume for 14 or more days, or as soon as you know that construction work is permanently ceased. In the context of this provision, "immediately" means as soon as practicable, but no later than the end of the next business day, following the day when the construction activities have temporarily or permanently ceased.

³⁰ If vegetative stabilization measures are being implemented, stabilization is considered "installed" when all activities necessary to seed or plant the area are completed. If non-vegetative stabilization measures are being implemented, stabilization is considered "installed" when all such measures are implemented or applied.

ii.	More than five acres (>5.0)	•	Initiate the installation of stabilization measures immediately ³¹ in any areas of exposed soil where construction activities have permanently ceased or will be temporarily inactive for 14 or more calendar days; ³² and
		•	Complete the installation of stabilization measures as soon as practicable, but no later than seven (7) calendar days after stabilization has been initiated. ³³

iii. Exceptions:

- (a) Arid, semi-arid, and drought-stricken areas (as defined in Appendix A). If it is the seasonally dry period or a period in which drought is occurring, and vegetative stabilization measures are being used:
 - Immediately initiate and, within 14 calendar days of a temporary or permanent cessation of work in any portion of your site, complete the installation of temporary non-vegetative stabilization measures to the extent necessary to prevent erosion;
 - As soon as practicable, given conditions or circumstances on the site, complete all activities necessary to seed or plant the area to be stabilized; and
 - (iii) If construction is occurring during the seasonally dry period, indicate in your SWPPP the beginning and ending dates of the seasonally dry period and your site conditions. Also include the schedule you will follow for initiating and completing vegetative stabilization.
- (b) Operators that are affected by unforeseen circumstances³⁴ that delay the initiation and/or completion of vegetative stabilization:
 - (i) Immediately initiate and, within 14 calendar days, complete the installation of temporary non-vegetative stabilization measures to prevent erosion;
 - (ii) Complete all soil conditioning, seeding, watering or irrigation installation, mulching, and other required activities related to the planting and initial establishment of vegetation as soon as conditions or circumstances allow it on your site; and
 - (iii) Document in the SWPPP the circumstances that prevent you from meeting the deadlines in Part 2.2.14a and the schedule you will follow for initiating and completing stabilization.
- (c) Discharges to a sediment- or nutrient-impaired water or to a water that is identified by your state, tribe, or EPA as Tier 2, Tier 2.5, or Tier 3 for antidegradation purposes. Complete stabilization as soon as

³⁴ Examples include problems with the supply of seed stock or with the availability of specialized equipment and unsuitability of soil conditions due to excessive precipitation and/or flooding.

³¹ See footnote 27

³² See footnote 28

³³ See footnote 29

practicable, but no later than seven (7) calendar days after stabilization has been initiated.

- b. Final Stabilization Criteria (for any areas not covered by permanent structures):
 - i. Establish uniform, perennial vegetation (i.e., evenly distributed, without large bare areas) that provides 70 percent or more of the cover that is provided by vegetation native to local undisturbed areas; and/or
 - ii. Implement permanent non-vegetative stabilization measures³⁵ to provide effective cover.
 - iii. Exceptions:
 - (a) Arid, semi-arid, and drought-stricken areas (as defined in Appendix A). Final stabilization is met if the area has been seeded or planted to establish vegetation that provides 70 percent or more of the cover that is provided by vegetation native to local undisturbed areas within three (3) years and, to the extent necessary to prevent erosion on the seeded or planted area, non-vegetative erosion controls have been applied that provide cover for at least three years without active maintenance.
 - (b) Disturbed areas on agricultural land that are restored to their preconstruction agricultural use. The Part 2.2.14b final stabilization criteria does not apply.
 - (c) Areas that need to remain disturbed. In limited circumstances, stabilization may not be required if the intended function of a specific area of the site necessitates that it remain disturbed, and only the minimum area needed remains disturbed (e.g., dirt access roads, utility pole pads, areas being used for storage of vehicles, equipment, materials).

2.3 POLLUTION PREVENTION REQUIREMENTS³⁶

You must implement pollution prevention controls in accordance with the following requirements to minimize the discharge of pollutants in stormwater and to prevent the discharge of pollutants from spilled or leaked materials from construction activities.

- 2.3.1 For equipment and vehicle fueling and maintenance:
 - a. Provide an effective means of eliminating the discharge of spilled or leaked chemicals, including fuels and oils, from these activities;³⁷

³⁷ Examples of effective means include:

- Locating activities away from waters of the U.S. and stormwater inlets or conveyances so that stormwater coming into contact with these activities cannot reach waters of the U.S.;
- Providing secondary containment (e.g., spill berms, decks, spill containment pallets) and cover where appropriate; and
- Having a spill kit available on site and ensuring personnel are available to respond expeditiously in the event of a leak or spill.

³⁵ Examples of permanent non-vegetative stabilization measures include riprap, gravel, gabions, and geotextiles.

³⁶ Under this permit, you are not required to minimize exposure for any products or materials where the exposure to precipitation and to stormwater will not result in a discharge of pollutants, or where exposure of a specific material or product poses little risk of stormwater contamination (such as final products and materials intended for outdoor use).

- b. If applicable, comply with the Spill Prevention Control and Countermeasures (SPCC) requirements in 40 CFR part 112 and Section 311 of the CWA;
- c. Ensure adequate supplies are available at all times to handle spills, leaks, and disposal of used liquids;
- d. Use drip pans and absorbents under or around leaky vehicles;
- e. Dispose of or recycle oil and oily wastes in accordance with other federal, state, tribal, or local requirements; and
- f. Clean up spills or contaminated surfaces immediately, using dry clean up measures (do not clean contaminated surfaces by hosing the area down), and eliminate the source of the spill to prevent a discharge or a continuation of an ongoing discharge.
- 2.3.2 For equipment and vehicle washing:
 - a. Provide an effective means of minimizing the discharge of pollutants from equipment and vehicle washing, wheel wash water, and other types of wash waters;³⁸
 - b. Ensure there is no discharge of soaps, solvents, or detergents in equipment and vehicle wash water; and
 - c. For storage of soaps, detergents, or solvents, provide either (1) cover (e.g., plastic sheeting, temporary roofs) to minimize the exposure of these detergents to precipitation and to stormwater, or (2) a similarly effective means designed to minimize the discharge of pollutants from these areas.
- 2.3.3 For storage, handling, and disposal of building products, materials, and wastes:
 - **a.** For building materials and building products³⁹, provide either (1) cover (e.g., plastic sheeting, temporary roofs) to minimize the exposure of these products to precipitation and to stormwater, or (2) a similarly effective means designed to minimize the discharge of pollutants from these areas.
 - b. For pesticides, herbicides, insecticides, fertilizers, and landscape materials:
 - i. In storage areas, provide either (1) cover (e.g., plastic sheeting, temporary roofs) to minimize the exposure of these chemicals to precipitation and to stormwater, or (2) a similarly effective means designed to minimize the discharge of pollutants from these areas; and
 - ii. Comply with all application and disposal requirements included on the registered pesticide, herbicide, insecticide, and fertilizer label (see also Part 2.3.5).
 - c. For diesel fuel, oil, hydraulic fluids, other petroleum products, and other chemicals:
 - i. Store chemicals in water-tight containers, and provide either (1) cover (e.g., plastic sheeting, temporary roofs) to minimize the exposure of these containers to precipitation and to stormwater, or (2) a similarly effective means designed to minimize the discharge of pollutants from these areas (e.g., having a spill kit available on site and ensuring personnel are available to respond expeditiously in

³⁸ Examples of effective means include locating activities away from waters of the U.S. and stormwater inlets or conveyances and directing wash waters to a sediment basin or sediment trap, using filtration devices, such as filter bags or sand filters, or using other similarly effective controls.

³⁹ Examples of building materials and building products typically present at construction sites include asphalt sealants, copper flashing, roofing materials, adhesives, concrete admixtures, and gravel and mulch stockpiles.

the event of a leak or spill), or provide secondary containment (e.g., spill berms, decks, spill containment pallets); and

- ii. Clean up spills immediately, using dry clean-up methods where possible, and dispose of used materials properly. You are prohibited from hosing the area down to clean surfaces or spills. Eliminate the source of the spill to prevent a discharge or a furtherance of an ongoing discharge.
- d. For hazardous or toxic wastes:40
 - i. Separate hazardous or toxic waste from construction and domestic waste;
 - ii. Store waste in sealed containers, which are constructed of suitable materials to prevent leakage and corrosion, and which are labeled in accordance with applicable Resource Conservation and Recovery Act (RCRA) requirements and all other applicable federal, state, tribal, or local requirements;
 - iii. Store all outside containers within appropriately-sized secondary containment (e.g., spill berms, decks, spill containment pallets) to prevent spills from being discharged, or provide a similarly effective means designed to prevent the discharge of pollutants from these areas (e.g., storing chemicals in a covered area, having a spill kit available on site);
 - iv. Dispose of hazardous or toxic waste in accordance with the manufacturer's recommended method of disposal and in compliance with federal, state, tribal, and local requirements;
 - v. Clean up spills immediately, using dry clean-up methods, and dispose of used materials properly. You are prohibited from hosing the area down to clean surfaces or spills. Eliminate the source of the spill to prevent a discharge or a furtherance of an ongoing discharge; and
 - vi. Follow all other federal, state, tribal, and local requirements regarding hazardous or toxic waste.
- e. For construction and domestic wastes:41
 - i. Provide waste containers (e.g., *dumpster*, *trash receptacle*) of sufficient size and number to contain construction and domestic wastes;
 - ii. Keep waste container lids closed when not in use and close lids at the end of the business day for those containers that are actively used throughout the day. For waste containers that do not have lids, provide either (1) cover (e.g., a tarp, plastic sheeting, temporary roof) to minimize exposure of wastes to precipitation, or (2) a similarly effective means designed to minimize the discharge of pollutants (e.g., secondary containment);
 - iii. On business days, clean up and dispose of waste in designated waste containers; and
 - iv. Clean up immediately if containers overflow.

⁴⁰ Examples of hazardous or toxic waste that may be present at construction sites include paints, caulks, sealants, fluorescent light ballasts, solvents, petroleum-based products, wood preservatives, additives, curing compounds, and acids.

⁴¹ Examples of construction and domestic waste include packaging materials, scrap construction materials, masonry products, timber, pipe and electrical cuttings, plastics, styrofoam, concrete, demolition debris; and other trash or building materials.

- f. For sanitary waste, position portable toilets so that they are secure and will not be tipped or knocked over, and located away from waters of the U.S. and stormwater inlets or conveyances.
- 2.3.4 For washing applicators and containers used for stucco, paint, concrete, form release oils, curing compounds, or other materials:
 - a. Direct wash water into a leak-proof container or leak-proof and lined pit designed so that no overflows can occur due to inadequate sizing or precipitation;
 - b. Handle washout or cleanout wastes as follows:
 - i. Do not dump liquid wastes in storm sewers or waters of the U.S.;
 - ii. Dispose of liquid wastes in accordance with applicable requirements in Part 2.3.3; and
 - iii. Remove and dispose of hardened concrete waste consistent with your handling of other construction wastes in Part 2.3.3; and
 - c. Locate any washout or cleanout activities as far away as possible from waters of the U.S. and stormwater inlets or conveyances, and, to the extent feasible, designate areas to be used for these activities and conduct such activities only in these areas.
- 2.3.5 For the application of fertilizers:
 - a. Apply at a rate and in amounts consistent with manufacturer's specifications, or document in the SWPPP departures from the manufacturer specifications where appropriate in accordance with Part 7.2.6.b.ix;
 - b. Apply at the appropriate time of year for your location, and preferably timed to coincide as closely as possible to the period of maximum vegetation uptake and growth;
 - c. Avoid applying before heavy rains that could cause excess nutrients to be discharged;
 - d. Never apply to frozen ground;
 - e. Never apply to stormwater conveyance channels; and
 - f. Follow all other federal, state, tribal, and local requirements regarding fertilizer application.
- 2.3.6 Emergency Spill Notification Requirements

Discharges of toxic or hazardous substances from a spill or other release are prohibited, consistent with Part 1.3.5. Where a leak, spill, or other release containing a hazardous substance or oil in an amount equal to or in excess of a reportable quantity established under either 40 CFR 110, 40 CFR 117, or 40 CFR 302 occurs during a 24-hour period, you must notify the National Response Center (NRC) at (800) 424-8802 or, in the Washington, DC metropolitan area, call (202) 267-2675 in accordance with the requirements of 40 CFR 110, 40 CFR 117, and 40 CFR 302 as soon as you have knowledge of the release. You must also, within seven (7) calendar days of knowledge of the release, provide a description of the release, the circumstances leading to the release, and the date of the release. State, tribal, or local requirements may necessitate additional reporting of spills or discharges to local emergency response, public health, or drinking water supply agencies.

2.4 CONSTRUCTION DEWATERING REQUIREMENTS

Comply with the following requirements to minimize the discharge of pollutants in ground water or accumulated stormwater that is removed from excavations, trenches, foundations, vaults, or other similar points of accumulation, in accordance with Part 1.2.2.⁴²

- 2.4.1 Treat dewatering discharges with controls to minimize discharges of pollutants;43
- 2.4.2 Do not discharge visible floating solids or foam;
- 2.4.3 Use an oil-water separator or suitable filtration device (such as a cartridge filter) that is designed to remove oil, grease, or other products if dewatering water is found to contain these materials;
- 2.4.4 To the extent feasible, use vegetated, upland areas of the site to infiltrate dewatering water before discharge. You are prohibited from using waters of the U.S. as part of the treatment area;
- 2.4.5 At all points where dewatering water is discharged, comply with the velocity dissipation requirements of Part 2.2.11;
- 2.4.6 With backwash water, either haul it away for disposal or return it to the beginning of the treatment process; and
- 2.4.7 Replace and clean the filter media used in dewatering devices when the pressure differential equals or exceeds the manufacturer's specifications.
- 3 WATER QUALITY-BASED EFFLUENT LIMITATIONS
- 3.1 GENERAL EFFLUENT LIMITATION TO MEET APPLICABLE WATER QUALITY STANDARDS

Discharges must be controlled as necessary to meet applicable water quality standards. Discharges must also comply with any additional state or tribal requirements that are in Part 9.

In the absence of information demonstrating otherwise, EPA expects that compliance with the conditions in this permit will result in stormwater discharges being controlled as necessary to meet applicable water quality standards. If at any time you become aware, or EPA determines, that discharges are not being controlled as necessary to meet applicable water quality standards, you must take corrective action as required in Parts 5.1 and 5.2, and document the corrective actions as required in Part 5.4.

EPA may insist that you install additional controls (to meet the narrative water qualitybased effluent limit above) on a site-specific basis, or require you to obtain coverage under an individual permit, if information in your NOI or from other sources indicates that your discharges are not controlled as necessary to meet applicable water quality standards. This includes situations where additional controls are necessary to comply with a wasteload allocation in an EPA-established or approved TMDL.

⁴² Uncontaminated, clear (non-turbid) dewatering water can be discharged without being routed to a control.

⁴³ Appropriate controls include sediment basins or sediment traps, sediment socks, dewatering tanks, tube settlers, weir tanks, filtration systems (e.g., *bag or sand filters*), and passive treatment systems that are designed to remove sediment. Appropriate controls to use downstream of dewatering controls to minimize erosion include vegetated buffers, check dams, riprap, and grouted riprap at outlets.

If during your coverage under a previous permit, you were required to install and maintain stormwater controls specifically to meet the assumptions and requirements of an EPA-approved or established TMDL (for any parameter) or to otherwise control your discharge to meet water quality standards, you must continue to implement such controls as part of your coverage under this permit.

3.2 DISCHARGE LIMITATIONS FOR SITES DISCHARGING TO SENSITIVE WATERS⁴⁴

For any portion of the site that discharges to a sediment or nutrient-impaired water or to a water that is identified by your state, tribe, or EPA as Tier 2, Tier 2.5, or Tier 3 for antidegradation purposes, you must comply with the inspection frequency specified in 4.3 and you must comply with the stabilization deadline specified in Part 2.2.14.a.iii.(c).⁴⁵

If you discharge to a water that is impaired for a parameter other than a sedimentrelated parameter or nutrients, EPA will inform you if any additional controls are necessary for your discharge to be controlled as necessary to meet water quality standards, including for it to be consistent with the assumptions of any available wasteload allocation in any applicable TMDL, or if coverage under an individual permit is necessary.

In addition, on a case-by-case basis, EPA may notify operators of new sites or operators of existing sites with increased discharges that additional analyses, stormwater controls, or other measures are necessary to comply with the applicable antidegradation requirements, or notify you that an individual permit application is necessary.

If you discharge to a water that is impaired for <u>polychlorinated biphenyls (PCBs</u>) and are engaging in demolition of any structure with at least 10,000 square feet of floor space built or renovated before January 1, 1980, you must:

Tiers 2, 2.5 and 3 refer to waters either identified by the state as high quality waters or Outstanding National Resource Waters under 40 CFR 131.12(a)(2) and (3). For the purposes of this permit, you are considered to discharge to a Tier 2, Tier 2.5, or Tier 3 water if the first water of the U.S. to which you discharge is identified by a state, tribe, or EPA as Tier 2, Tier 2.5, or Tier 3. For discharges that enter a storm sewer system prior to discharge, the water of the U.S. to which you discharge is the first water of the U.S. that receives the stormwater discharge from the storm sewer system. See list of Tier 2, Tier 2.5, and Tier 3 waters in Appendix F.

EPA may determine on a case-by-case basis that a site discharges to a sensitive water.

⁴⁵ If you qualify for any of the reduced inspection frequencies in Part 4.4, you may conduct inspections in accordance with Part 4.4 for any portion of your site that discharges to a sensitive water.

⁴⁴ Sensitive waters include waters that are impaired and Tier 2, Tier 2.5, and Tier 3 waters.

[&]quot;Impaired waters" are those waters identified by the state, tribe, or EPA as not meeting an applicable water quality standard and (1) requires development of a TMDL (pursuant to section 303(d) of the CWA; or (2) is addressed by an EPA-approved or established TMDL; or (3) is not in either of the above categories but the waterbody is covered by a pollution control program that meets the requirements of 40 CFR 130.7(b)(1). Your construction site will be considered to discharge to an impaired water if the first water of the U.S. to which you discharge is an impaired water for the pollutants contained in the discharge from your site. For discharges that enter a storm sewer system prior to discharge, the first water of the U.S. to which you discharge is the waterbody that receives the stormwater discharge from the storm sewer system. For assistance in determining whether your site discharges to impaired waters, EPA has developed a tool that is available both within the electronic NOI form in NeT, and at https://water.epa.gov/polwaste/npdes/stormwater/discharge.cfm.

- a. Implement controls⁴⁶ to minimize the exposure of PCB-containing building materials, including paint, caulk, and pre-1980 fluorescent lighting fixtures, to precipitation and to stormwater; and
- b. Ensure that disposal of such materials is performed in compliance with applicable state, federal, and local laws.
- 4 SITE INSPECTION REQUIREMENTS
- 4.1 PERSON(S) RESPONSIBLE FOR INSPECTING SITE

The person(s) inspecting your site may be a person on your staff or a third party you hire to conduct such inspections. You are responsible for ensuring that the person who conducts inspections is a "qualified person."⁴⁷

4.2 FREQUENCY OF INSPECTIONS.48

At a minimum, you must conduct a site inspection in accordance with one of the two schedules listed below, unless you are subject to the Part 4.3 site inspection frequency for discharges to sensitive waters or qualify for a Part 4.4 reduction in the inspection frequency:

- 4.2.1 At least once every seven (7) calendar days; or
- 4.2.2 Once every 14 calendar days *and* within 24 hours of the occurrence of a storm event of 0.25 inches or greater, or the occurrence of runoff from snowmelt sufficient to cause a discharge.⁴⁹ To determine if a storm event of 0.25 inches or greater has occurred on your site, you must either keep a properly maintained rain gauge on your site, or obtain the storm event information from a weather station that is representative of your location. For any day of rainfall during normal business hours that measures 0.25 inches or greater, you must record the total rainfall measured for that day in accordance with Part 4.7.1d.
- 4.3 INCREASE IN INSPECTION FREQUENCY FOR SITES DISCHARGING TO SENSITIVE WATERS.

For any portion of the site that discharges to a sediment or nutrient-impaired water or to a water that is identified by your state, tribe, or EPA as Tier 2, Tier 2.5, or Tier 3 for antidegradation purposes (see Part 3.2), instead of the inspection frequency specified in

⁴⁶ Examples of controls to minimize exposure of PCBs to precipitation and stormwater include separating work areas from non-work areas and selecting appropriate personal protective equipment and tools, constructing a containment area so that all dust or debris generated by the work remains within the protected area, using tools that minimize dust and heat (<212°F). For additional information, refer to Part 2.3.3 of the CGP Fact Sheet.

⁴⁷ A "qualified person" is a person knowledgeable in the principles and practice of erosion and sediment controls and pollution prevention, who possesses the appropriate skills and training to assess conditions at the construction site that could impact stormwater quality, and the appropriate skills and training to assess the effectiveness of any stormwater controls selected and installed to meet the requirements of this permit.

⁴⁸ Inspections are only required during the site's normal working hours.

⁴⁹ "Within 24 hours of the occurrence of a storm event" means that you must conduct an inspection within 24 hours once a storm event has produced 0.25 inches within a 24-hour period, even if the storm event is still continuing. Thus, if you have elected to inspect bi-weekly in accordance with Part 4.2.2 and there is a storm event at your site that continues for multiple days, and each day of the storm produces 0.25 inches or more of rain, you must conduct an inspection within 24 hours of the first day of the storm and within 24 hours after the end of the storm.

Part 4.2, you must conduct inspections in accordance with the following inspection frequencies:

Once every seven (7) calendar days *and* within 24 hours of the occurrence of a storm event of 0.25 inches or greater, or the occurrence of runoff from snowmelt sufficient to cause a discharge. To determine if a storm event of 0.25 inches or greater has occurred on your site, you must either keep a properly maintained rain gauge on your site, or obtain the storm event information from a weather station that is representative of your location. For any day of rainfall during normal business hours that measures 0.25 inches or greater, you must record the total rainfall measured for that day in accordance with Part 4.7.1d.

4.4 REDUCTIONS IN INSPECTION FREQUENCY

- 4.4.1 Stabilized areas.
 - a. You may reduce the frequency of inspections to twice per month for the first month, no more than 14 calendar days apart, then once per month in any area of your site where the stabilization steps in 2.2.14a have been completed. If construction activity resumes in this portion of the site at a later date, the inspection frequency immediately increases to that required in Parts 4.2 and 4.3, as applicable. You must document the beginning and ending dates of this period in your SWPPP.
 - b. Exception. For "linear construction sites" (as defined in Appendix A) where disturbed portions have undergone final stabilization at the same time active construction continues on others, you may reduce the frequency of inspections to twice per month for the first month, no more than 14 calendar days apart, in any area of your site where the stabilization steps in 2.2.14a have been completed. After the first month, inspect once more within 24 hours of the occurrence of a storm event of 0.25 inches or greater. If there are no issues or evidence of stabilization problems, you may suspend further inspections. If "wash-out" of stabilization materials and/or sediment is observed, following re-stabilization, inspections must resume at the inspection frequency required in Part 4.4.1a Inspections must continue until final stabilization is visually confirmed following a storm event of 0.25 inches or greater.
- 4.4.2 Arid, semi-arid, or drought-stricken areas (as defined in Appendix A). If it is the seasonally dry period or a period in which drought is occurring, you may reduce the frequency of inspections to once per month and within 24 hours of the occurrence of a storm event of 0.25 inches or greater. You must document that you are using this reduced schedule and the beginning and ending dates of the seasonally dry period in your SWPPP. To determine if a storm event of 0.25 inches or greater has occurred on your site, you must either keep a properly maintained rain gauge on your site, or obtain the storm event information from a weather station that is representative of your location. For any day of rainfall during normal business hours that measures 0.25 inches or greater, you must record the total rainfall measured for that day in accordance with Part 4.7.1d.
- 4.4.3 Frozen conditions:
 - a. If you are suspending construction activities due to frozen conditions, you may temporarily suspend inspections on your site until thawing conditions (as defined in Appendix A) begin to occur if:
 - i. Runoff is unlikely due to continuous frozen conditions that are likely to continue at your site for at least three (3) months based on historic seasonal averages. If unexpected weather conditions (such as above freezing temperatures or rain

events) make discharges likely, you must immediately resume your regular inspection frequency as described in Parts 4.2 and 4.3, as applicable;

- ii. Land disturbances have been suspended; and
- iii. All disturbed areas of the site have been stabilized in accordance with Part 2.2.14a.
- **b.** If you are still conducting construction activities during frozen conditions, you may reduce your inspection frequency to once per month if:
 - i. Runoff is unlikely due to continuous frozen conditions that are likely to continue at your site for at least three (3) months based on historic seasonal averages. If unexpected weather conditions (such as above freezing temperatures or rain events) make discharges likely, you must immediately resume your regular inspection frequency as described in Parts 4.2 and 4.3, as applicable; and
 - ii. Except for areas in which you are actively conducting construction activities, disturbed areas of the site have been stabilized in accordance with Part 2.2.14a.

You must document the beginning and ending dates of this period in your SWPPP.

- 4.5 AREAS THAT MUST BE INSPECTED During your site inspection, you must at a minimum inspect the following areas of your site:
- 4.5.1 All areas that have been cleared, graded, or excavated and that have not yet completed stabilization consistent with Part 2.2.14a;
- 4.5.2 All stormwater controls (including pollution prevention controls) installed at the site to comply with this permit;⁵⁰
- 4.5.3 Material, waste, borrow, and equipment storage and maintenance areas that are covered by this permit;
- 4.5.4 All areas where stormwater typically flows within the site, including drainageways designed to divert, convey, and/or treat stormwater;
- 4.5.5 All points of discharge from the site; and
- 4.5.6 All locations where stabilization measures have been implemented.

You are not required to inspect areas that, at the time of the inspection, are considered unsafe to your inspection personnel.

- 4.6 REQUIREMENTS FOR INSPECTIONS During your site inspection, you must at a minimum:
- 4.6.1 Check whether all stormwater controls (i.e., erosion and sediment controls and pollution prevention controls) are properly installed, appear to be operational, and are working as intended to minimize pollutant discharges;
- 4.6.2 Check for the presence of conditions that could lead to spills, leaks, or other accumulations of pollutants on the site;

⁵⁰ This includes the requirement to inspect for sediment that has been tracked out from the site onto paved roads, sidewalks, or other paved areas consistent with Part 2.2.4.

- 4.6.3 Identify any locations where new or modified stormwater controls are necessary to meet the requirements of Parts 2 and/or 3;
- 4.6.4 Check for signs of visible erosion and sedimentation (*i.e.*, *sediment deposits*) that have occurred and are attributable to your discharge at points of discharge and, if applicable, the banks of any waters of the U.S. flowing within or immediately adjacent to the site;
- 4.6.5 Identify any incidents of noncompliance observed;
- 4.6.6 If a discharge is occurring during your inspection:
 - a. Identify all discharge points at the site; and
 - b. Observe and document the visual quality of the discharge, and take note of the characteristics of the stormwater discharge, including color; odor; floating, settled, or suspended solids; foam; oil sheen; and other indicators of stormwater pollutants.
- 4.6.7 Based on the results of your inspection, complete any necessary maintenance under Part 2.1.4 and corrective action under Part 5.
- 4.7 INSPECTION REPORT
- 4.7.1 You must complete an inspection report within 24 hours of completing any site inspection. Each inspection report must include the following:
 - a. The inspection date;
 - b. Names and titles of personnel making the inspection;
 - c. A summary of your inspection findings, covering at a minimum the observations you made in accordance with Part 4.6, including any necessary maintenance or corrective actions;
 - d. If you are inspecting your site at the frequency specified in Part 4.2.2, Part 4.3, or Part 4.4.1b, and you conducted an inspection because of rainfall measuring 0.25 inches or greater, you must include the applicable rain gauge or weather station readings that triggered the inspection; and
 - e. If you determined that it is unsafe to inspect a portion of your site, you must describe the reason you found it to be unsafe and specify the locations to which this condition applies.
- 4.7.2 Each inspection report must be signed in accordance with Appendix I, Part I.11 of this permit.
- 4.7.3 You must keep a copy of all inspection reports at the site or at an easily accessible location, so that it can be made available at the time of an on-site inspection or upon request by EPA.
- 4.7.4 You must retain all inspection reports completed for this Part for at least three (3) years from the date that your permit coverage expires or is terminated.
- 4.8 INSPECTIONS BY EPA

You must allow EPA, or an authorized representative of EPA, to conduct the following activities at reasonable times. To the extent that you are utilizing shared controls that are

not on site to comply with this permit, you must make arrangements for EPA to have access at all reasonable times to those areas where the shared controls are located.

- 4.8.1 Enter onto all areas of the site, including any construction support activity areas covered by this permit, any off-site areas where shared controls are utilized to comply with this permit, discharge locations, adjoining waterbodies, and locations where records are kept under the conditions of this permit;
- 4.8.2 Access and copy any records that must be kept under the conditions of this permit;
- 4.8.3 Inspect your construction site, including any construction support activity areas covered by this permit (see Part 1.2.1c), any stormwater controls installed and maintained at the site, and any off-site shared controls utilized to comply with this permit; and
- 4.8.4 Sample or monitor for the purpose of ensuring compliance.
- 5 CORRECTIVE ACTIONS
- 5.1 CONDITIONS TRIGGERING CORRECTIVE ACTION.

You must take corrective action to address any of the following conditions identified at your site:

- 5.1.1 A stormwater control needs repair or replacement (beyond routine maintenance required under Part 2.1.4); or
- 5.1.2 A stormwater control necessary to comply with the requirements of this permit was never installed, or was installed incorrectly; or
- 5.1.3 Your discharges are causing an exceedance of applicable water quality standards; or
- 5.1.4 A prohibited discharge has occurred (see Part 1.3).
- 5.2 CORRECTIVE ACTION DEADLINES

For any corrective action triggering conditions in Part 5.1, you must:

- 5.2.1 Immediately take all reasonable steps to address the condition, including cleaning up any contaminated surfaces so the material will not discharge in subsequent storm events;
- 5.2.2 When the problem does not require a new or replacement control or significant repair, the corrective action must be completed by the close of the next business day;
- 5.2.3 When the problem requires a new or replacement control or significant repair, install the new or modified control and make it operational, or complete the repair, by no later than seven (7) calendar days from the time of discovery. If it is infeasible to complete the installation or repair within seven (7) calendar days, you must document in your records why it is infeasible to complete the installation or repair within the 7-day timeframe and document your schedule for installing the stormwater control(s) and making it operational as soon as feasible after the 7-day timeframe. Where these actions result in changes to any of the stormwater controls or procedures documented in your SWPPP, you must modify your SWPPP accordingly within seven (7) calendar days of completing this work.

5.3 CORRECTIVE ACTION REQUIRED BY EPA

You must comply with any corrective actions required by EPA as a result of permit violations found during an inspection carried out under Part 4.8.

5.4 CORRECTIVE ACTION REPORT

For each corrective action taken in accordance with this Part, you must complete a report in accordance with the following:

- 5.4.1 Within 24 hours of identifying the corrective action condition, document the specific condition and the date and time it was identified.
- 5.4.2 Within 24 hours of completing the corrective action (in accordance with the deadlines in Part 5.2), document the actions taken to address the condition, including whether any SWPPP modifications are required.
- 5.4.3 Each corrective action report must be signed in accordance with Appendix I, Part I.11 of this permit.
- 5.4.4 You must keep a copy of all corrective action reports at the site or at an easily accessible location, so that it can be made available at the time of an on-site inspection or upon request by EPA.
- 5.4.5 You must retain all corrective action reports completed for this Part for at least three (3) years from the date that your permit coverage expires or is terminated.
- 6 STAFF TRAINING REQUIREMENTS

Each operator, or group of multiple operators, m**ust assemble a "stormwater team"** to carry out compliance activities associated with the requirements in this permit.

- 6.1 Prior to the commencement of construction activities, you must ensure that the following personnel⁵¹ on the stormwater team understand the requirements of this permit and their specific responsibilities with respect to those requirements:
 - a. Personnel who are responsible for the design, installation, maintenance, and/or repair of stormwater controls (including pollution prevention controls);
 - Personnel responsible for the application and storage of treatment chemicals (if applicable);
 - c. Personnel who are responsible for conducting inspections as required in Part 4.1; and
 - d. Personnel who are responsible for taking corrective actions as required in Part 5.
- 6.2 You are responsible for ensuring that all activities on the site comply with the requirements of this permit. You are not required to provide or document formal training for subcontractors or other outside service providers, but you must ensure that such personnel understand any requirements of this permit that may be affected by the work they are subcontracted to perform.

⁵¹ If the person requiring training is a new employee who starts after you commence construction activities, you must ensure that this person has the proper understanding as required above prior to assuming particular responsibilities related to compliance with this permit.

For emergency-related projects, the requirement to train personnel prior to commencement of construction activities does not apply, however, such personnel must have the required training prior to NOI submission.

- 6.3 At a minimum, members of the stormwater team must be trained to understand the following if related to the scope of their job duties (e.g., only personnel responsible for conducting inspections need to understand how to conduct inspections):
 - a. The permit deadlines associated with installation, maintenance, and removal of stormwater controls and with stabilization;
 - b. The location of all stormwater controls on the site required by this permit and how they are to be maintained;
 - c. The proper procedures to follow with respect to the permit's pollution prevention requirements; and
 - d. When and how to conduct inspections, record applicable findings, and take corrective actions.
- 6.4 Each member of the stormwater team must have easy access to an electronic or paper copy of applicable portions of this permit, the most updated copy of your SWPPP, and other relevant documents or information that must be kept with the SWPPP.
- 7 STORMWATER POLLUTION PREVENTION PLAN (SWPPP)
- 7.1 GENERAL REQUIREMENTS

All operators associated with a construction site under this permit must develop a SWPPP consistent with the requirements in Part 7 prior to their submittal of the NOI.^{52, 53} The SWPPP must be kept up-to-date throughout coverage under this permit.

If a SWPPP was prepared under a previous version of this permit, the operator must review and update the SWPPP to ensure that this permit's requirements are addressed prior to submitting an NOI for coverage under this permit.

7.2 SWPPP CONTENTS

At a minimum, the SWPPP must include the information specified in this Part and as

⁵³ You have the option of developing a group SWPPP where you are one of several operators at your site. For instance, if both the owner and the general contractor of the construction site are operators and thus are both required to obtain a permit, the owner may be the party undertaking SWPPP development, and the general contractor (or any other operator at the site) can choose to use this same SWPPP, as long as **the SWPPP addresses the general contractor's (or other operator's)** scope of construction work and functions to be performed under the SWPPP. Regardless of whether there is a group SWPPP or several individual SWPPPs, all operators would be jointly and severally liable for compliance with the permit.

Where there are multiple operators associated with the same site through a common plan of development or sale, operators may assign to themselves various permit-related functions under the SWPPP provided that each SWPPP, or a group SWPPP, documents which operator will perform each function under the SWPPP. However, dividing the functions to be performed under each SWPPP, or a single group SWPPP, does not relieve an individual operator from liability for complying with the permit should another operator fail to implement any measures that are necessary for that individual operator to comply with the permit, e.g., the installation and maintenance of any shared controls. In addition, all operators must ensure, either directly or through coordination with other operators, that their activities do not cause a violation and/or **render any other operators' controls and/or any shared controls ineffective.** All operators who rely on a shared control to comply with the permit are jointly and severally liable for violations of the permit resulting from the failure to properly install, operate and/or maintain the shared control.

⁵² The SWPPP does not establish the effluent limits that apply to your site's discharges; these limits are established in this permit in Parts 2 and 3.

specified in other parts of this permit.

- 7.2.1 All Site Operators. Include a list of all other operators who will be engaged in construction activities at the site, and the areas of the site over which each operator has control.
- 7.2.2 Stormwater Team. Identify the personnel (by name or position) that are part of the stormwater team, as well as their individual responsibilities, including which members are responsible for conducting inspections.
- 7.2.3 Nature of Construction Activities.⁵⁴ Include the following:
 - a. A description of the nature of your construction activities, including the age or dates of past renovations for structures that are undergoing demolition;
 - b. The size of the property (in acres or length in miles if a linear construction site);
 - c. The total area expected to be disturbed by the construction activities (to the nearest quarter acre or nearest quarter mile if a linear construction site);
 - d. A description of any on-site and off-site construction support activity areas covered by this permit (see Part 1.2.1c);
 - e. The maximum area expected to be disturbed at any one time, including on-site and off-site construction support activity areas;
 - f. A description and projected schedule for the following:
 - i. Commencement of construction activities in each portion of the site, including clearing and grubbing, mass grading, demolition activities, site preparation (*i.e.*, *excavating*, *cutting* and *filling*), final grading, and creation of soil and vegetation stockpiles requiring stabilization;
 - ii. Temporary or permanent cessation of construction activities in each portion of the site;
 - iii. Temporary or final stabilization of exposed areas for each portion of the site; and
 - iv. Removal of temporary stormwater controls and construction equipment or vehicles, and the cessation of construction-related pollutant-generating activities.
 - g. A list and description of all pollutant-generating activities⁵⁵ on the site. For each pollutant-generating activity, include an inventory of pollutants or pollutant constituents (e.g., sediment, fertilizers, pesticides, paints, caulks, sealants, fluorescent light ballasts, contaminated substrates, solvents, fuels) associated with that activity, which could be discharged in stormwater from your construction site. You must take into account where potential spills and leaks could occur that contribute pollutants to stormwater discharges, and any known hazardous or toxic substances, such as PCBs and asbestos, that will be disturbed or removed during construction;
 - h. Business days and hours for the project;
 - i. If you are conducting construction activities in response to a public emergency (see Part 1.4), a description of the cause of the public emergency (e.g., mud slides,

⁵⁴ If plans change due to unforeseen circumstances or for other reasons, the requirement to describe the sequence and estimated dates of construction activities is not meant to "lock in" the operator to meeting these dates. When departures from initial projections are necessary, this should be documented in the SWPPP itself, or in associated records, as appropriate.

⁵⁵ Examples of pollutant-generating activities include paving operations; concrete, paint, and stucco washout and waste disposal; solid waste storage and disposal; and dewatering operations.

earthquake, extreme flooding conditions, widespread disruption in essential public services), information substantiating its occurrence (e.g., state disaster declaration or similar state or local declaration), and a description of the construction necessary to reestablish affected public services.

- 7.2.4 Site Map. Include a legible map, or series of maps, showing the following features of the site:
 - a. Boundaries of the property;
 - b. Locations where construction activities will occur, including:
 - i. Locations where earth-disturbing activities will occur (note any phasing), including any demolition activities;
 - ii. Approximate slopes before and after major grading activities (note any steep slopes (as defined in Appendix A));
 - iii. Locations where sediment, soil, or other construction materials will be stockpiled;
 - iv. Any water of the U.S. crossings;
 - v. Designated points where vehicles will exit onto paved roads;
 - vi. Locations of structures and other impervious surfaces upon completion of construction; and
 - vii. Locations of on-site and off-site construction support activity areas covered by this permit (see Part 1.2.1c).
 - c. Locations of all waters of the U.S. within and one mile downstream of the site's discharge point. Also identify if any are listed as impaired, or are identified as a Tier 2, Tier 2.5, or Tier 3 water;
 - d. Areas of federally listed critical habitat within the site and/or at discharge locations;
 - e. Type and extent of pre-construction cover on the site (e.g., vegetative cover, forest, pasture, pavement, structures);
 - f. Drainage patterns of stormwater and authorized non-stormwater before and after major grading activities;
 - g. Stormwater and authorized non-stormwater discharge locations, including:
 - i. Locations where stormwater and/or authorized non-stormwater will be discharged to storm drain inlets;⁵⁶ and
 - ii. Locations where stormwater or authorized non-stormwater will be discharged directly to waters of the U.S.
 - h. Locations of all potential pollutant-generating activities identified in Part 7.2.3g;
 - i. Locations of stormwater controls, including natural buffer areas and any shared controls utilized to comply with this permit; and
 - j. Locations where polymers, flocculants, or other treatment chemicals will be used and stored.

⁵⁶ The requirement to show storm drain inlets in the immediate vicinity of the site on your site map only applies to those inlets that are easily identifiable from your site or from a publicly accessible area immediately adjacent to your site.

- 7.2.5 Non-Stormwater Discharges. Identify all authorized non-stormwater discharges in Part 1.2.2 that will or may occur.
- 7.2.6 Description of Stormwater Controls.
 - a. For each of the Part 2.2 erosion and sediment control effluent limits, Part 2.3 pollution prevention effluent limits, and Part 2.4 construction dewatering effluent limits, as applicable to your site, you must include the following:
 - i. A description of the specific control(s) to be implemented to meet the effluent limit;
 - ii. Any applicable stormwater control design specifications (including references to any manufacturer specifications and/or erosion and sediment control manuals/ordinances relied upon);⁵⁷
 - iii. Routine stormwater control maintenance specifications; and
 - iv. The projected schedule for stormwater control installation/implementation.
 - b. You must also include any of the following additional information as applicable.
 - . Natural buffers and/or equivalent sediment controls (see Part 2.2.1 and Appendix
 - G). You must include the following:
 - (a) The compliance alternative to be implemented;
 - (b) If complying with alternative 2, the width of natural buffer retained;
 - (c) If complying with alternative 2 or 3, the erosion and sediment control(s) you will use to achieve an equivalent sediment reduction, and any information you relied upon to demonstrate the equivalency;
 - (d) If complying with alternative 3, a description of why it is infeasible for you to provide and maintain an undisturbed natural buffer of any size;
 - (e) For "linear construction sites" where it is infeasible to implement compliance alternative 1, 2, or 3, a rationale for this determination, and a description of any buffer width retained and/or supplemental erosion and sediment controls installed; and
 - (f) A description of any disturbances that are exempt under Part 2.2.1 that occur within 50 feet of a water of the U.S.
 - ii. Perimeter controls **for a "linear construction site"** (see Part 2.2.3). For areas where perimeter controls are not feasible, include documentation to support this determination and a description of the other practices that will be implemented to minimize discharges of pollutants in stormwater associated with construction activities.

Note: Routine maintenance specifications for perimeter controls documented in the SWPPP must include the Part 2.2.3a requirement that sediment be removed before it has accumulated to one-half of the above-ground height of any perimeter control.

- iii. Sediment track-out controls (see Parts 2.2.4b and 2.2.4c). Document the specific stabilization techniques and/or controls that will be implemented to remove sediment prior to vehicle exit.
- iv. Sediment basins (see Part 2.2.12). In circumstances where it is infeasible to utilize outlet structures that withdraw water from the surface, include documentation to

⁵⁷ Design specifications may be found in manufacturer specifications and/or in applicable erosion and sediment control manuals or ordinances. Any departures from such specifications must reflect good engineering practice and must be explained in the SWPPP.

support this determination, including the specific conditions or time periods when this exception will apply.

- v. Treatment chemicals (see Part 2.2.13), you must include the following:
 - (a) A listing of the soil types that are expected to be exposed during construction in areas of the project that will drain to chemical treatment systems. Also include a listing of soil types expected to be found in fill material to be used in these same areas, to the extent you have this information prior to construction;
 - (b) A listing of all treatment chemicals to be used at the site and why the selection of these chemicals is suited to the soil characteristics of your site;
 - (c) If the applicable EPA Regional Office authorized you to use cationic treatment chemicals for sediment control, include the specific controls and implementation procedures designed to ensure that your use of cationic treatment chemicals will not lead to an exceedance of water quality standards;
 - (d) The dosage of all treatment chemicals to be used at the site or the methodology to be used to determine dosage;
 - (e) Information from any applicable Safety Data Sheet (SDS);
 - (f) Schematic drawings of any chemically enhanced stormwater controls or chemical treatment systems to be used for application of the treatment chemicals;
 - (g) A description of how chemicals will be stored consistent with Part 2.2.13c;
 - (h) References to applicable state or local requirements affecting the use of treatment chemicals, and copies of applicable manufacturer's specifications regarding the use of your specific treatment chemicals and/or chemical treatment systems; and
 - (i) A description of the training that personnel who handle and apply chemicals have received prior to permit coverage, or will receive prior to use of the treatment chemicals at your site.
- vi. Stabilization measures (see Part 2.2.14). You must include the following:
 - (a) The specific vegetative and/or non-vegetative practices that will be used;
 - (b) The stabilization deadline that will be met in accordance with Part 2.2.14.a.i-ii;
 - (c) If complying with the deadlines for sites in arid, semi-arid, or drought-stricken areas, the beginning and ending dates of the seasonally dry period and the schedule you will follow for initiating and completing vegetative stabilization; and
 - (d) If complying with deadlines for sites affected by unforeseen circumstances that delay the initiation and/or completion of vegetative stabilization, document the circumstances and the schedule for initiating and completing stabilization.
- vii. Spill prevention and response procedures (see Part 1.3.5 and Part 2.3). You must include the following:
 - (a) Procedures for expeditiously stopping, containing, and cleaning up spills, leaks, and other releases. Identify the name or position of the employee(s)

responsible for detection and response of spills or leaks; and

(b) Procedures for notification of appropriate facility personnel, emergency response agencies, and regulatory agencies where a leak, spill, or other release containing a hazardous substance or oil in an amount equal to or in excess of a reportable quantity consistent with Part 2.3.6 and established under either 40 CFR 110, 40 CFR 117, or 40 CFR 302, occurs during a 24-hour period. Contact information must be in locations that are readily accessible and available to all employees.

You may also reference the existence of Spill Prevention Control and Countermeasure (SPCC) plans developed for the construction activity under Part 311 of the CWA, or spill control programs otherwise required by an NPDES permit for the construction activity, provided that you keep a copy of that other plan on site.⁵⁸

- viii. Waste management procedures (see Part 2.3.3). Describe the procedures you will follow for handling, storing and disposing of all wastes generated at your site consistent with all applicable federal, state, tribal, and local requirements, including clearing and demolition debris, sediment removed from the site, construction and domestic waste, hazardous or toxic waste, and sanitary waste.
- ix. Application of fertilizers (see Part 2.3.5). Document any departures from the manufacturer specifications where appropriate.
- 7.2.7 Procedures for Inspection, Maintenance, and Corrective Action. Describe the procedures you will follow for maintaining your stormwater controls, conducting site inspections, and, where necessary, taking corrective actions, in accordance with Part 2.1.4, Part 4, and Part 5 of this permit. Also include:
 - a. The inspection schedule you will follow, which is based on whether your site is subject to Part 4.2 or Part 4.3, or whether your site qualifies for any of the reduced inspection frequencies in Part 4.4;
 - b. If you will be conducting inspections in accordance with the inspection schedule in Part 4.2.2, Part 4.3, or Part 4.4.1b, the location of the rain gauge or the address of the weather station you will be using to obtain rainfall data;
 - c. If you will be reducing your inspection frequency in accordance with Part 4.4.1b, the beginning and ending dates of the seasonally defined arid period for your area or the valid period of drought;
 - **d.** If you will be reducing your inspection frequency in accordance with Part 4.4.3, the beginning and ending dates of frozen conditions on your site; and
 - e. Any maintenance or inspection checklists or other forms that will be used.
- 7.2.8 Staff Training. Include documentation that the required personnel were, or will be, trained in accordance with Part 6.
- 7.2.9 Compliance with Other Requirements.
 - a. Threatened and Endangered Species Protection. Include documentation required in Appendix D supporting your eligibility with regard to the protection of threatened and endangered species and designated critical habitat.

⁵⁸ Even if you already have an SPCC or other spill prevention plan in existence, your plans will only be considered adequate if they meet all of the requirements of this Part, either as part of your existing plan or supplemented as part of the SWPPP.

- **b.** Historic Properties. Include documentation required in Appendix E supporting your eligibility with regard to the protection of historic properties.
- c. Safe Drinking Water Act Underground Injection Control (UIC) Requirements for Certain Subsurface Stormwater Controls. If you are using any of the following stormwater controls at your site, document any contact you have had with the applicable state agency⁵⁹ or EPA Regional Office responsible for implementing the requirements for underground injection wells in the Safe Drinking Water Act and EPA's implementing regulations at 40 CFR 144 -147. Such controls would generally be considered Class V UIC wells:
 - i. Infiltration trenches (if stormwater is directed to any bored, drilled, driven shaft or dug hole that is deeper than its widest surface dimension, or has a subsurface fluid distribution system);
 - ii. Commercially manufactured pre-cast or pre-built proprietary subsurface detention vaults, chambers, or other devices designed to capture and infiltrate stormwater flow; and
 - iii. Drywells, seepage pits, or improved sinkholes (if stormwater is directed to any bored, drilled, driven shaft or dug hole that is deeper than its widest surface dimension, or has a subsurface fluid distribution system).
- 7.2.10 SWPPP Certification. You must sign and date your SWPPP in accordance with Appendix I, Part I.11.
- 7.2.11 Post-Authorization Additions to the SWPPP. Once you are authorized for coverage under this permit, you must include the following documents as part of your SWPPP:
 - a. A copy of your NOI submitted to EPA along with any correspondence exchanged between you and EPA related to coverage under this permit;
 - b. A copy of the acknowledgment letter you receive from NeT assigning your NPDES ID (i.e., permit tracking number);
 - c. A copy of this permit (an electronic copy easily available to the stormwater team is also acceptable).

7.3 ON-SITE AVAILABILITY OF YOUR SWPPP

You must keep a current copy of your SWPPP at the site or at an easily accessible location so that it can be made available at the time of an on-site inspection or upon request by EPA; a state, tribal, or local agency approving stormwater management plans; the operator of a storm sewer system receiving discharges from the site; or representatives of the U.S. Fish and Wildlife Service (USFWS) or the National Marine Fisheries Service (NMFS).

EPA may provide access to portions of your SWPPP to a member of the public upon request. Confidential Business Information (CBI) will be withheld from the public, but may not be withheld from EPA, USFWS, or NMFS.⁶⁰

⁵⁹ For state UIC program contacts, refer to the following EPA website: <u>https://www.epa.gov/uic</u>.

⁶⁰ Information covered by a claim of confidentiality will be disclosed by EPA only to the extent of, and by means of, the procedures set forth in 40 CFR Part 2, Subpart B. In general, submitted information protected by a business confidentiality claim may be disclosed to other employees, officers, or authorized representatives of the United States concerned with implementing the CWA. The authorized representatives, including employees of other executive branch agencies, may review CBI during the course of reviewing draft regulations.

If an on-site location is unavailable to keep the SWPPP when no personnel are present, notice of the plan's location must be posted near the main entrance of your construction site.

- 7.4 SWPPP MODIFICATIONS
- 7.4.1 You must modify your SWPPP, including the site map(s), within seven (7) days of any of the following conditions:
 - a. Whenever new operators become active in construction activities on your site, or you make changes to your construction plans, stormwater controls, or other activities at your site that are no longer accurately reflected in your SWPPP. This includes changes made in response to corrective actions triggered under Part 5. You do not need to modify your SWPPP if the estimated dates in Part 7.2.3f change during the course of construction;
 - b. To reflect areas on your site map where operational control has been transferred (and the date of transfer) since initiating permit coverage;
 - c. If inspections or investigations by EPA or its authorized representatives determine that SWPPP modifications are necessary for compliance with this permit;
 - **d.** Where EPA determines it is necessary to install and/or implement additional controls at your site in order to meet the requirements of this permit, the following must be included in your SWPPP:
 - i. A copy of any correspondence describing such measures and requirements; and
 - ii. A description of the controls that will be used to meet such requirements.
 - e. To reflect any revisions to applicable federal, state, tribal, or local requirements that affect the stormwater controls implemented at the site; and
 - f. If applicable, if a change in chemical treatment systems or chemically enhanced stormwater control is made, including use of a different treatment chemical, different dosage rate, or different area of application.
- 7.4.2 You must maintain records showing the dates of all SWPPP modifications. The records must include the name of the person authorizing each change (see Part 7.2.10 above) and a brief summary of all changes.
- 7.4.3 All modifications made to the SWPPP consistent with Part 7.4 must be authorized by a person identified in Appendix I, Part I.11.b.
- 7.4.4 Upon determining that a modification to your SWPPP is required, if there are multiple operators covered under this permit, you must immediately notify any operators who may be impacted by the change to the SWPPP.
- 8 HOW TO TERMINATE COVERAGE

Until you terminate coverage under this permit, you must comply with all conditions and effluent limitations in the permit. To terminate permit coverage, you must submit to EPA a complete and accurate Notice of Termination (NOT), which certifies that you have met the requirements for terminating in Part 8.

- 8.1 MINIMUM INFORMATION REQUIRED IN NOT
- 8.1.1 NPDES ID (*i.e.*, *permit tracking number*) provided by EPA when you received coverage under this permit;

- 8.1.2 Basis for submission of the NOT (see Part 8.2);
- 8.1.3 Operator contact information;
- 8.1.4 Name of site and address (or a description of location if no street address is available); and
- 8.1.5 NOT certification.
- 8.2 CONDITIONS FOR TERMINATING CGP COVERAGE

You must terminate CGP coverage only if one or more of the following conditions has occurred:

- 8.2.1 You have completed all construction activities at your site and, if applicable, construction support activities covered by this permit (see Part 1.2.1c), and you have met the following requirements:
 - a. For any areas that (1) were disturbed during construction, (2) are not covered over by permanent structures, and (3) over which you had control during the construction activities, you have met the requirements for final vegetative or non-vegetative stabilization in Part 2.2.14b;
 - b. You have removed and properly disposed of all construction materials, waste and waste handling devices, and have removed all equipment and vehicles that were used during construction, unless intended for long-term use following your termination of permit coverage;
 - c. You have removed all stormwater controls that were installed and maintained during construction, except those that are intended for long-term use following your termination of permit coverage or those that are biodegradable; and
 - d. You have removed all potential pollutants and pollutant-generating activities associated with construction, unless needed for long-term use following your termination of permit coverage; or
- 8.2.2 You have transferred control of all areas of the site for which you are responsible under this permit to another operator, and that operator has submitted an NOI and obtained coverage under this permit; or
- 8.2.3 Coverage under an individual or alternative general NPDES permit has been obtained.
- 8.3 HOW TO SUBMIT YOUR NOT

You must use EPA's NPDES eReporting Tool (NeT) to electronically prepare and submit your NOT for the 2017 CGP.

To access NeT, go to <u>https://www.epa.gov/npdes/stormwater-discharges-</u> construction-activities#ereporting.

Waivers from electronic reporting may be granted as specified in Part 1.4.1. If the EPA Regional Office grants you approval to use a paper NOT, and you elect to use it, you must complete the form in Appendix K.

8.4 DEADLINE FOR SUBMITTING THE NOT

You must submit your NOT within 30 calendar days after any one of the conditions in Part 8.2 occurs.

8.5 EFFECTIVE DATE OF TERMINATION OF COVERAGE

Your authorization to discharge under this permit terminates at midnight of the calendar day that a complete NOT is submitted to EPA.

9 PERMIT CONDITIONS APPLICABLE TO SPECIFIC STATES, INDIAN COUNTRY LANDS, OR TERRITORIES

The provisions in this Part provide modifications or additions to the applicable conditions of this permit to reflect specific additional conditions required as part of the state or tribal CWA Section 401 certification process, or the Coastal Zone Management Act (CZMA) certification process, or as otherwise established by the permitting authority. The specific additional revisions and requirements only apply to activities in those specific states, Indian country, and areas in certain states subject to construction projects by Federal Operators. States, Indian country, and areas subject to construction by Federal Operators not included in this Part do not have any modifications or additions to the applicable conditions of this permit.

9.1 EPA Region 1

- 9.1.1 NHR100000 State of New Hampshire
 - a. If you disturb 100,000 square feet or more of contiguous area, you must also apply for an Alteration of Terrain (AoT) permit from DES pursuant to RSA 485- A:17 and Env-Wq 1500. This requirement also applies to a lower disturbance threshold of 50,000 square feet or more when construction occurs within the protected shoreline under the Shoreland Water Quality Protection Act (see RSA 483-B and Env-Wq 1400). A permit application must also be filed if your project disturbs an area of greater than 2,500 square feet, is within 50 feet of any surface water, and has a flow path of 50 feet or longer disturbing a grade of 25 percent or greater. Project sites with disturbances smaller than those discussed above, that have the potential to adversely affect state surface waters, are subject to the conditions of an AoT General Permit by Rule.
 - b. You must determine that any excavation dewatering discharges are not contaminated before they will be authorized as an allowable non-stormwater discharge under this permit (see Part 1.2.2). The water is considered uncontaminated if there is no groundwater contamination within 1,000 feet of the groundwater dewatering location. Information on groundwater contamination can be generated over the Internet via the NHDES web site <u>http://des.nh.gov/</u> by using the One Stop Data Mapper at <u>http://des.nh.gov/onestop/gis.htm</u>. If it is determined that the groundwater to be dewatered is near a remediation or other waste site you must apply for the Remediation General Permit (see <u>https://www3.epa.gov/region1/npdes/rgp.html</u>.)
 - c. You must treat any uncontaminated excavation dewatering discharges as necessary to remove suspended solids and turbidity. The discharges must be sampled at least once per week during weeks when discharges occur. Samples must be analyzed for total suspended solids (TSS) or turbidity and must meet monthly average and daily maximum limits of 50 milligrams per liter (mg/L) and 100 mg/L, respectively for TSS or 33 mg/l and 67 mg/l, respectively for turbidity. TSS (a.k.a. Residue, Nonfilterable) or turbidity sampling and analysis must be performed in accordance with Tables IB and II in 40 CFR 136.3 (<u>http://www.ecfr.gov/cgi-bin/text-</u>

idx?SID=0243e3c4283cbd7d8257eb6afc7ce9a2&mc=true&node=se40.25.136_13&r

gn=div8). Records of any sampling and analysis must be maintained and kept with the SWPPP for at least three years after final site stabilization.

- d. Construction site owners and operators must consider opportunities for postconstruction groundwater recharge using infiltration best management practices (BMPs) during site design and preparation of the SWPPP. If your construction site is in a town that is required to obtain coverage under the NPDES General Permit for discharges from Municipal Separate Storm Sewer Systems (MS4) you may be required to use such practices. The SWPPP must include a description of any on-site infiltration that will be installed as a post-construction stormwater management measure or reasons for not employing such measures such as 1) The facility is located in a wellhead protection area as defined in RSA 485- C:2; or 2) The facility is located in an area where groundwater has been reclassified to GAA, GAI or GA2 pursuant to RSA 485-C and Env-DW 901; or 3) Any areas that would be exempt from the groundwater recharge requirements contained in Env-Wq 1507.04(e), including all land uses or activities considered to be a "High-load Area" (see Env-Wq 1502.26). For design considerations for infiltration measures see Volume II of the NH Stormwater Manual.
- e. Appendix F contains a list of Tier 2, or high quality waters. Although there is no official list of tier 2 waters, it can be assumed that all NH surface waters are tier 2 for turbidity unless 1) the surface water that you are proposing to discharge into is listed as impaired for turbidity in the states listing of impaired waters (see Surface Water Quality Watershed Report Cards at http://des.nh.gov/organization/divisions/water/wmb/swqa/report_cards.htm) or 2) sampling upstream of the proposed discharge location shows turbidity values greater than 10 NTU. A single grab sample collected during dry weather (no precipitation within 48 hours) is acceptable.
- f. To ensure compliance with RSA 485-C, RSA 485-A, RSA 485-A:13, I(a), Env-Wq 1700 and Env-Wq 302, the following information may be requested by NHDES. This information must be kept on site unless you receive a written request from NHDES that it be sent to the address shown in Part 9.1.4 (g).
 - i. A site map required in Part 7.2.4, showing the type and location of all postconstruction infiltration BMPs utilized at the facility or the reason(s) why none were installed;
 - ii. A list of all non-stormwater discharges that occur at the facility, including their source locations and the control measures being used (see Part 1.2.2).
 - iii. Records of sampling and analysis of TSS required for construction dewatering discharges (see Part 9.1.4 (c)).
- g. All required or requested documents must be sent to:

NH Department of Environmental Services, Wastewater Engineering Bureau, Permits & Compliance Section P.O. Box 95 Concord, NH 03302-0095

9.2 EPA Region 3

- 9.2.1 DCR100000 District of Columbia
 - a. The permittee must comply with the District of Columbia Water Pollution Control Act of 1984, as amended, (D.C. Official Code §8-103.01 et seq.) and its

implementing regulations in Title 21, Chapters 11 and 19 of the District of Columbia Municipal Regulations. Nothing in this permit will be construed to preclude the institution of any legal action or relieve the permitee from any responsibilities, liabilities, or penalties established pursuant to District of Columbia laws and regulations.

- b. The permittee must comply with the District of Columbia Stormwater Management, and Soil Erosion and Sediment Control in Chapter 5 of Title 21 of the District of Columbia Municipal Regulations.
- c. The permittee must comply with the District of Columbia Flood Management control in Chapter 31 of Title 20 of the District of Columbia Municipal Regulations.
- d. The Department may request a copy of the Stormwater Pollution Prevention Plan (SWPPP) and the permittee is required to submit the SWPPP to the Department with 14 days of such request. The Department may conduct an inspection of any facility covered by this permit to ensure compliance with District's law requirements including water quality.
- 9.2.2 DER10F000 Areas in the State of Delaware subject to construction by a Federal Operator
 - a. Federal agencies engaging in construction activities must submit, to DNREC, a sediment and stormwater management (S&S) plan and obtain approval from DNREC in accordance with 7 Del. C. §4010, 7 DE Admin. Code 5101, and 7 DE Admin. Code 7201.
 - b. Federal agencies engaging in construction activities must provide for construction review by a certified construction reviewer in accordance with 7 Del. C. §§4010 & 4013 and 7 DE Admin. Code 5101, subsection 6.1.6.
 - c. Federal agencies engaging in construction activities must certify that all responsible personnel involved in the construction project will have attended the blue card training prior to initiation of any land disturbing activity see 7 Del. C. §§ 4002 & 4014 and 7 DE Admin. Code 5101.

9.3 EPA Region 5

- 9.3.1 MNR101000 Indian country within the State of Minnesota
- 9.3.1.1 Fond du Lac Band of Lake Superior Chippewa. The following conditions apply only to discharges on the Fond du Lac Band of Lake Superior Chippewa Reservation:
 - a. A copy of the Stormwater Pollution Prevention Plan (SWPPP) must be submitted to the Office of Water Protection at least fifteen (15) days in advance of sending the Notice of Intent (NOI) to EPA. The SWPPP can be submitted electronically to <u>richardgitar@FDLREZ.com</u> or by hardcopy sent to:

Fond du Lac Reservation Office of Water Protection 1720 Big Lake Road Cloquet, MN 55720

CGP applicants are encouraged to work with the FDL Office of Water Protection in the identification of all proposed receiving.

- b. Copies of the Notice of Intent (NOI) and the Notice of Termination (NOT) must be sent to the Fond du Lac Office of Water Protection at the same time they are submitted to EPA.
- c. The turbidity limit shall NOT exceed 10% of natural background within the receiving water(s) as determined by Office of Water Protection staff.
- d. Turbidity sampling must take place within 24 hours of a ½-inch or greater rainfall event. The results of the sampling must be reported to the Office of Water Protection within 7 days of the sample collection. All sample reporting must include the date and time, location (GPS: UTM/Zone 15), and NTU. CGP applicants are encouraged to work with the Office of Water Protection in determining the most appropriate location(s) for sampling.
- e. Receiving waters with open water must be sampled for turbidity prior to any authorized discharge as determined by Office of Water Protection staff. This requirement only applies to receiving waters in which no ambient turbidity data exists.
- f. This Certification does not pertain to any new discharge to Outstanding Reservation Resource Waters (ORRW) as described in §105 b.3. of the Fond du Lac Water Quality Standards (Ordinance #12/98, as amended). Although additional waters may be designated in the future, currently Perch Lake, Rice Portage Lake, Miller Lake, Deadfish Lake, and Jaskari Lake are designated as ORRWs. New dischargers wishing to discharge to an ORRW must obtain an individual permit from EPA for stormwater discharges from large and small construction activities.
- g. All work shall be carried out in such a manner as will prevent violations of water quality criteria as stated in the Water Quality Standards of the Fond du Lac Reservation, Ordinance 12/98, as amended. This includes, but is not limited to, the prevention of any discharge that causes a condition in which visible solids, bottom deposits, or turbidity impairs the usefulness of water of the Fond du Lac Reservation for any of the uses designated in the Water Quality Standards of the Fond du Lac Reservation. These uses include wildlife, aquatic life, warm water fisheries, cold water fisheries, subsistence fishing (netting), primary contact recreation, secondary contact recreation, cultural, wild rice areas, aesthetic waters, agriculture, navigation, and commercial.
- h. Appropriate steps shall be taken to ensure that petroleum products or other chemical pollutants are prevented from entering waters of the Fond du Lac Reservation. All spills must be reported to the appropriate emergency management agency (National Response Center AND the State Duty Officer), and measures shall be taken immediately to prevent the pollution of waters of the Fond du Lac Reservation, including groundwater. The Fond du Lac Office of Water Protection must also be notified immediately of any spill regardless of size.
- i. This certification does not authorize impacts to cultural, historical, or archeological features or sites, or properties that may be eligible for such listing.
- 9.3.1.2 Grand Portage Band of Lake Superior Chippewa. The following conditions apply only to discharges on the Grand Portage Band of Lake Superior Chippewa Reservation:
 - a. The CGP authorization is for construction activities that may occur within the exterior boundaries of the Grand Portage Reservation in accordance to the Grand Portage Land Use Ordinance. The CGP regulates stormwater discharges associated with construction sites of one acre or more in size. Only those activities specifically authorized by the CGP are authorized by this certification (the

"Certification"). This Certification does not authorize impacts to cultural, historical, or archeological features or sites, or properties that may be eligible for listing as such.

- b. All construction stormwater discharges authorized by the CGP must comply with the Water Quality Standards and Water Resources Ordinance, as well as Applicable Federal Standards (as defined in the Water Resources Ordinance). As such, appropriate steps must be taken to ensure that petroleum products or other chemical pollutants are prevented from entering the Waters of the Reservation (as defined in the Water Resources Ordinance). All spills must be reported to the appropriate emergency-management agency, and measures must be taken to prevent the pollution of the Waters of the Reservation, including groundwater.
- c. The 2017 CGP requires inspections and monitoring reports of the construction site stormwater discharges by a qualified person. Monitoring and inspection reports must comply with the minimum requirements contained in the 2017 CGP. The monitoring plan must be prepared and incorporated into the Stormwater Pollution **Prevention Plan (the "SWPPP").** A copy of the SWPPP must be submitted to the Board at least 30 days in advance of sending the requisite Notice of Intent to EPA. The SWPPP should be sent to:

Grand Portage Environmental Resources Board P.O. Box 428 Grand Portage, MN 55605

Copies of the Notice of Intent and Notice of Termination required under the CGP must be submitted to the Board at the address above at the same time they are submitted to the EPA.

- d. If requested by the Grand Portage Environmental Department, the permittee must provide additional information necessary for a case-by-case eligibility determination to assure compliance with the Water Quality Standards and any Applicable Federal Standards.
- e. Discharges that the Board has determined to be or that may reasonably be expected to be contributing to a violation of Water Quality Standards or Applicable Federal Standards are not authorized by this Certification.
- f. The Board retains full authority provided by the Water Resources Ordinance to ensure compliance with and to enforce the provisions of the Water Resource Ordinance and Water Quality Standards, Applicable Federal Standards, and these Certification conditions.
- g. Appeals related to Board actions taken in accordance with any of the preceding conditions may be heard by the Grand Portage Tribal Court.

- 9.3.2 WIR101000 Indian country within the State of Wisconsin, except the Sokaogon Chippewa (Mole Lake) Community
- 9.3.2.1 Bad River Band of Lake Superior Tribe of Chippewa Indians: The following conditions apply only to discharges on the Bad River Band of the Lake Superior Tribe of Chippewa Indians Reservation:
 - a. Only those activities specifically authorized by the CGP are authorized by this Certification. This Certification does not authorize impacts to cultural properties, or historical sites, or properties that may be eligible for listing as such.^{61, 62}
 - b. Operators are not eligible to obtain authorization under the CGP for all new discharges to an Outstanding Tribal Resource Water (or Tier 3 water).⁶³ Outstanding Tribal Resource Waters, or Tier 3 waters, include the following: Kakagon Slough and the lower wetland reaches of its tributaries that support wild rice, Kakagon River, Bad River Slough, Honest John Lake, Bog Lake, a portion of Bad River, from where it enters the Reservation through the confluence with the White River, and Potato River.⁶⁴
 - c. Projects utilizing cationic treatment chemicals⁶⁵ within the Bad River Reservation boundaries are not eligible for coverage under the CGP.⁶⁶
 - d. All projects which are eligible for coverage under the CGP and are located within the exterior boundaries of the Bad River Reservation shall be implemented in such a manner that is consistent with the Tribe's Water Quality Standards (WQS).⁶⁷
 - e. An operator proposing to discharge to an Outstanding Resource Water (or Tier 2.5 water) under the CGP must comply with the antidegradation provisions of the **Tribe's WQS. Outstanding Resource Waters, or Tier 2.5 waters, include the following:** a portion of Bad River, from downstream the confluence with the White River to Lake Superior, White River, Marengo River, Graveyard Creek, Bear Trap Creek, Wood Creek, Brunsweiler River, Tyler Forks, Bell Creek, and Vaughn Creek.⁶⁸ The antidegradation demonstration materials described in provision E.4.iii. must be submitted to the following address:

Bad River Tribe's Natural Resources Department Attn: Water Resources Specialist P.O. Box 39 Odanah, WI 54861

- ⁶³ Tribe's WQS: See provisions E.3.ii. and E.4.iv.
- ⁶⁴ Tribe's WQS: See provision E.2.iii.

⁶⁶ Tribe's WQS: See provisions E.6.ii.a. and E.6.ii.c.

⁶¹ Bad River Band of Lake Superior Tribe of Chippewa Indians Water Quality Standards adopted by Resolution No. 7-6-11-**441 (hereafter, Tribe's WQS).**

⁶² 36 C.F.R. § 800.16(I)(2).

⁶⁵ See definition of cationic treatment chemicals in Appendix A of the CGP.

⁶⁷ See footnote 61.

⁶⁸ Tribe's WQS: See provision E.2.ii.

f. An operator proposing to discharge to an Exceptional Resource Water (or Tier 2 water) under the CGP must comply with the antidegradation provisions of the Tribe's WQS. Exceptional Resource Waters, or Tier 2 waters, include the following: any surface water within the exterior boundaries of the Reservation that is not specifically classified as an Outstanding Resource Water (Tier 2.5 water) or an Outstanding Tribal Resource Water (Tier 3 water).⁶⁹ The antidegradation demonstration materials described in provision E.4.ii. must be submitted to the following address:

Bad River Tri**be's Natural Resources Department** Attn: Water Resources Specialist P.O. Box 39 Odanah, WI 54861

- g. A discharge to a surface water within the Bad River Reservation boundaries shall not cause or contribute to an exceedance of the turbidity criterion included in the **Tribe's WQS**, which states: Turbidity shall not exceed 5 NTU over natural background turbidity when the background turbidity is 50 NTU or less, or turbidity shall not increase more than 10% when the background turbidity is more than 50 NTU.⁷⁰
- h. All projects which are eligible for coverage under the CGP within the exterior boundaries of the Bad River Reservation must comply with the Bad River Reservation Wetland and Watercourse Protection Ordinance, or Chapter 323 of the Bad River Tribal Ordinances, including the erosion and sedimentation control, natural buffer, and stabilization requirements. Questions regarding Chapter 323 and requests for permit applications can be directed to the Wetlands Specialist in the Tribe's Natural Resources Department at (715) 682-7123 or wetlands@badriver_nsn.gov.
- i. An operator of a project, which is eligible for coverage under the CGP, that would result in an allowable discharge under the CGP occurring within the exterior boundaries of the Bad River Reservation must notify the Tribe prior to the commencing earth-disturbing activities.^{71, 72} The operator must submit a copy of the Notice of Intent (NOI) to the following addresses at the same time it is submitted to the U.S. EPA:

Bad River Tribe's Natural Resources Department Attn: Water Resources Specialist P.O. Box 39 Odanah, WI 54861

Bad River Tribe's Natural Resources Department Attn: Tribal Historic Preservation Officer (THPO) P.O. Box 39 Odanah, WI 54861

⁶⁹ Tribe's WQS: See provision E.2.i.

⁷⁰ Tribe's WQS: See provision E.7.iii.

⁷¹ See footnote 61.

⁷² See footnote 62.

The operator must also submit a copy of the Notice of Termination (NOT) to the above addresses at the same time it is submitted to the U.S. EPA.

- j. The THPO must be provided 30 days to comment on the project.⁷³
- k. The operator must obtain THPO concurrence in writing. This written concurrence will outline measures to be taken to prevent or mitigate effects to historic properties.
 For more information regarding the specifics of the cultural resources process, see 36 CFR Part 800. A best practice for an operator is to consult with the THPO during the planning stages of an undertaking.⁷⁴
- I. An operator of a project, which is eligible for coverage under the CGP, that would result in an allowable discharge under the CGP occurring within the exterior boundaries of the Bad River Reservation must submit a copy of the Stormwater Pollution Prevention Plan (SWPPP) to the following address at the same time as submitting the NOI: ⁷⁵

Bad River Tribe's Natural Resources Department

Attn: Water Resources Specialist P.O. Box 39 Odanah. WI 54861

m. Any corrective action reports that are required under the CGP must be submitted to the following address within one (1) working day of the report completion: ⁷⁶

Bad River Tribe's Natural Resources Department P.O. Box 39 Odanah, WI 54861

- n. An operator shall be responsible for meeting any additional permit requirements imposed by the U.S. EPA necessary to comply with the Tribe's antidegradation policies if the discharge point is located upstream of waters designated by the Tribe.⁷⁷
- 9.3.2.2 Lac du Flambeau Band of Lake Superior Tribe of Chippewa Indians: The following conditions apply only to discharges on the Lac du Flambeau Band of the Lake Superior Tribe of Chippewa Indians Reservation:
 - a. A copy of the Stormwater Pollution Prevention Plan must be submitted to the following office, for the Traival environmental review process, at least thirty (30) days in advance of sending the Notice of Intent (NOI) to EPA:

Lac du Flambeau Tribal Land Management P.O. Box 279

77 See footnote 61.

⁷³ 36 C.F.R. § 800.3(c)(4).

⁷⁴ 36 C.F.R. § 800.3(b).

⁷⁵ See footnote 61.

⁷⁶ See footnote 61.
Lac du Flambeau, WI 54538

CGP applicants are encouraged to work with the LdF Water Resources Program in the identification of all proposed receiving waters.

- b. Copies of the NOI and the Notice of Termination (NOT) must be sent to the LdF Water Resources Program at the same time they are submitted to EPA.
- c. All work shall be carried out in such a manner as will prevent violations of water quality criteria as stated in the Water Quality Standards of the Lac du Flambeau Reservation. This includes, but is not limited to, the prevention of any discharge that cause a condition in which visible solids, bottom deposits, or turbidity impairs the usefulness of water of the Lac du Flambeau Reservation for any of the uses designated in the Water Quality Standards of the Lac du Flambeau Reservation.
- d. Appropriate steps shall be taken to ensure that petroleum products or other chemical pollutants are prevented from entering waters of the Lac du Flambeau Reservation. All spills must be reported to the appropriate emergency management agency, and measures shall be taken immediately to prevent the pollution of waters of the Lac du Flambeau reservation, including groundwater.
- e. This certification does not authorize impacts to cultural, historical, or archeological features or sties, or properties that may be eligible for such listing.
- f. Due to the significant ecological and cultural importance of the Lac du Flambeau Reservation, any operator requesting a permit for a point source discharge of pollutants (i.e., discharge) associated with the Stormwater Discharge will need a stormwater pollution prevention plan in place that does not violate Lac du Flambeau Water Quality Standards to protect Reservation Waters.

9.4 EPA Region 6

- 9.4.1 NMR100000 State of New Mexico, except Indian country
 - a. 20.6.4.13 NMAC General Criteria states: ...Surface waters of the state shall be free of any water contaminant in such quantity and of such duration as may with reasonable probability injure human health, animal or plant life or property, or unreasonably interfere with public welfare or use with property:
 - b. Bottom Deposits and Suspended or Settleable Solids:
 - i. Surface waters of the state shall be free of water contaminants including fine sediment particles (less than two millimeters in diameter), precipitates or organic or inorganic solids from other than natural causes that have settled to form layers on or fill the interstices of the natural or dominant substrate in quantities that damage or impair the normal growth, function or reproduction of aquatic life or significantly alter the physical or chemical properties of the bottom.
 - ii. Suspended or settleable solids from other than natural causes shall not be present in surface waters of the state in quantities that damage or impair the normal growth, function or reproduction of aquatic life or adversely affect other designated uses.

- c. Floating Solids, Oil and Grease: Surface waters of the state shall be free of oils, scum, grease and other floating materials resulting from other than natural causes that would cause the formation of a visible sheen or visible deposits on the bottom or shoreline, or would damage or impair the normal growth, function or reproduction of human, animal, plant or aquatic life.
- d. Color: Color-producing materials resulting from other than natural causes shall not create an aesthetically undesirable condition nor shall color impair the use of the water by desirable aquatic life presently common in surface waters of the state.
- e. Toxic Pollutants: Except as provided in 20.6.4.16 N MAC, surface waters of the state shall be free of toxic pollutants from other than natural causes in amounts, concentrations or combinations that affect the propagation of fish or that are toxic to humans, livestock or other animals, fish or other aquatic organisms, wildlife using aquatic environments for habitation or aquatic organisms for food, or that will or can reasonably be expected to bioaccumulate in tissues of fish, shellfish and other aquatic organisms to levels that will impair the health of aquatic organisms or wildlife or result in unacceptable tastes, odors or health risks to human consumers of aquatic organisms.
- f. Turbidity: Turbidity attributable to other than natural causes shall not reduce light transmission to the point that the normal growth, function or reproduction of aquatic life is impaired or that will cause substantial visible contrast with the natural appearance of the water. Activities or discharges shall not cause turbidity to increase more than 10 NTU over background turbidity when the background turbidity, measured at a point immediately upstream of the activity, is 50 NTU or less, nor to increase more than 20 percent when the background turbidity is more than 50 NTU. However, limited-duration turbidity increases caused by dredging, construction or other similar activities may be allowed provided all practicable turbidity control techniques have been applied and all appropriate permits, certifications and approvals have been obtained.
- g. Total Dissolved Solids (TDS): TDS attributable to other than natural causes shall not damage or impair the normal growth, function or reproduction of animal, plant or aquatic life. TDS shall be measured by either the "calculation method" (sum of constituents) or the filterable residue method. Approved test procedures for these determinations are set forth in 20.6.4.14 NMAC.
- h. Dissolved Gases: Surface waters of the state shall be free of nitrogen and other dissolved gases at levels above 110 percent saturation when this supersaturation is attributable to municipal, industrial or other discharges.
- i. 20.6.4.52 NMAC: PECOS RIVER BASIN: In order to protect existing and designated uses, it is a goal of the state of New Mexico to prevent increases in TDS in the Pecos River above the following benchmark values, which are expressed as flow-weighted, annual average concentrations, at three USGS gauging stations: at Santa Rosa 500 mg/L; near Artesia 2, 700 mg/L; and near Malaga 3,600 mg/l. The benchmark values serve to guide state action. They are adopted pursuant to the New Mexico Water Quality Act, not the Clean Water Act.
- j. 20.6.4.54 NMAC: COLORADO RIVER BASIN: For the tributaries of the Colorado river system, the state of New Mexico will cooperate with the Colorado river basin states and the federal government to support and implement the salinity policy and program outlined in the most current "review, water quality standards for salinity, Colorado river system" or equivalent report by the Colorado river salinity control forum.

- k. Segment-specific criteria across the state specify numeric limits for TDS, sulfate and chloride depending on the receiving waterbody, and numeric constituent specific values in 20.6.4.900 NMAC also apply depending on the designated use of the waterbody.
- I. If construction dewatering activities are anticipated at a site, permittees must complete the following steps:
 - i. Investigative information must be documented in the facility SWPPP.
 - ii. Refer to the GWQB Mapper at <u>https://gis.web.env.nm.gov/GWQB/</u> AND the PSTB Mapper (Go Mapper) at https://gis.web.env.nm.gov/GoNM/ and check if the following sources are located within the noted distance from your anticipated construct site groundwater dewatering activity:

Project Location Relative to a Source of Potential Groundwater Contamination	Constituents likely to be required for testing
Within 0.5 mile of an open Leaking Underground Storage Tank (LUST) site	BTEX (Benzene, Toluene, Ethylbenzene, and Xylene) plus additional parameters depending on site conditions.*
Within 0.5 mile of an open Voluntary Remediation site	All parameters listed in Appendix A (or an alternate list approved by the NMED
Within 0.5 mile of an open RCRA Corrective Action Site	SWQB)**
Within 0.5 mile of an open Abatement Site	
Within 0.5 mile of an open Brownfield Site	
Within 1.0 mile or more of a Superfund site or National Priorities List (NPL) site with associated groundwater contamination.	

*For further assistance determining whether dewatering may encounter impacted groundwater, the permittee may contact the NMED Ground Water Quality Bureau at: 505-827-2965.

**EPA approved-sufficiently sensitive methods must be used - approved methods are listed in 40 CFR Part 136.3.

- ii. Indicate on the NO/ that dewatering activities are anticipated. Provide information on flow and potential to encounter impacted groundwater.
- iii. Permittee must test the quality of the groundwater according to the chart above. Hardness and pH must also be measured.
- iv. Permittee must send test result data to EPA Region 6 and the NMED Surface Water Quality Bureau. If the test data exceed standards, it cannot be discharged from the construction site into surface waters under this permit. Discharge to surface waters must be conducted under a separate NPDES individual permit to ensure proper treatment and disposal.
- v. If disposal will be to the ground surface or in an unlined pond, the permittee must submit an NO/ to the NMED Ground Water Quality Bureau.
- m. State regulations at 20.6.4.8 NMAC state: No degradation shall be allowed in waters designated by the commission as outstanding national resource waters (ONRWs), except as provided in Subparagraphs (a) through (e) of this paragraph and in Paragraph (4) of this Subsection A.

- n. Operators are not eligible to obtain authorization under this permit for all new and existing storm water discharges to outstanding national resource waters (ONRWs) (also referred to as "Tier 3" waters.)
- o. NMED does not believe compliance with the permit necessarily assures that no degradation will occur. Although state WQS provide for temporary and short-term degradation of water quality in an ONRW under very limited circumstances if approved by the Water Quality Control Commission as specified at 20.6.4.8.A NMAC, the approval process required for these activities does not lend itself for use for projects covered under this general permit. This condition is necessary to ensure that no degradation is allowed in ONRWs by requiring proposed storm water discharges to be reviewed under the individual permit process. Tier 3 waters are defined in Appendix F of the proposed permit.
- p. EPA regulations at 40 CFR Part 122.44(k) require, in part: Best management practices (BMPs) to control or abate the discharge of pollutants when:
 - (3) Numeric effluent limitations are infeasible, or
 - (4) The practices are reasonably necessary to achieve effluent limitations and standards or to carry out the purposes and intent of the CWA.
- q. State regulations at 20.6.4.8.A(2) state in part: ...Further, the state shall assure that there shall be achieved the highest statutory and regulatory requirements for all new and existing point sources...
- r. State regulations at 20.6.4.8.B NMAC also state:

(3) assess the probable effect of the effluent on the receiving water relative to its attainable or designated uses and numeric and narrative criteria.

- Operators who intend to obtain authorization under this permit for new and existing S. storm water discharges from construction sites must satisfy the following condition: The SWPPP must include site-specific interim and permanent stabilization, managerial, and structural solids, erosion and sediment control best management practices (BMPs) and/or other controls that are designed to prevent to the maximum extent practicable an increase in the sediment yield and flow velocity from pre-construction, pre-development conditions to assure that applicable standards in 20.6.4.NMAC, including the antidegradation policy, or TMDL waste load allocations (WLAs) are met. This requirement applies to discharges both during construction and after construction operations have been completed. The SWPPP must identify and document the rationale for selecting these BMPs and/or other controls. The SWPPP must also describe design specifications, construction specifications, maintenance schedules (including a long term maintenance plan), criteria for inspections, and expected performance and longevity of these BMPs. For sites greater than 5 acres in size, BMP selection must be made based on the use of appropriate soil loss prediction models (i.e. SEDCAD, RUSLE, SEDIMOT, MULTISED, etc.) OR equivalent generally accepted (by professional erosion control specialists) soil loss prediction tools.
- t. For all sites, the operator(s) must demonstrate, and include documentation in the SWPPP, that implementation of the site-specific practices will assure that the applicable standards or TMDL WLAs are met, and will result in sediment yields and flow velocities that, to the maximum extent practicable, will not be greater than

the sediment yield levels and flow velocities from preconstruction, predevelopment conditions.

- u. All SWPPPs must be prepared in accordance with good engineering practices by qualified (e.g. CPESC certified, engineers with appropriate training) erosion control specialists familiar with the use of soil loss prediction models and design of erosion and sediment control systems based on these models (or equivalent soil loss prediction tools). Qualifications of the preparer (e.g., professional certifications, description of appropriate training) must be documented in the SWPPP. The operator(s) must design, implement, and maintain BMPs in the manner specified in the SWPPP.
- v. State regulations at 20.6.2.1203 NMAC state: With respect to any discharge from any facility of oil or other water contaminant, in such quantity as may with reasonable probability injure or be detrimental to human health, animal or plant life, or property, or unreasonably interfere with the public welfare or the use of property, the following notifications and corrective actions are required:
 - i. As soon as possible after learning of such a discharge, but in no event more than twenty-four (24) hours thereafter, any person in charge of the facility shall orally notify the Chief of the Ground Water Quality Bureau of the department, or his counterpart in any constituent agency delegated responsibility for enforcement of these rules as ta any facility subject to such delegation.

Permittees can call 505-827-9329 for emergencies at any time and 505-476-6000 for non-emergencies during business hours from 5am-5pm, Monday through Friday.

- w. EPA regulations at 40 CFR Part 122.44(k) require, in part: Best management practices (BMPs) ta control or abate the discharge of pollutants when:
 - (3) Numeric effluent /imitations are infeasible, or

(4) The practices are reasonably necessary to achieve effluent limitations and standards or to carry out the purposes and intent of the CWA.

- x. State regulations at 20.6.4.8.A(2) state in part:...Further, the state shall assure that there shall be achieved the highest statutory and regulatory requirements for all new and existing point sources...
- 9.4.2 NMR101000 Indian country within the State of New Mexico, except Navajo Reservation Lands that are covered under Arizona permit AZR100001 and Ute Mountain Reservation Lands that are covered under Colorado permit COR100001.
- 9.4.2.1 Pueblo of Isleta. The following conditions apply only to discharges on the Pueblo of Isleta Reservation:
 - a. CGP at 1.3 Prohibited discharges: Stormwater discharges associated with construction activity that EPA or the Pueblo of Isleta, prior to authorization under this perm it, determines will cause, have the reasonable potential to cause, or may reasonably be expected to contribute to a violation or excursion of any applicable water quality standard, including the antidegradation policy, or the impairment of a designated use of receiving waters are not authorized by this permit.
 - b. CGP at 1.4.1 How to Submit Your NOI: The operator shall provide a copy of the Notice of Intent ("NOI") to the Pueblo of Isleta at the same time it is submitted to the

U.S. Environmental Protection Agency, for projects occurring within the exterior boundaries of the Pueblo of Isleta. The operator shall also notify the Pueblo of Isleta when it has submitted the Notice of Termination ("NOT"). The NOI and NOT shall be sent to the Pueblo of Isleta at the following address:

Water Quality Control Officer Pueblo of Isleta Environment Division PO Box 1270 Isleta, NM 87022 (505) 869-7565 E-mail: <u>POI36871@isletapueblo.com</u>

Overnight/Express Mail Delivery Pueblo of Isleta Environment Division 6 Sagebrush St. Albuquerque, NM 87105

- c. CGP at 1.5 Requirement to post a notice of your permit coverage: Amend to read: "You must post a sign or other notice of your permit coverage at a safe, publicly accessible location in close proximity to the construction site. The notice must be located so that it is visible from the public road <u>or tribal road</u> that is nearest to the active part of the construction site..."
- d. CGP at 7.2.6 Description of stormwater controls: The SWPPP will be considered to be incomplete if the operator has not coordinated requirements under this Part with the Pueblo of Isleta Public Services Department.
- e. CGP I.12.6.1 at pg.I-6 of 8. The Pueblo of Isleta requests notification within 10 hours (rather than 24 hrs.) if health or the environment become endangered.
- f. CGP at I.12.2 Anticipated noncompliance: Amend to read: "You must give advance notice to EPA and the Pueblo of Isleta at the address indicated in 1.4.1(a) of any planned changes in the permitted facility or activity which may results in noncompliance with permit requirements."
- g. CGP at I.12.6.1: Any noncompliance for projects within the exterior boundaries of the Pueblo of Isleta which may endanger health or the environment shall be reported directly to the EPA Regional Office [(see contacts at https://www2.e pa.gov/national-pollutant-discharge-elimination-system-npdes/contact-us-stormwater#regional)I and to the Pueblo of Isleta Water Quality Control Officer. Any information must be provided orally with n 12 hours of the time you become aware of the circumstances. Other requirements of this Part for a written submission apply. Electronic communication (E-mail) shall be provided as soon as practical. Verbal notice shall be provided to:

Water Quality Control Officer Pueblo of Isleta E-mail: POI36871@isletapueblo.com (505) 869-7565 (505) 263-5425 cellular (505) 869-3030 Police Dispatch

- h. CGP at 2.2 Erosion and sediment control requirements: Erosion and sediment controls shall be designed to retain sediment on-site.
- i. CGP at 2.2 Under Sediment control requirements, Standard Permit Condition Duty to Mitigate Volumes of sediment at or over (five) 5 cubic yards must be removed and placed for disposal within a tribally approved sediment Disposal Site, located on Pueblo of Isleta lands. CGP 2.2 at pg. 8.
- j. Under Minimize erosion, a permittee must secure permission from the Pueblo or affected Pueblo of Isleta land assignment owner if a dissipation device needs to be placed up- or down- elevation of a given construction site. CGP 2.2.11 at pg. 11.
- k. CGP at 2.3.6 Emergency spill notification requirements: You must notify the Pueblo of Isleta Water Quality Control Officer and National Response Center (NRC) [at (800) 424-8802 or, in the Washington, DC metropolitan area, call (202) 267-2675 in accordance with the requirements of 40 CFR 110, 40 CFR 117, and 40 CFR 302] as soon as you have knowledge of the release. Verbal and electronic notice shall be provided as specified in I.12.6.1
- I. CGP at C.3 Equivalent analysis waiver: Parties wishing to apply for an Equivalent Analysis Waiver (see Appendix D, Section C) must provide a copy of the waiver analysis to the Pueblo of Isleta Water Quality Control Officer at the address indicated in 1.4.1 (a).
- 9.4.2.2 Pueblo of Sandia. The following conditions apply only to discharges on the Pueblo of Sandia Reservation:
 - a. Only those activities specifically authorized by the CGP are authorized by the Pueblo of Sandia's Water Quality certification. The Pueblo of Sandia's Water Quality Certification does not authorize impact to cultural properties, historical sites or properties that may be eligible as such.
 - b. Copies of all Notices of Intent (NOI) submitted to the EPA must also be sent concurrently to the Pueblo of Sandia at the following address. Discharges are not authorized by this permit unless an accurate and complete NOI has been submitted to the Pueblo of Sandia, either by mail or electronically.

Regular U.S. Delivery Mail: Pueblo of Sandia Environment Department Attention: Scott Bulgrin, Water Quality Manager 481 Sandia Loop Bernalillo, New Mexico 87004

Electronically: sbulgrin@sandiapueblo.nsn.us

- c. Any correspondences between the applicant and EPA related to analytical data, written reports, corrective action, enforcement, monitoring, or an adverse incident written reports should likewise be routed to the Pueblo of Sandia at the above address.
- d. The Stormwater Pollution Prevention Plan (SWPPP) must be available to the Pueblo of Sandia Environment Department either electronically or hard copy upon request for review. The SWPPP must be made available at least fourteen (14) days before construction begins. The fourteen (14) day period will give Pueblo staff time to become familiar with the project site, prepare for construction site inspections, and

determine compliance with the Pueblo of Sandia Water Quality Standards. Failure to provide a SWPPP to the Pueblo of Sandia may result in the delay or denial of the construction project.

- e. If requested by the Pueblo of Sandia Environment Department, the permittee must provide additional information necessary for a case-by-case eligibility determination to assure compliance with the Pueblo of Sandia Water Quality Standards and/or applicable Federal Standards not authorized by this certification.
- f. An "Authorization to Proceed Letter" with site specific mitigation requirements may be sent out to the permittee when a review of the NOI and SWPPP, on a case- bycase basis is completed by the Pueblo of Sandia Environment Department. This approval will allow the application to proceed if all mitigation requirements are met.
- g. The Pueblo of Sandia will not allow Small construction Waivers (Appendix C) or the Rainfall Erosivity Waiver (Appendix C.1) to be granted for any small construction activities.
- h. Before submitting a Notice of Termination (NOT) to the EPA, permittees must clearly demonstrate to the Pueblo of Sandia Environment Department through a site visit or documentation that requirements for site stabilization have been met and any temporary erosion control structures have been removed. A short letter stating the NOT is acceptable and all requirements have been met will be sent to the permittee to add to the permittee's NOT submission to EPA.
- i. Copies of all NOT submitted to the EPA must also be sent concurrently to the Pueblo of Sandia through the mail or electronically.

<u>Regular U.S. Delivery Mail:</u> Pueblo of Sandia Environment Department Attention: Scott Bulgrin, Water Quality Manager 481 Sandia Loop Bernalillo, New Mexico 87004

Electronically: sbulgrin@sandiapueblo.nsn.us

- j. The Pueblo of Sandia may require the permittee to perform water quality monitoring for pH, turbidity, and total suspended solids (TSS) during the permit term if the discharge is to a surface water leading to the Rio Grande for the protection of public health and the environment.
- 9.4.2.3 Pueblo of Santa Ana. The following conditions apply only to discharges on the Pueblo of Santa Ana Reservation:
 - a. The operator shall provide a copy of the Notice of Intent (NOI) to the Pueblo of Santa Ana (the Pueblo), at the same time it is submitted to the U.S. Environmental Protection Agency (EPA), for projects with discharges onto the lands of the Pueblo as defined in the Pueblo of Santa Ana Water Quality Standards.
 - b. The operator shall provide a copy of the Stormwater Pollution Prevention Plan (SWPPP), at the same time that an NOI is submitted to the EPA, to the Pueblo for

projects with discharges onto the lands of the Pueblo as defined in the Pueblo of Santa Ana Water Quality Standards.

- c. The operator shall provide a copy of the SWPPP, copies of inspections reports, and copies of corrective action reports to the Pueblo at the address below for review, upon request.
- d. The NOI, SWPPP and Notice of Termination (NOT) shall be sent to the Pueblo at the following address:

Pueblo of Santa Ana Department of Natural Resources, Attention: Water Quality Program Specialist 2 Dove Road Santa Ana Pueblo, NM, 87004

- e. Discharges are not authorized by this permit unless an accurate and complete NOI and SWPPP have been submitted to the Pueblo. Failure to provide an accurate and complete NOI and SWPPP may result in a denial of the discharge permit or groundbreaking or construction delay.
- f. The operator will not proceed with site work until authorized by the Pueblo. The Pueblo requires review of the complete and final SWPPP by the Pueblo before authorization to proceed. The Pueblo will provide an "authorization to proceed" notice after review and approval of the SWPPP.
- g. Before submitting a NOT, permittees must certify to the Pueblo's Department of Natural Resources in writing that requirements for site stabilization have been met, and any temporary erosion control structures have been removed. Documentation of the Pueblo's review that such requirements have been reviewed and met will be provided for the permittee to add to the permittee's NOT submission to EPA. Copies of all NOT submitted to the EPA must also be sent to the Pueblo at the address provided above.
- 9.4.2.4 Pueblo of Santa Clara. The following conditions apply only to discharges on the Pueblo of Santa Clara Reservation:
 - a. The operator must provide a copy of the Notice of Intent (NOI) and Notice of Termination (NOT) to the Santa Clara Pueblo Governor's Office at the same time it is provided to the US Environmental Protection Agency.
 - b. A copy of the Storm water Pollution Prevention Plan shall be made available to the Pueblo of Santa Clara staff upon request.
- 9.4.2.5 Pueblo of Tesuque. The following conditions apply only to discharges on the Pueblo of Tesuque Reservation:
 - a. The operator shall provide a copy of the Notice of Intent (NOI) to the Pueblo of **Tesuque Governor's Office and Environment Department at same time it is** submitted to the Environmental Protection Agency, for projects occurring within the exterior boundaries of our tribal lands. The operator shall also notify the Pueblo of Tesuque Governor's Office and Environment Department when it submitted the Notice of Termination. The NOI and NOT shall be sent to the Pueblo of Tesuque Governor's Office and Environment at the following address:

Pueblo of Tesuque Office of the Governor Route 42 Box 360-T Santa Fe, NM 87506 or email: <u>governor@pueblooftesuque.org</u>

- b. The operator shall also provide a copy of the Stormwater Pollution Prevention Plan, copies of inspections reports, and copies of corrective action reports to staff in the Pueblo of Tesuque Environment Department.
- 9.4.2.6 Taos Pueblo. The following conditions apply only to discharges on the Taos Pueblo Reservation:
 - a. The operator shall provide a copy of the Notice of Intent (NOI) to the Taos Pueblo Governor's Office, War Chief's Office and Environmental Office, at the same time it is submitted to the U.S. Environmental Protection Agency, for projects occurring within the exterior boundaries of Taos Pueblo. The operator shall also notify Taos Pueblo when it has submitted the Notice of Termination (NOT). The NOI and NOT shall be sent to the Taos Pueblo at the following addresses:
 - i. Taos Pueblo Governor's Office P.O. Box 1846 Taos NM 87571
 - ii. Taos Pueblo War Chief's Office P.O. Box 2596 Taos NM 87571
 - iii. Environmental Office Attn: Program Manger P.O. Box 1846 Taos NM 87571
 - b. Taos Pueblo requests that in the event Indian artifacts or human remains are inadvertently discovered on projects occurring near or on Taos Pueblo lands that consultation with the tribal Governor's Office occur at the earliest possible time.
 - c. The operator shall provide a copy of the Stormwater Pollution Prevention Plan, copies of inspections reports, and copies of corrective action reports to staff in the Taos Pueblo Environmental Office for review and copy, upon request.
- 9.4.2.7 Ohkay Owingeh. The following conditions apply only to discharges on the Ohkay Owingeh Reservation:
 - a. Prior to commencement of any construction activity on Ohkay Owingeh Lands requiring permit coverage under EPA's Construction General Permit, the operator(s) shall submit to Ohkay Owingeh Office of Environmental Affairs, a copy of the electronic "Notice of Intent," submitted to the Environmental Protection Agency, immediately following EPA's electronic notification that the NOI has been received. A copy of the Stormwater Pollution Prevention Plan(s) must be made available to the Ohkay Owingeh Office of Environmental Affairs upon the tribe's request either electronically or hard copy. Operator(s) shall also submit to Ohkay Owingeh Office of Environmental Affairs a copy of the electronic Notice of Termination (NOT) submitted to the Environmental Protection Agency. Documents shall be submitted to Ohkay Owingeh at the following address:

Ohkay Owingeh Office of Environment Affairs Attention: Environmental Programs Manager P.O. Box 717 Ohkay Owingeh, New Mexico 87566 Office # 505.852.4212 Fax # 505.852.1432 Electronic mail: <u>naomi.archuleta@ohkay.org</u>

- b. Ohkay Owingeh will not allow the Rainfall Erosivity Waivers (see Appendix C) to be granted for any small construction activities.
- c. All vegetation used to prevent soil loss, seeding or planting of the disturbed area(s) to meet the vegetative stabilization requirements must utilize native seeds/vegetation commonly known to the area. All temporary erosion control structures, such as silt fences must be removed as soon as stabilization requirements are met.
- 9.4.3 OKR101000 Indian country within the State of Oklahoma
- 9.4.3.1 Pawnee Nation. The following conditions apply only to discharges within Pawnee Indian country:
 - a. Copies of the Notice of Intent (NOI) and Notice of Termination (NOT) must be provided to the Pawnee Nation at the same time it is submitted to the Environmental Protection Agency to the following address:

Pawnee Nation Department of Environmental Conservation and Safety P.O. Box 470 Pawnee, OK 74058 Or email to <u>mmatlock@pawneenation.org</u>

- b. The Storm Water Pollution Prevention Plan must be available to Departmental inspectors upon request.
- c. The Department must be notified at 918.762.3655 immediately upon discovery of any noncompliance with any provision of the permit conditions.
- 9.4.4 OKR10F000 Discharges in the State of Oklahoma that are not under the authority of the Oklahoma Department of Environmental Quality, including activities associated with oil and gas exploration, drilling, operations, and pipelines (includes SIC Groups 13 and 46, and SIC codes 492 and 5171), and point source discharges associated with agricultural production, services, and silviculture (includes SIC Groups 01, 02, 07, 08, 09).
 - a. For activities located within the watershed of any Oklahoma Scenic River, including the Illinois River, Flint Creek, Barren Fork Creek, Upper Mountain Fork, Little Lee Creek, and Lee Creek or any water or watershed designated "ORW" in Oklahoma's Water Quality Standards, this permit may only be used to authorize discharges from temporary construction activities. Certification is denied for any on-going activities such as sand and gravel mining or any other mineral mining.
 - b. For activities located within the watershed of any Oklahoma Scenic River, including the Illinois River, Flint Creek, Barren Fork Creek, Upper Mountain Fork, Little Lee Creek, and Lee Creek or any water or watershed designated "ORW" in Oklahoma's Water Quality Standards, certification is denied for any discharges originating from support activities, including concrete or asphalt batch plants, equipment staging yards, material storage areas, excavated material disposal areas, or borrow areas.

c. In order to company with Oklahoma's Water Quality Standards, these conditions and restrictions also apply to any construction projects located wholly or partially on Indian Country lands within the State of Oklahoma.

9.5 EPA Region 8

- 9.5.1 MTR101000 Indian country within the State of Montana
- 9.5.1.1 The Confederated Salish and Kootenai Tribes of the Flathead Nation. The following conditions apply only to discharges on the Confederated Salish and Kootenai Tribes of the Flathead Nation Reservation:
 - a. Permittees must submit the Stormwater Pollution Prevention Plan (SWPPP) to the Confederated Salish and Kootenai Tribes at least 30 days before construction starts.
 - b. Before submitting the Notice of Termination (NOT), permittees must clearly demonstrate to an appointed Tribal staff person during an onsite inspection that requirements for site stabilization have been met.
 - c. The permittee must send a copy of the Notice of Intent (NOI) and the NOT to CSKT.
 - d. Permittees may submit their SWPPPs, NOIs and NOTs electronically to: <u>clintf@cskt.org</u>.
 - e. Written SWPPPs, NOIs and NOTs may be mailed to:

Clint Folden, Water Quality Regulatory Specialist Confederated Salish and Kootenai Tribes Natural Resources Department P.O. Box 278 Pablo, MT 59855

9.6 EPA Region 9

- 9.6.1 CAR101000 Indian country within the State of California
- 9.6.1.1 Twenty-Nine Palms Band of Mission Indians. The following conditions apply only to discharges on the Twenty-Nine Palms Band of Mission Indians Reservation:
 - a. At the time the applicant submits its Notice of Intent (NOI) to the EPA, the applicant must concurrently submit written notification of the NOI and a copy of the Stormwater Pollution Prevention Plan (SWPPP) to the Twenty-Nine Palms Band of Mission Indians at the address below:

Tribal Environmental Coordinator Twenty-Nine Palms Band of Mission Indians 46-200 Harrison Place Coachella, CA 92236

- b. The applicant must also concurrently submit to the Tribal Environmental Coordinator written notification of any other forms or information submitted to the EPA, including waivers, reporting, and Notice of Termination (NOT).
- c. Permitted entities under the CGP must keep the Tribal EPA informed of authorized discharges under the CGP by submitting written information about the type, quantity, frequency and location, intended purpose, and potential human health

and/or environmental effects of their activities. These requirements are pursuant to Section 4 of the Twenty-Nine Palms Band of Mission Indians Water Pollution Control Ordinance (022405A). This information may be submitted to Tribal EPA in the form of Stormwater Pollution Prevention Plans (SWPPPs), monitoring reports, or other reports as required under the CGP. Spills, leaks, or unpermitted discharges must be reported in writing to Tribal EPA within 24 hours of the incident.

- 9.6.2 GUR100000 Island of Guam. The following conditions apply only to discharges on the Island of Guam:
 - a. Any earth-moving operations which require a permit must be obtained from the Department of Public Works (DPW) with clearance approval from various Government of Guam Agencies including Guam EPA prior to the start of any earth-moving activity.
 - b. In the event that the construction sites are within the Guam Sole Source Aquifer, the construction site owner and operator must consider opportunities to facilitate groundwater recharge for construction and post-construction implementing infiltration Best Management Practices. Stormwater disposal systems shall be designed and operated within the boundaries of the project. Stormwater systems shall not be permitted within any Wellhead Protection Zone unless the discharge meets the Guam Water Quality Standards within the zone. Waters discharged within the identified category G-2 recharge zone shall receive treatment to the degree required to protect the drinking water quality prior to it entering the category G-1 resource zone.
 - c. All conditions and requirements set forth in the 22 Guam Administrative Rules and Regulations (GARR), Division II, Water Control, Chapter 10, Guam Soil Erosion and Sediment Control Regulations (GSESCR) that are more protective than the CGP regarding construction activities must be complied with.
 - d. All standards and requirements set forth in the 22 GARR, Division II, Water Control, Chapter 5, Guam Water Quality Standards (GWQS) 2001 Revisions, must be complied with to include reporting GWQS exceedance to Guam EPA.
 - e. All operators/owners of any property development or earth moving activities shall comply with the erosion control pre-construction and post-construction BMP design performance standards and criteria set forth in the 2006 CNMI and Guam Stormwater Management Manual.
 - f. All conditions and requirements regarding dewatering activities set forth in 22 Guam Administrative Rules and Regulations Chapter 7, Water Resources Development and Operating Regulations must be complied with to include securing permits with Guam EPA prior to the start of any dewatering activities.
 - g. If a project to be developed is covered under the Federal Stormwater Regulations (40 CFR Parts 122 & 123), a Notice of Intent (NOI) to discharge stormwater to the surface and marine waters of Guam must be submitted to the U.S. EPA and a copy furnished to Guam EPA, pursuant to Section 10, 104(B)(5)(d) 22GAR, Division II, Chapter 10.
 - h. Guam EPA shall apply the Buffer Requirements listed in Appendix G of the CGP NPDES Permit for construction activities as it pertains to Waters of the U.S. in Guam. Guam EPA shall also apply the same buffer requirements for sinkholes in Guam.
 - i. When Guam EPA, through its permit review process, identifies that the proposed construction activity is close proximity to marine waters, contractors and owners will

be informed that any activity that may impair water quality are required to stop during peak coral spawning periods as per the Guam Coral Spawning Construction Moratoriums.

- j. The Proposed Construction General Permit must set appropriate measures and conditions to protect Guam's Threatened and Endangered Species and Outstanding Resource Waters of exceptional recreational or ecological significance as determined by the Guam EPA Administrator as per *Guam Water Quality Standards 2001 Revisions*, §5102, Categories of Waters, D. Outstanding Resource Waters.
- k. When Guam EPA through its permit review process identifies that proposed construction activity is in close proximity to any Section 303d impaired waters, which includes marine waters and surface waters, shall ensure that construction activity does not increase the impaired water's ambient parameters.
- I. When Rainfall Erosivity and TMDL Waivers reflected in the CGP, Appendix C, are submitted to the U.S. EPA, Guam EPA will review waivers on a project by project basis.
- m. Prior to submission of the Notice of Termination (NOT) to the U.S. EPA, permittees must clearly demonstration to Guam EPA that the project site has met all soil stabilization requirements and removal of any temporary erosion control as outlined in the GSESCR.
- 9.7 EPA Region 10
- 9.7.1 IDR100000 State of Idaho, except Indian country
 - a. <u>Idaho's Antidegradation Policy</u>. The WQS contain an antidegradation policy providing three levels of protection to water bodies in Idaho (IDAPA 58.01.02.051).
 - Tier I Protection. The first level of protection applies to all water bodies subject to Clean Water Act jurisdiction and ensures that existing uses of a water body and the level of water quality necessary to protect those existing uses will be maintained and protected (IDAPA 58.01.02.051.01; 58.01.02.052.01). Additionally, a Tier 1 review is performed for all new or reissued permits or licenses (IDAPA 58.01.02.052.05).
 - 2. Tier II Protection. The second level of protection applies to those water bodies considered high quality and ensures that no lowering of water quality will be allowed unless deemed necessary to accommodate important economic or social development (IDAPA 58.01.02.051.02; 58.01.02.052.08).
 - 3. Tier III Protection. The third level of protection applies to water bodies that have been designated outstanding resource waters and requires that activities not cause a lowering of water quality (IDAPA 58.01.02.051.03; 58.01.02.052.09).

DEQ is employing a water body by water body approach to implementing Idaho's antidegradation policy. This approach means that any water body fully supporting its beneficial uses will be considered high quality (IDAPA 58.01.02.052.05.a). Any water body not fully supporting its beneficial uses will be provided Tier I protection for that use, unless specific circumstances warranting Tier II protection are met (IDAPA 58.01.02.052.05.c). The most recent federally approved Integrated Report and supporting data are used to determine support status and the tier of protection (IDAPA 58.01.02.052.05).

b. <u>Pollutants of Concern.</u> The primary pollutants of concern associated with stormwater discharges from construction activities are sediment, typically

measured as total suspended solids and turbidity. Other potential pollutants include the following: phosphorus, nitrogen, pesticides, organics, metals, PCBs, petroleum products, construction chemicals, and solid wastes.

c. <u>Receiving Water Body Level of Protection.</u> The CGP provides coverage to construction activities throughout the entire State of Idaho. Because of the statewide applicability, all of the jurisdictional waters within Idaho could potentially receive discharges either directly or indirectly from activities covered under the CGP. DEQ applies a water body by water body approach to determine the level of antidegradation a water body will receive.

All waters in Idaho that receive discharges from activities authorized under the CGP will receive, at minimum Tier I antidegradation protection because Idaho's antidegradation policy applies to all waters of the state. Water bodies that fully support their aquatic life or recreational uses are considered to be *high quality waters* and will receive Tier II antidegradation protection.

Although Idaho does not currently have any Tier III designated outstanding resource waters (ORWs) designated, it is possible for a water body to be designated as an ORW during the life of the CGP. Because of this potential, the antidegradation review also assesses whether the permit complies with the outstanding resource water requirements of Idaho's antidegradation policy.

To determine the support status of the receiving water body, persons filing a Notice of Intent (NOI) for coverage under this general permit must use the most recent EPA-approved Integrated Report, available on Idaho DEQ's website: <u>http://www.deq.idaho.gov/water-quality/surface-water/monitoring-</u> <u>assessment/integrated-report/</u>.

High quality waters are identified in Categories 1 and 2 of the Integrated Report. If a water body is in either Category 1 or 2, it is a Tier II water body.

Unassessed waters are identified as Category 3 of DEQ's Integrated Report. These waters require a case-by-case determination to be made by DEQ based on available information at the time of the application for permit coverage. If a water body is unassessed, the applicant is directed to contact DEQ for assistance in filing the NOI.

Impaired waters are identified in Categories 4 and 5 of the Integrated Report. Category 4(a) contains impaired waters for which a TMDL has been approved by EPA. Category 4(b) contains impaired waters for which controls other than a TMDL have been approved by EPA. Category 5 contains waters which have been **identified as "impaired," for which a TMDL** is needed. These waters are Tier I waters, for the use which is impaired. With the exception, if the aquatic life uses are impaired for any of these three pollutants—dissolved oxygen, pH, or temperature and the biological or aquatic habitat parameters show a health, balanced biological community, then the water body shall receive Tier II protection, in addition to Tier I protection, for aquatic life uses (IDAPA 58.01.02.052.05.c.i.).

DEQ's webpage also has a link to the state's map-based Integrated Report which presents information from the Integrated Report in a searchable, map-based format: <u>http://www.deq.idaho.gov/assistance-resources/maps-data/</u>.

Water bodies can be in multiple categories for different causes. If assistance is

needed in using these tools, or if additional information/clarification regarding the support status of the receiving water body is desired, the operator is directed to make contact with the appropriate DEQ regional office of the State office in the table below:

Regional and State Office	Address	Phone Number	Email
Boise	1445 N. Orchard Rd., Boise 83706	208-373- 0550	Kati.carberry@deq.idaho.gov
Coeur d'Alene	2110 Ironwood Parkway, Coeur D'Alene 83814	208-769- 1422	June.bergquist@deq.idaho.gov
Idaho Falls	900 N. Skyline, Suite B., Idaho Falls 83402	208-528- 2650	Troy.saffle@deq.idaho.gov
Lewiston	1118 "F" St., Lewiston 83501	208-799- 4370	Mark.sellet@deq.idaho.gov
Pocatello	444 Hospital way, #300 Pocatello 83201	208-236- 6160	Lynn.vanevery@deq.idaho.gov
Twin Falls	650 Addison Ave., W., Suite 110, Twin Falls 83301	208-736- 2190	<u>Balthasar.buhidar@deq.idaho.gov</u>
State Office	1410 N. Hilton Rd., Boise 83706	208-373- 0502	Nicole.deinarowicz@deq.idaho.gov

d. <u>Turbidity Monitoring</u>. The permittee must conduct turbidity monitoring during construction activities and thereafter on days where there is a direct discharge of pollutants from an unstabilized portion of the site which is causing a visible plume to a water of the U.S.

A properly and regularly calibrated turbidimeter is required for measurements analyzed in the field (preferred method), but grab samples may be collected and taken to a laboratory for analysis. If the permittee can demonstrate that there will be no direct discharge from the construction site, then turbidity monitoring is not required. When monitoring is required, a sample must be taken at an undisturbed area immediately upstream of the project area to establish background turbidity levels for the monitoring event. Background turbidity, location, date and time must be recorded prior to monitoring downstream of the project area. A sample must also be taken immediately downstream from any point of discharge and *within* any visible plume. The turbidity, location, date and time must be recorded. The downstream sample must be taken immediately following the upstream sample in order to obtain meaningful and representative results.

Results from the compliance point sampling or observation⁷⁸ must be compared to the background levels to determine whether project activities are causing an exceedance of state WQS. If the downstream turbidity is 50 NTUs or more than the upstream turbidity, then the project is causing an exceedance of WQS. Any exceedance of the turbidity standard must be reporting to the appropriate DEQ regional office within 24 hours. The following six (6) steps should be followed to ensure compliance with the turbidity standard:

- 1. If a visible plume is observed, quantify the plume by collecting turbidity measurements from within the plume and compare the results to Idaho's instantaneous numeric turbidity criterion (50 NTU over the background).
- 2. If turbidity is less than 50 NTU instantaneously over the background turbidity; continue monitoring as long as the plume is visible. If turbidity exceeds background turbidity by more than 50 NTU instantaneously then stop all earth disturbing construction activities and proceed to step 3.
- 3. Take immediate action to address the cause of the exceedance. That may include inspection the condition of project BMPs. If the BMPs are functioning to their fullest capability, then the permittee must modify project activities and/or BMPs to correct the exceedance.
- 4. Notify the appropriate DEQ regional office within 24 hours.
- 5. Possibly increase monitoring frequency until state water quality standards are met.
- 6. Continue earth disturbing construction activities once turbidity readings return to within 50 NTU instantaneously <u>and</u> 25 NTU for more than ten consecutive days over the background turbidity.

Copies of daily logs for turbidity monitoring must be available to DEQ upon request. The report must describe all exceedances and subsequent actions taken, including the effectiveness of the action.

e. <u>Reporting of Discharges Containing Hazardous Materials or Petroleum Products.</u> All spills of hazardous material, deleterious material or petroleum products which may impact waters (ground and surface) of the state shall be immediately reported. Call 911 if immediate assistance is required to control, contain or clean up the spill. If no assistance is needed in cleaning up the spill, contact the appropriate DEQ regional office in the table below during normal working hours or Idaho State Communications Center after normal working hours. If the spilled volume is above federal reportable quantities, contact the National Repose Center.

For immediate assistance: Call 911

National Response Center: (800) 424-8802

⁷⁸ A visual observation is only acceptable to determine whether BMPs are functioning properly. If a plume is observed, the project may be causing an exceedance of WQS and the permittee must collect turbidity data and inspect the condition of the projects BMPs. If the BMPs appear to be functioning to their fullest capability and the turbidity is 50 NTUs or more than the upstream turbidity, then the permittee must modify the activity or implement additional BMPs (this may also include modifying existing BMPs).

Regional office	Toll Free Phone Number	Phone Number
Boise	888-800-3480	208-373-0321
Coeur d'Alene	877-370-0017	208-769-1422
Idaho Falls	800-232-4635	208-528-2650
Lewiston	977-547-3304	208-799-4370
Pocatello	888-655-6160	208-236-6160
Twin Falls	800-270-1663	208-736-2190

Idaho State Communications Center: (208) 632-8000

- 9.7.2 IDR101000 Indian country within the State of Idaho, except Duck Valley Reservation lands (see Region 9)
- 9.7.2.1 Shoshone-Bannock Tribes. The following conditions apply only to discharges on the Shoshone-Bannock Reservation:
 - f. Each operator shall submit a signed hard copy of the Notice of Intent (NOI) to the Shoshone-Bannock Tribes Water Resources Department at the same time it is submitted electronically to the Environmental Protection Agency (EPA) and shall provide the Shoshone-Bannock Tribes Water Resources Department the acknowledgement of receipt of the NOI from the EPA within 7 calendar days of receipt from the EPA.
- 9.7.3 WAR10F000 Areas in the State of Washington, except those located on Indian country, subject to construction activity by a Federal Operator. The following conditions apply only to discharges on federal facilities in the State of Washington:
 - a. Discharges shall not cause or contribute to a violation of surface water quality standards (Chapter 173-201A WAC), groundwater quality standards (Chapter 173-200 WAC), sediment management standards (Chapter 173-204 WAC), and human health-based criteria in the National Toxics Rule (40 CFR Part 131.36). Discharges that are not in compliance with these standards are not authorized.
 - b. Prior to the discharge of stormwater and non-storm water to waters of the State, the Permittee must apply all known, available, and reasonable methods of prevention, control, and treatment (AKART). This includes the preparation and implementation of an adequate SWPPP, with all appropriate BMPs installed and maintained in accordance with the SWPPP and the terms and conditions of this permit.
 - c. Permittees who discharge to segments of waterbodies listed as impaired by the State of Washington under Section 303(d) of the Clean Water Act for turbidity, fine sediment, phosphorus, or pH must comply with the following numeric effluent limits:

Parameter Identified in 303(d) Listing	Parameter Sampled	Unit	Analytical Method	Numeric Effluent Limit
TurbidityFine SedimentPhosphorus	Turbidity	NTU	SM2130 or EPA 180.1	25 NTUs at the point where the stormwater is discharged from the site.
High pH	рН	Su	pH meter	In the range of

		6.5 – 8.5

- d. All references and requirements associated with Section 303(d) of the Clean Water Act mean the most current EPA approved listing of impaired waters that exists on February 16, 2017, or the date when the operator's complete permit application is received by EPA, whichever is later.
- e. Discharges to waterbodies subject to an applicable Total Maximum Daily Load (TMDL) for turbidity, fine sediment, high pH, or phosphorus, shall be consistent with the assumptions and requirements of the TMDL.
 - i. Where an applicable TMDL sets specific waste load allocations or requirements for discharges covered by this permit, discharges shall be consistent with any specific waste load allocations or requirements establish by the applicable TMDL.
 - ii. Where an applicable TMDL has established a general waste load allocation for construction stormwater discharges, but no specific requirements have been identified, compliance with this permit will be assumed to be consistent with the approved TMDL.
 - iii. Where an applicable TMDL has not specified a waste load allocation for construction stormwater discharges, but has not excluded these discharges, compliance with this permit will be assumed to be consistent with the approved TMDL.
 - iv. Where an applicable TMDL specifically precludes or prohibits discharges from construction activity, the operator is not eligible for coverage under this permit.
 - v. Applicable TMDL means a TMDL for turbidity, fine sediment, high pH, or phosphorus, which has been completed and approved by EPA prior to February 16, 2017, or prior to the date the operator's complete NOI is received by EPA, whichever is later.
- 9.7.4 WAR101000 Indian country within the State of Washington
- 9.7.4.1 Confederated Tribes of the Colville Reservation. The following conditions apply only to discharges on the Colville Indian Reservation (CIR) and on other Tribal trust lands or allotments of the Confederated Tribes of the Colville Reservation:
 - A copy of the Stormwater Pollution Prevention Plan must be submitted to the following office at least thirty (30) days in advance of sending the Notice of Intent (NOI) to EPA:

Environmental Trust Department Confederated Tribes of the Colville Reservation PO Box 150 Nesepelem, WA 99155

- b. Copies of the Notice of Intent (NOI) and Notice of Termination (NOT) must be sent to the ETD at the same time they are submitted to EPA.
- c. Discharges to Omak Creek, the Okanogan River, and Columbia River downstream of Chief Joseph Dam may affect threatened or endangered species, and shall only be permitted in adherence with Appendix D of the CGP.

- d. All work shall be carried out in such a manner as will prevent violations of water quality criteria as stated in Chapter 4-8 Water Quality Standards of the Colville Law and Order Code, as amended.
- e. Appropriate steps shall be taken to ensure that petroleum products or other chemical pollutants are prevented from entering waters of the CIR. All spills must be reported to the appropriate emergency management agency and the ETD, and measures shall be taken immediately to prevent the pollution of waters of the CIR, including groundwater.
- f. Stormwater site inspections shall be conducted at least once every 7 calendar days, within 24-hours of the occurrence of a rain event of 0.25 inches or greater in a 24-hour period, and daily during periods of saturated ground surface or snowmelt with accompanying surface runoff.
- g. Results of discharge sampling must be reported to the ETD within 7 days of sample collection. All sample reporting must include the date and time, location, and individual performing the sampling.
- h. Any corrective action reports that are required under the CGP must be submitted to the ETD at the above address within one (1) working day of the report completion.
- i. This certification does not authorize impacts to cultural, historical, or archeological features or sites, or proprieties that may be eligible for such listing.
- 9.7.4.2 Lummi Nation. The following conditions apply only to discharges on the Lummi Reservation:
 - a. The Lummi Nation reserves the right to modify this 401 certification if the final version of the NPDES General Permit for Storm Water Discharges Associated with Construction Activity (CGP) on tribal lands in the State of Washington (Permit No. WAR101000) is substantively different than the draft version of the proposed permit that was made available for public comments during April 2016. The Lummi Nation will determine if the final version of the NPDES CGP is substantively different than the draft version following review of the final version once the EPA makes it available.
 - b. This certification does not exempt and is provisional upon compliance with other applicable statutes and codes administered by federal and Lummi tribal agencies. Pursuant to Lummi Code of Laws (LCL) 17.05.020(a), the operator must also obtain a land use permit from the Lummi Planning Department as provided in Title 15 of the Lummi Code of Laws and regulations adopted thereunder.
 - c. Pursuant to LCL 17.05.020(a), each operator shall develop and submit a Storm Water Pollution Prevention Plan to the Lummi Water Resources Division for review and approval by the Water Resources Manager prior to beginning any discharge activities.
 - d. Pursuant to LCL Title 17, each operator shall be responsible for achieving compliance with the Water Quality Standards for Surface Waters of the Lummi Indian Reservation (Lummi Administrative Regulations [LAR] 17 LAR 07.010 through 17 LAR 07.210 together with supplements and amendments thereto).
 - e. Each operator shall submit a signed hard copy of the Notice of Intent (NOI) to the Lummi Water Resources Division at the same time it is submitted electronically to the Environmental Protection Agency (EPA) and shall provide the Lummi Water Resources Division the acknowledgement of receipt of the NOI from the EPA and

the associated NPDES tracking number provided by the EPA within 7 calendar days of receipt from the EPA.

- f. Each operator shall submit a signed hard copy of the Notice of Termination (NOT) to the Lummi Water Resources Division at the same time it is submitted electronically to the EPA and shall provide the Lummi Water Resources Division the EPA acknowledgement of receipt of the NOT.
- g. Storm Water Pollution Prevention Plans, Notice of Intent, Notice of Termination and associated correspondence with the EPA shall be submitted to:

Lummi Natural Resources Department ATTN: Water Resources Manager 2665 Kwina Road Bellingham, WA 98226-9298

- 9.7.4.3 Makah Tribe. The following conditions apply only to discharges on the Makah Reservation:
 - a. The operator shall be responsible for achieving compliance with the Makah Tribe's Water Quality Standards.
 - b. The operator shall submit a Storm Water Pollution Prevention Plan to the Makah Tribe Water Quality Program and Makah Fisheries Habitat Division for review and approval at least thirty (30) days prior to beginning any discharge activities.
 - c. The operator shall submit a copy of the Notice of Intent to the Makah Tribe Water Quality Program and Makah Fisheries Habitat Division at the same time it is submitted to EPA.
 - d. Storm Water Pollution Prevention Plans and Notices of Intent shall be submitted to:

Aaron Parker Makah Fisheries Management Water Quality Specialist (360) 645-3162 Cell 206-356-0319 <u>Aaron.parker@makah.com</u> PO Box 115 Neah Bay WA 98357

- 9.7.4.4 Puyallup Tribe of Indians. The following conditions apply only to discharges on the Puyallup Tribe of Indians Reservation:
 - a. Each permittee shall be responsible for achieving compliance with the Puyallup Tribe's Water Quality Standards, including antidegradation provisions. The Puyallup Natural Resources Department will conduct an antidegradation review for permitted activities that have the potential to lower water quality. The antidegradation review will be consistent with the Tribe's Antidegradation Implementation Procedures. The Tribe may also impose additional controls on a site-specific basis, or request EPA to require the operator obtain coverage under an individual permit, if information in the NOI or from other sources indicates that the operator's discharges are not controlled as necessary to meet applicable water quality standards.
 - b. The permittee shall be responsible for meeting any additional permit requirements imposed by EPA necessary to comply with the Puyallup Tribe's antidegradation

policies if the discharge point is located within 1 linear mile upstream of waters designated by the Tribe.

c. Each permittee shall submit a copy of the Notice of Intent (NOI) to be covered by the general permit to Char Naylor (<u>char.naylor@puyalluptribe.com</u>) and Russ Ladley (<u>russ.ladley@puyalluptribe.com</u>) by email or at the address listed below at the same time it is submitted to EPA.

Puyallup Tribe of Indians 3009 E. Portland Avenue Tacoma, WA 98404 ATTN: Russ Ladley and Char Naylor

- d. All supporting documentation and certifications in the NOI related to coverage under the general permit for Endangered Species Act purposes shall be submitted to the Tribe's Resource Protection Manager (<u>russ.ladley@puyalluptribe.com</u>) and Char Naylor (<u>char.naylor@puyalluptribe.com</u>) for review.
- e. If EPA requires coverage under an individual or alternative permit, the permittee shall submit a copy of the permit to Russ Ladley and Char Naylor at the address listed above.
- f. The permittee shall submit all stormwater pollution prevention plans to Char Naylor for review and approval prior to beginning any activities resulting in a discharge to tribal waters.
- g. The permittee shall conduct benchmark monitoring for turbidity (or transparency) and, in the event of significant concrete work or engineered soils, pH monitoring as well. Monitoring, benchmarks, and reporting requirements contained in Condition S.4. (pp.13-20) of the Washington State Construction Stormwater General Permit, effective January 1, 2016, shall apply, as applicable.
- h. The permittee shall notify Char Naylor (253-680-5520) and Russ Ladley (253-680-5560) prior to conducting inspections at construction sites generating storm water discharged to tribal waters.
- i. Treat dewatering discharges with controls necessary to minimize discharges of pollutants in order to minimize the discharge of pollutants to groundwater or surface waters from stormwater that is removed from excavations, trenches, foundations, vaults, or other storage areas. Examples of appropriate controls include sediment basins or sediment traps, sediment socks, dewatering tanks, tube settlers, weir tanks, and filtration systems (e.g., bag or sand filters) that are designed to remove sediment.

To the extent feasible, utilize vegetated, upland areas of the site to infiltrate dewatering water before discharge. At all points where dewatering water is discharged, comply with the velocity dissipation requirements of Part 2.2.11 of EPA's 2016 General Construction Stormwater Permit. Examples of velocity dissipation devices include check dams, sediment traps, riprap, and grouted riprap at outlets.

j. The permittee shall provide and maintain natural buffers to the maximum extent possible (and/or equivalent erosion and sediment controls) when tribal waters are located within 100 feet of the site's earth disturbances. If infeasible to provide and maintain an undisturbed 100 foot natural buffer, erosion and sediment controls to achieve the sediment load reduction equivalent to a 100-foot undisturbed natural buffer shall be required.

- 9.7.4.5 Spokane Tribe of Indians. The following conditions apply only to discharges on the Spokane Tribe Reservation:
 - a. Pursuant to Tribal Law and Order Code (TLOC) Chapter 30 each operator shall be responsible for achieving compliance with the Surface Water Quality Standards of the Spokane Tribe. The operator shall notify the Spokane Tribe, Water Control Board (WCB) of any spills of hazardous material and;
 - b. Each operator shall submit a signed hard copy of the Notice of Intent (NOI) to the WCB at the same time it is submitted to EPA.
 - c. The permittee shall allow the Tribal Water Control Board or its designee to inspect and sample at the construction site as needed.
 - d. Each operator shall submit a signed copy of the Notice of Termination (NOT) to the WCB at the same time it is submitted to EPA.

The correspondence address for the Spokane Tribe Water Control Board is:

Water Control Board c/o. Brian Crossley P0 Box 480 Wellpinit WA 99040 (509)626-4409 crossley@spokanetribe.com

- 9.7.4.6 Swinomish Indian Tribal Community. The following conditions apply only to discharges on the Swinomish Reservation:
 - a. Owners and operators seeking coverage under this permit who intend to discharge to Regulated Surface Waters must submit a copy of the Notice of Intent (NOI) to the DEP at the same time the NOI is submitted to EPA.
 - b. Owners and operators seeking coverage under this permit must also submit a Stormwater Pollution Prevention Plan to the DEP for review and approval by DEP prior to beginning any discharge activities.
 - c. Owners and operators must also submit to the DEP Changes in NOI and/or Notices of Termination at the same time they are submitted to EPA.
- 9.7.4.7 Tulalip Tribes. The following conditions apply only to discharges on the Tulalip Reservation:
 - a. This certification does not exempt and is provisional upon compliance with other applicable statues and codes administered by federal and Tulalip tribal agencies. Pursuant to Tulalip Tribes code of law, the operator must also obtain a land use permit from the Tulalip Tribes Planning Department as provided in Title 7 of the Tulalip Tribal Code
 - (http://www.codepublishing.com/WA/Tulalip/?Tulalip02/Tulalip0205.html).
 - b. Each CGP operator shall be responsible for achieving compliance with Tulalip Tribes Water Quality Standards.
 - c. Each CGP operator shall submit their Stormwater Pollution Prevention Plan (SWPPP) to the:

Tulalip Natural & Cultural Resources Department Tulalip Tribes 6406 Marine Drive Tulalip, WA 98271

Appendix A - Definitions and Acronyms

Definitions

"Action Area" – all areas to be affected directly or indirectly by the federal action and not merely the immediate area involved in the action. See 50 CFR 402. For the purposes of this permit and for application of the threatened and endangered species protection eligibility requirements, the following areas are included in the definition of action area:

- The areas on the construction site where stormwater discharges originate and flow toward the point of discharge into the receiving waters (including areas where excavation, site development, or other ground disturbance activities occur) and the immediate vicinity. (Example: Where bald eagles nest in a tree that is on or bordering a construction site and could be disturbed by the construction activity or where grading causes stormwater to flow into a small wetland or other habitat that is on the site that contains listed species.)
- The areas where stormwater discharges flow from the construction site to the point of discharge into receiving waters. (Example: Where stormwater flows into a ditch, swale, or gully that leads to receiving waters and where listed species (such as listed amphibians) are found in the ditch, swale, or gully.)
- The areas where stormwater from construction activities discharges into receiving waters and the areas in the immediate vicinity of the point of discharge. (Example: Where stormwater from construction activities discharges into a stream segment that is known to harbor listed aquatic species.)
- The areas where stormwater controls will be constructed and operated, including any areas where stormwater flows to and from the stormwater controls. (Example: Where a stormwater retention pond would be built.)
- The areas upstream and/or downstream from the stormwater discharge into a stream segment that may be affected by these discharges. (Example: Where sediment discharged to a receiving stream settles downstream and impacts a breeding area of a listed aquatic species.)

"Agricultural Land" - cropland, grassland, rangeland, pasture, and other agricultural land, on which agricultural and forest-related products or livestock are produced and resource concerns may be addressed. Agricultural lands include cropped woodland, marshes, incidental areas included in the agricultural operation, and other types of agricultural land used for the production of livestock.

"Antidegradation Policy" or "Antidegradation Requirements" - the water quality standards regulation that requires states and tribes to establish a three-tiered antidegradation program:

- 1. Tier 1 maintains and protects existing uses and water quality conditions necessary to support such uses. An existing use can be established by demonstrating that fishing, swimming, or other uses have actually occurred since November 28, 1975, or that the water quality is suitable to allow such uses to occur. Where an existing use is established, it must be protected even if it is not listed in the water quality standards as a designated use. Tier 1 requirements are applicable to all surface waters.
- 2. Tier 2 maintains and protects "high quality" waters -- waterbodies where existing conditions are better than necessary to support CWA § 101(a)(2) "fishable/swimmable" uses. Water quality can be lowered in such waters. However, state and tribal Tier 2 programs identify procedures that must be followed and questions that must be

answered before a reduction in water quality can be allowed. In no case may water quality be lowered to a level which would interfere with existing or designated uses.

3. Tier 3 maintains and protects water quality in outstanding national resource waters (ONRWs). Except for certain temporary changes, water quality cannot be lowered in such waters. ONRWs generally include the highest quality waters of the United States. However, the ONRW classification also offers special protection for waters of exceptional ecological significance, i.e., those which are important, unique, or sensitive ecologically. Decisions regarding which water bodies qualify to be ONRWs are made by states and authorized Indian tribes.

"Arid Areas" – areas with an average annual rainfall of 0 to 10 inches.

"Bank" (e.g., stream bank or river bank) – the rising ground bordering the channel of a water of the U.S.

"Bluff" - a steep headland, promontory, riverbank, or cliff.

"Borrow Areas" - the areas where materials are dug for use as fill, either onsite or off-site.

"Business day" – for the purposes of this permit, a business day is a calendar day on which construction activities will take place.

" Bypass" – the intentional diversion of waste streams from any portion of a treatment facility. See 40 CFR 122.41(m)(1)(i).

"Cationic Treatment Chemical" – polymers, flocculants, or other chemicals that contain an overall positive charge. Among other things, they are used to reduce turbidity in stormwater discharges by chemically bonding to the overall negative charge of suspended silts and other soil materials and causing them to bind together and settle out. Common examples of cationic treatment chemicals are chitosan and cationic PAM.

"Commencement of Construction Activities" – the initial disturbance of soils (or 'breaking ground') associated with clearing, grading, or excavating activities or other construction-related activities (e.g., stockpiling of fill material; placement of raw materials at the site).

"Common Plan of Development or Sale" – A contiguous area where multiple separate and distinct construction activities may be taking place at different times on different schedules under one common plan. The "common plan" of development or sale is broadly defined as any announcement or piece of documentation (including a sign, public notice or hearing, sales pitch, advertisement, drawing, permit application, zoning request, computer design, etc.) or physical demarcation (including boundary signs, lot stakes, surveyor markings, etc.) indicating construction activities may occur on a specific plot.

"Construction Activities" – earth-disturbing activities, such as the clearing, grading, and excavation of land, and other construction-related activities (e.g., stockpiling of fill material; placement of raw materials at the site) that could lead to the generation of pollutants. Some of the types of pollutants that are typically found at construction sites are:

- sediment;
- nutrients;
- heavy metals;
- pesticides and herbicides;
- oil and grease;
- bacteria and viruses;
- trash, debris, and solids;

- treatment polymers; and
- any other toxic chemicals.

" Construction and Development Effluent Limitations and New Source Performance Standards" (C&D Rule) – as published in 40 CFR § 450, the regulation requiring effluent limitations guidelines (ELGs) and new source performance standards (NSPS) for controlling the discharge of pollutants from construction sites.

"Construction Site" or "Site" – the land or water area where construction activities will occur and where stormwater controls will be installed and maintained. The construction site includes construction support activities, which may be located at a different part of the property from where the primary construction activity will take place, or on a different piece of property altogether.

"Construction Support Activity" – a construction-related activity that specifically supports the construction activity and involves earth disturbance or pollutant-generating activities of its own, and can include activities associated with concrete or asphalt batch plants, equipment staging yards, materials storage areas, excavated material disposal areas, and borrow areas.

"Construction Waste" – discarded material (such as packaging materials; scrap construction materials; masonry products; timber, steel, pipe, and electrical cuttings; plastics; and styrofoam).

" Conveyance Channel" – a temporary or permanent waterway designed and installed to safely convey stormwater flow within and out of a construction site.

"Critical Habitat" – as defined in the Endangered Species Act at 16 U.S.C. 1531 for a threatened or endangered species, (i) the specific areas within the geographical area occupied by the species, at the time it is listed in accordance with the provisions of section 4 of the Endangered Species Act, on which are found those physical or biological features essential to the conservation of the species and which may require special management considerations or protection; and (ii) specific areas outside the geographical area occupied by the species at the time it is listed in accordance with the provisions of section 4 of the Endangered Species Act, upon a determination by the Secretary that such areas are essential for the conservation of the species.

" CWA" – the Clean Water Act or the Federal Water Pollution Control Act, 33 U.S.C. section 1251 et seq.

" Dewatering" – the act of draining rainwater and/or ground water from building foundations, vaults, and trenches.

"Discharge" - when used without qualification, means the "discharge of a pollutant."

" Discharge of a Pollutant" – any addition of any "pollutant" or combination of pollutants to "waters of the United States" from any "point source," or any addition of any pollutant or combination of pollutants to the waters of the "contiguous zone" or the ocean from any point source other than a vessel or other floating craft which is being used as a means of transportation. This includes additions of pollutants into waters of the United States from: surface runoff which is collected or channeled by man; discharges through pipes, sewers, or other conveyances, leading into privately owned treatment works. See 40 CFR 122.2.

" Discharge Point" – for the purposes of this permit, the location where collected and concentrated stormwater flows are discharged from the construction site.

" Discharge-Related Activity" – activities that cause, contribute to, or result in stormwater and allowable non-stormwater point source discharges, and measures such as the siting, construction, and operation of stormwater controls to control, reduce, or prevent pollutants from being discharged.

" Discharge to an Impaired Water" – for the purposes of this permit, a discharge to an impaired water occurs if the first water of the U.S. to which you discharge is identified by a state, tribe, or EPA pursuant to Section 303(d) of the Clean Water Act as not meeting an applicable water quality standard and (1) requires development of a total maximum daily load (TMDL) (pursuant to section 303(d) of the CWA; or (2) is addressed by an EPA-approved or established TMDL; or (3) is not in either of the above categories but the waterbody is covered by a pollution control program that meets the requirements of 40 CFR 130.7(b)(1). For discharges that enter a storm sewer system prior to discharge, the water of the U.S. to which you discharge is the first water of the U.S. that receives the stormwater discharge from the storm sewer system.

"Domestic Waste" – for the purposes of this permit, typical household trash, garbage or rubbish items generated by construction activities.

" Drainageway" – an open linear depression, whether constructed or natural, that functions for the collection and drainage of surface water.

"Drought-Stricken Area" – for the purposes of this permit, an area in which the National Oceanic and Atomospheric Administration's U.S. Seasonal Drought Outlook indicates for the period during which the construction will occur that any of the following conditions are likely: (1) "Drought to persist or intensify", (2) "Drought ongoing, some improvement", (3) "Drought likely to improve, impacts ease", or (4) "Drought development likely". See <u>http://www.cpc.ncep.noaa.gov/products/expert_assessment/sdo_summary.php</u>.

"Earth-Disturbing Activity" – actions taken to alter the existing vegetation and/or underlying soil of a site, such as clearing, grading, site preparation (e.g., excavating, cutting, and filling), soil compaction, and movement and stockpiling of top soils.

"Earth-Disturbing Activities Conducted Prior to Active Mining Activities" – Consists of two classes of earth-disturbing (i.e., clearing, grading and excavation) activities:

a. activities performed for purposes of mine site preparation, including: cutting new rights of way (except when related to access road construction); providing access to a mine site for vehicles and equipment (except when related to access road construction); other earth disturbances associated with site preparation activities on any areas where active mining activities have not yet commenced (e.g., for heap leach pads, waste rock facilities, tailings impoundments, wastewater treatment plants); and

b. construction of staging areas to prepare for erecting structures such as to house project personnel and equipment, mill buildings, etc., and construction of access roads.

Note: only earth-disturbing activities associated with the construction of staging areas and the construction of access roads conducted prior to active mining (see (b) above) are considered to be "construction" and therefore stormwater discharges from these activities are eligible for coverage under this permit. See Part 1.2.1.b. The activities described in (a) above are not considered to be "construction" and therefore stormwater discharges associated with this activity are not eligible for coverage under this permit.

"Effective Operating Condition" – for the purposes of this permit, a stormwater control is kept in effective operating condition if it has been implemented and maintained in such a manner that it is working as designed to minimize pollutant discharges.

"Effluent Limitations" – for the purposes of this permit, any of the Part 2 or Part 3 requirements.

"Effluent Limitations Guideline" (ELG) – defined in 40 CFR § 122.2 as a regulation published by the Administrator under section 304(b) of the CWA to adopt or revise effluent limitations.

"Eligible" – for the purposes of this permit, refers to stormwater and allowable non-stormwater discharges that are authorized for coverage under this general permit.

"Emergency-Related Project" – a project initiated in response to a public emergency (e.g., mud slides, earthquake, extreme flooding conditions, disruption in essential public services), for which the related work requires immediate authorization to avoid imminent endangerment to human health or the environment, or to reestablish essential public services.

"Endangered Species" – defined in the Endangered Species Act at 16 U.S.C. 1531 as any species which is in danger of extinction throughout all or a significant portion of its range other than a species of the Class Insecta determined by the Secretary to constitute a pest whose protection under the provisions of this Act would present an overwhelming and overriding risk to man.

"Excursion" - a measured value that exceeds a specified limit.

"Existing Site" – a site where construction activities commenced prior to February 16, 2017.

"Exit Points" – any points of egress from the construction site to be used by vehicles and equipment during construction activities.

"Exposed Soils" – for the purposes of this permit, soils that as a result of earth-disturbing activities are left open to the elements.

"Federal Operator" – an entity that meets the definition of "Operator" in this permit and is either any department, agency or instrumentality of the executive, legislative, and judicial branches of the Federal government of the United States, or another entity, such as a private contractor, performing construction activity for any such department, agency, or instrumentality.

"Final Stabilization" – on areas not covered by permanent structures, either (1) uniform, perennial vegetation (e.g., evenly distributed, without large bare areas) has been established, or for arid or semi-arid areas, will be established that provides 70 percent or more of the cover that is provided by vegetation native to local undisturbed areas, and/or (2) permanent non-vegetative stabilization measures (e.g., riprap, gravel, gabions, and geotextiles) have been implemented to provide effective cover for exposed portions of the site

"General Contractor" – for the purposes of this permit, the primary individual or company solely accountable to perform a contract. The general contractor typically supervises activities, coordinates the use of subcontractors, and is authorized to direct workers at a site to carry out activities required by the permit.

"Hazardous Substances" or "Hazardous or Toxic Waste" – for the purposes of this permit, any liquid, solid, or contained gas that contain properties that are dangerous or potentially harmful to human health or the environment. See also 40 CFR §261.2.

"Historic Property" – as defined in the National Historic Preservation Act regulations, means any prehistoric or historic district, site, building, structure, or object included in, or eligible for inclusion in, the National Register of Historic Places maintained by the Secretary of the Interior. This term includes artifacts, records, and remains that are related to and located within such properties. The term includes properties of traditional religious and cultural importance to an Indian tribe or Native Hawaiian organization and that meet the National Register criteria.

"Impaired Water" – a water identified by the state, tribe, or EPA as not meeting an applicable water quality standard and (1) requires development of a TMDL (pursuant to section 303(d) of the CWA; or (2) is addressed by an EPA-approved or established TMDL; or (3) is not in either of the above categories but the waterbody is covered by a pollution control program that meets the requirements of 40 CFR 130.7(b)(1).

"Impervious Surface" – for the purpose of this permit, any land surface with a low or no capacity for soil infiltration including, but not limited to, pavement, sidewalks, parking areas and driveways, packed gravel or soil, or rooftops.

"Indian Country" or "Indian Country Lands" - defined at 40 CFR §122.2 as:

- 1. All land within the limits of any Indian reservation under the jurisdiction of the United States Government, notwithstanding the issuance of any patent, and, including rights-of-way running through the reservation;
- 2. All dependent Indian communities with the borders of the United States whether within the originally or subsequently acquired territory thereof, and whether within or without the limits of a state; and
- 3. All Indian allotments, the Indian titles to which have not been extinguished, including rights-of-ways running through the same.

"Infeasible" – for the purpose of this permit, infeasible means not technologically possible or not economically practicable and achievable in light of best industry practices. EPA notes that it does not intend for any permit requirement to conflict with state water rights law.

"Install" or "Installation" – when used in connection with stormwater controls, to connect or set in position stormwater controls to make them operational.

" Jar test" – a test designed to simulate full-scale coagulation/flocculation/sedimentation water treatment processes by taking into account the possible conditions.

"Landward" – positioned or located away from a waterbody, and towards the land.

"Large Construction Activity" – defined at 40 CFR § 122.26(b)(14)(x) and incorporated here by reference. Large construction activity includes clearing, grading, and excavating resulting in a land disturbance that will disturb equal to or greater than five acres of land or will disturb less than five acres of total land area but is part of a larger common plan of development or sale that will ultimately disturb equal to or greater than five acres. Large construction activity does not include routine maintenance that is performed to maintain the original line and grade, hydraulic capacity, or original purpose of the site.

"Linear Construction Site" – includes the construction of roads, bridges, conduits, substructures, pipelines, sewer lines, towers, poles, cables, wires, connectors, switching, regulating and transforming equipment and associated ancillary facilities in a long, narrow area.

"Minimize" – to reduce and/or eliminate to the extent achievable using stormwater controls that are technologically available and economically practicable and achievable in light of best industry practices.

"Mining Activity" – for the purposes of this permit, includes mining-related construction activities defined at 40 CFR 122.26(b)(14)(x) and 122.26(b)(15)(i), and active mining activities defined at 40 CFR 122.26(b)(14)(ii). Both of these sub categories of activities include earth-disturbing activities, with the latter also including such activities as: extraction, removal or recovery, and beneficiation of mined material from the earth; removal of overburden and waste rock to expose mineable material; and site reclamation and closure activities.

"Mining Operations" – for the purposes of this permit, mining operations are grouped into two distinct categories, with distinct effluent limits and requirements applicable to each: 1) earthdisturbing activities conducted prior to active mining activities; and 2) active mining activities, which includes reclamation.

"Municipal Separate Storm Sewer System" or "MS4" – defined at 40 CFR §122.26(b)(8) as a conveyance or system of conveyances (including roads with drainage systems, municipal streets, catch basins, curbs, gutters, ditches, manmade channels, or storm drains):

1. Owned and operated by a state, city, town, borough, county, parish, district, association, or other public body (created by or pursuant to State law) having jurisdiction over disposal of sewage, industrial wastes, stormwater, or other wastes, including special

districts under State law such as a sewer district, flood control district or drainage district, or similar entity, or an Indian tribe or an authorized Indian tribal organization, or a designated and approved management agency under section 208 of the CWA that discharges to waters of the United States;

- 2. Designed or used for collecting or conveying stormwater;
- 3. Which is not a combined sewer; and
- 4. Which is not part of a Publicly Owned Treatment Works (POTW) as defined at 40 CFR §122.2.

"National Pollutant Discharge Elimination System" (NPDES) – defined at 40 CFR §122.2 as the national program for issuing, modifying, revoking and reissuing, terminating, monitoring and enforcing permits, and imposing and enforcing pretreatment requirements, under sections 307, 402, 318, and 405 of CWA. The term includes an 'approved program.'

"Native Topsoil" – the uppermost layer of naturally occurring soil for a particular area, and is often rich in organic matter, biological activity, and nutrients.

"Natural Buffer" – for the purposes of this permit, an area of undisturbed natural cover surrounding waters of the U.S. within which construction activities are restricted. Natural cover includes the vegetation, exposed rock, or barren ground that exists prior to commencement of earth-disturbing activities.

"Natural Vegetation" – vegetation that occurs spontaneously without regular management, maintenance, or species introductions or removals, and that generally has a strong component of native species.

"New Operator of a Permitted Site" – an operator that through transfer of ownership and/or operation replaces the operator of an already permitted construction site that is either a "new site" or an "existing site".

"New Site" – a site where construction activities commenced on or after February 16, 2017.

"New Source" – for the purposes of this permit, a construction project that commenced construction activities after February 1, 2010.

"New Source Performance Standards (NSPS)" – for the purposes of this permit, NSPS are technology-based standards that apply to construction sites that are new sources under 40 CFR 450.24.

"Non-Stormwater Discharges" – discharges that do not originate from storm events. They can include, but are not limited to, discharges of process water, air conditioner condensate, noncontact cooling water, vehicle wash water, sanitary wastes, concrete washout water, paint wash water, irrigation water, or pipe testing water.

"Non-Turbid" – a discharge that does not cause or contribute to an exceedence of turbidityrelated water quality standards.

"Notice of Intent" (NOI) – the form (electronic or paper) required for authorization of coverage under the Construction General Permit.

"Notice of Termination" (NOT) – the form (electronic or paper) required for terminating coverage under the Construction General Permit.

"NPDES eReporting Tool" (NeT) – EPA's online system for submitting electronic Construction General Permit forms.

"Operational" – for the purposes of this permit, stormwater controls are made "operational" when they have been installed and implemented, are functioning as designed, and are properly maintained.

"Operator" – for the purposes of this permit and in the context of stormwater discharges associated with construction activity, any party associated with a construction project that meets either of the following two criteria:

- 1. The party has operational control over construction plans and specifications, including the ability to make modifications to those plans and specifications (*e.g. in most cases this is the owner of the site*); or
- 2. The party has day-to-day operational control of those activities at a project that are necessary to ensure compliance with the permit conditions (e.g., they are authorized to direct workers at a site to carry out activities required by the permit; in most cases this is the general contractor of the project).

This definition is provided to inform permittees of EPA's interpretation of how the regulatory definitions of "owner or operator" and "facility or activity" are applied to discharges of stormwater associated with construction activity. Subcontractors generally are not considered operators for the purposes of this permit.

"Ordinary High Water Mark" – the line on the shore established by fluctuations of water and indicated by physical characteristics such as a clear, natural line impressed on the bank, shelving, changes in the character of soil, destruction of terrestrial vegetation, and/or the presence of litter and debris.

"Permitting Authority" – for the purposes of this permit, EPA, a Regional Administrator of EPA, or an authorized representative.

"Point(s) of Discharge" - see "Discharge Point."

"Point Source" – any discernible, confined, and discrete conveyance, including but not limited to, any pipe, ditch, channel, tunnel, conduit, well, discrete fissure, container, rolling stock concentrated animal feeding operation, landfill leachate collection system, vessel or other floating craft from which pollutants are or may be discharged. This term does not include return flows from irrigated agriculture or agricultural stormwater runoff.

"Pollutant" – defined at 40 CFR §122.2. A partial listing from this definition includes: dredged spoil, solid waste, sewage, garbage, sewage sludge, chemical wastes, biological materials, heat, wrecked or discarded equipment, rock, sand, cellar dirt, and industrial or municipal waste.

"Pollution Prevention Controls" – stormwater controls designed to reduce or eliminate the addition of pollutants to construction site discharges through analysis of pollutant sources, implementation of proper handling/disposal practices, employee education, and other actions.

"Polymers" – for the purposes of this permit, coagulants and flocculants used to control erosion on soil or to enhance the sediment removal capabilities of sediment traps or basins. Common construction site polymers include polyacrylamide (PAM), chitosan, alum, polyaluminum chloride, and gypsum.

"Prohibited Discharges" – discharges that are not allowed under this permit, including:

- 1. Wastewater from washout of concrete;
- 2. Wastewater from washout and cleanout of stucco, paint, form release oils, curing compounds and other construction materials;
- 3. Fuels, oils, or other pollutants used in vehicle and equipment operation and maintenance;

- 4. Soaps or solvents used in vehicle and equipment washing;
- 5. Toxic or hazardous substances from a spill or other release; and
- 6. Waste, garbage, floatable debris, construction debris, and sanitary waste.

"Provisionally Covered Under this Permit" – for the purposes of this permit, EPA provides temporary coverage under this permit for emergency-related projects prior to receipt of a complete and accurate NOI. Discharges from earth-disturbing activities associated with the emergency-related projects are subject to the terms and conditions of the permit during the period of temporary coverage.

"Qualified Person" – a person knowledgeable in the principles and practice of erosion and sediment controls and pollution prevention, who possesses the appropriate skills and training to assess conditions at the construction site that could impact stormwater quality, and the appropriate skills and training to assess the effectiveness of any stormwater controls selected and installed to meet the requirements of this permit.

"Receiving Water" – a "Water of the United States" as defined in 40 CFR §122.2 into which the regulated stormwater discharges.

"Run-On" – sources of stormwater that drain from land located upslope or upstream from the regulated site in question.

"Semi-Arid Areas" – areas with an average annual rainfall of 10 to 20 inches.

"Shared Control" - for the purposes of this permit, a stormwater control, such as a sediment basin or pond, used by two or more operators that is installed and maintained for the purpose of minimizing and controlling pollutant discharges from a construction site with multiple operators associated with a common plan of development or sale. Any operators that are contributing stormwater from their construction activities to a shared control are considered to rely upon a shared control.

"Small Construction Activity" – defined at 40 CFR §122.26(b)(15) and incorporated here by reference. A small construction activity includes clearing, grading, and excavating resulting in a land disturbance that will disturb equal to or greater than one (1) acre and less than five (5) acres of land or will disturb less than one (1) acre of total land area but is part of a larger common plan of development or sale that will ultimately disturb equal to or greater than one (1) acre and less than five (5) acres and less than five (5) acres. Small construction activity does not include routine maintenance that is performed to maintain the original line and grade, hydraulic capacity, or original purpose of the site.

"Small Residential Lot" – for the purpose of this permit, a lot being developed for residential purposes that will disturb less than 1 acre of land, but is part of a larger residential project that will ultimately disturb greater than or equal to 1 acre.

"Snowmelt" – the conversion of snow into overland stormwater and ground water flow as a result of warmer temperatures.

"Spill" – for the purpose of this permit, the release of a hazardous or toxic substance from its container or containment.

"Stabilization" – the use of vegetative and/or non-vegetative cover to prevent erosion and sediment loss in areas exposed through the construction process.

"Steep Slopes" – where a state, tribe, local government, or industry technical manual (e.g., stormwater BMP manual) has defined what is to be considered a "steep slope", this permit's definition automatically adopts that definition. Where no such definition exists, steep slopes are automatically defined as those that are 15 percent or greater in grade.

"Storm Sewer System" – a conveyance or system of conveyances (including roads with drainage systems, municipal streets, catch basins, curbs, gutters, ditches, manmade channels, or storm drains) designed or used for collecting or conveying stormwater.

"Stormwater" – stormwater runoff, snowmelt runoff, and surface runoff and drainage.

"Stormwater Control" - refers to any best management practice or other method (including narrative effluent limitations) used to prevent or reduce the discharge of pollutants to waters of the United States.

"Stormwater Discharge Associated with Construction Activity" – as used in this permit, a discharge of pollutants in stormwater to waters of the United States from areas where earthdisturbing activities (e.g., clearing, grading, or excavation) occur, or where construction materials or equipment storage or maintenance (e.g., fill piles, borrow area, concrete truck chute washdown, fueling), or other industrial stormwater directly related to the construction process (e.g., concrete or asphalt batch plants), are located.

"Stormwater Inlet" – a structure placed below grade to conduct water used to collect stormwater runoff for conveyance purposes.

"Stormwater Team" – the group of individuals responsible for oversight of the development and modifications of the SWPPP, and oversight of compliance with the permit requirements. The individuals on the "Stormwater Team" must be identified in the SWPPP.

"Storm Event" - a precipitation event that results in a measurable amount of precipitation.

" Storm Sewer" – a system of pipes (separate from sanitary sewers) that carries stormwater runoff from buildings and land surfaces.

"Subcontractor" – for the purposes of this permit, an individual or company that takes a portion of a contract from the general contractor or from another subcontractor.

"SWPPP" (Stormwater Pollution Prevention Plan) – a site-specific, written document that, among other things: (1) identifies potential sources of stormwater pollution at the construction site; (2) describes stormwater controls to reduce or eliminate pollutants in stormwater discharges from the construction site; and (3) identifies procedures the operator will implement to comply with the terms and conditions of this general permit.

"Temporary Stabilization" – a condition where exposed soils or disturbed areas are provided temporary vegetative and/or non-vegetative protective cover to prevent erosion and sediment loss. Temporary stabilization may include temporary seeding, geotextiles, mulches, and other techniques to reduce or eliminate erosion until either final stabilization can be achieved or until further construction activities take place to re-disturb this area.

"Thawing Conditions" – for the purposes of this permit, thawing conditions are expected based on the historical likelihood of two or more days with daytime temperatures greater than 32°F. This date can be determined by looking at historical weather data. Note: the estimation of thawing conditions is for planning purposes only. During construction the permittee will be required to conduct site inspections based upon actual conditions (i.e., if thawing conditions occur sooner than expected, the permittee will be required to conduct inspections at the regular frequency).

"Threatened Species" – defined in the Endangered Species Act at 16 U.S.C. 1531 as any species which is likely to become an endangered species within the foreseeable future throughout all or a significant portion of its range.

"Tier 2 Waters" – for antidegradation purposes, pursuant to 40 CFR 131.12(a)(2), those waters that are characterized as having water quality that exceeds the levels necessary to support propagation of fish, shellfish, and wildlife and recreation in and on the water.

"Tier 2.5 Waters" – for antidegradation purposes, those waters designated by states or tribes as requiring a level of protection equal to and above that given to Tier 2 waters, but less than that given Tier 3 waters. Some states have special requirements for these waters.

"Tier 3 Waters" – for antidegradation purposes, pursuant to 40 CFR 131.12(a)(3), Tier 3 waters are identified by states as having high quality waters constituting an Outstanding National Resource Water (ONRW), such as waters of National Parks and State Parks, wildlife refuges, and waters of exceptional recreational or ecological significance.

"Total Maximum Daily Load" or "TMDL" – the sum of the individual wasteload allocations (WLAs) for point sources and load allocations (LAs) for nonpoint sources and natural background. If receiving water has only one point source discharger, the TMDL is the sum of that point source WLA plus the LAs for any nonpoint sources of pollution and natural background sources, tributaries, or adjacent segments. TMDLs can be expressed in terms of mass per time, toxicity, or other appropriate measure.

"Toxic Waste" - see "Hazardous Substances."

"Treatment Chemicals" – polymers, flocculants, or other chemicals used to reduce turbidity in stormwater.

"Turbidity" – a condition of water quality characterized by the presence of suspended solids and/or organic material.

"Uncontaminated Discharge" – in the context of authorized non-stormwater discharges, a discharge that does not cause or contribute to an exceedance of applicable water quality standards.

" Upland" - the dry land area above and 'landward' of the ordinary high water mark.

" Upset" – Upset means an exceptional incident in which there is unintentional and temporary noncompliance with technology based permit effluent limitations because of factors beyond your reasonable control. An upset does not include noncompliance to the extent caused by operational error, improperly designed treatment facilities, inadequate treatment facilities, lack of preventive maintenance, or careless or improper operation. See 40 CFR 122.41(n)(1).

"Water-Dependent Structures" – structures or facilities that are required to be located directly adjacent to a waterbody or wetland, such as a marina, pier, boat ramp, etc.

"Water Quality Standards" – defined in 40 CFR § 131.3, and are provisions of state or federal law which consist of a designated use or uses for the waters of the United States, water quality criteria for such waters based upon such uses, and an antidegradation policy to protect high-quality waters. Water quality standards protect the public health or welfare, enhance the quality of water and serve the purposes of the Act.

"Waters of the United States" – see definition at 40 CFR 122.2.

"Wetland" – those areas that are inundated or saturated by surface or ground water at a frequency and duration sufficient to support, and that under normal circumstances do support, a prevalence of vegetation typically adapted for life in saturated soil conditions. Wetlands generally include swamps, marshes, bogs, and similar areas. On-site evaluations are typically required to confirm the presence and boundaries of wetlands.

Acronyms

- ACHP Advisory Council on Historic Preservation
- BMP Best Management Practice
- CBI Confidential Business Information
- CGP Construction General Permit
- CFR Code of Federal Regulations
- CWA Clean Water Act
- CZMA Coastal Zone Management Act
- ECHO EPA Enforcement and Compliance History Online
- ELG Effluent Limitations Guideline
- EPA United States Environmental Protection Agency
- ESA Endangered Species Act
- FR Federal Register
- MS4 Municipal Separate Storm Sewer System
- MSGP Multi-Sector General Permit
- NEPA National Environmental Policy Act
- NeT NPDES eReporting Tool
- NHPA National Historic Preservation Act
- NMFS United States National Marine Fisheries Service
- NPDES National Pollutant Discharge Elimination System
- NOI Notice of Intent
- NOT Notice of Termination
- NPDES National Pollutant Discharge Elimination System
- NRC National Response Center
- NRCS National Resources Conservation Service
- NSPS New Source Performance Standards
- ONRW Outstanding National Resource Water
- PAM Polyacrylamide
- POTW Publicly Owned Treatment Works
- RUSLE Revised Universal Soil Loss Equation
- SDS Safety Data Sheet
- SHPO State Historic Preservation Office
- SPCC Spill Prevention Control and Countermeasure
- SWPPP Stormwater Pollution Prevention Plan
- THPO Tribal Historic Preservation Office

- TMDL Total Maximum Daily Load
- TSS Total Suspended Solids
- UIC Underground Injection Control
- USDA United States Department of Agriculture
- USFWS United States Fish and Wildlife Service
- USGS United States Geological Survey
- WQS Water Quality Standard
Appendix B - Permit Areas Eligible for Coverage and EPA Regional Addresses

Permit coverage for stormwater discharges from construction activity occurring within the following areas is provided by legally separate and distinctly numbered permits.

B.1 EPA Region 1

The permit offers coverage for stormwater discharges from construction activity from the following areas in EPA Region 1:

<u>Permit No.</u>	Areas of Coverage/Where EPA is Permitting Authority
CTR101000	Indian country within the State of Connecticut
MAR100000	Commonwealth of Massachusetts (except Indian country)
MAR101000	Indian country within the State of Massachusetts
NHR100000	State of New Hampshire
RIR110000	Indian country within the State of Rhode Island
VTR10F000	Areas in the State of Vermont subject to construction by a Federal
	Operator
01R10I000	All areas of Indian country not identified above that are not already
	covered by an EPA-approved permitting program

For stormwater discharges in EPA Region 1 outside the areas of coverage identified above, please contact your state NPDES permitting authority to obtain coverage under a state-issued NPDES permit.

EPA Region 1 Address: U.S. EPA Region 1 Office of Ecosystem Protection Stormwater and Construction Permits Section 5 Post Office Square, Suite 100 (OEP 06-1) Boston, MA 02109-3912

B.2 EPA Region 2

The permit offers coverage for stormwater discharges from construction activity from the following areas in EPA Region 2:

<u>Permit No</u> .	Areas of Coverage/Where EPA is Permitting Authority		
NYR101000	Indian country within the State of New York		
PRR100000	Commonwealth of Puerto Rico		
02R10I000	All areas of Indian country not identified above that are not already		
	covered by an EPA-approved permitting program		

For stormwater discharges in EPA Region 2 outside the areas of coverage identified above, please contact your state NPDES permitting authority to obtain coverage under a state-issued NPDES permit.

EPA Region 2 Address:

For Puerto Rico: U.S. EPA Region 2 Caribbean Environmental Protection Division NPDES Stormwater Program City View Plaza II – Suite 7000 48 Rd. 165 Km 1.2 Guaynabo, PR 00968-8069

For New York: U.S. EPA Region 2 NPDES Stormwater Program 290 Broadway, 24th Floor New York, NY 10007-1866

B.3 EPA Region 3

The permit offers coverage for stormwater discharges from construction activity from the following areas in EPA Region 3:

Permit No.	Areas of Coverage/Where EPA is Permitting Authority
DCR100000	District of Columbia
DER10F000	Areas in the State of Delaware subject to construction by a Federal
	Operator
VAR101000	Indian country within the State of Virginia
03R10I000	All areas of Indian country not identified above that are not already
	covered by an EPA-approved permitting program

For stormwater discharges in EPA Region 3 outside the areas of coverage identified above, please contact your state NPDES permitting authority to obtain coverage under a state-issued NPDES permit.

EPA Region 3 Address:

U.S. EPA Region 3 Office of NPDES Permits and Enforcement NPDES Permits Branch, Mailcode 3WP41 1650 Arch Street Philadelphia, PA 19103

B.4 EPA Region 4

The permit offers coverage for stormwater discharges from construction activity from the following areas in EPA Region 4:

<u>Permit No.</u>	Areas of Coverage/Where EPA is Permitting Authority		
ALR101000	Indian country within the State of Alabama		
FLR101000	Indian country within the State of Florida		
MSR101000	Indian country within the State of Mississippi		
NCR101000	Indian country within the State of North Carolina		
RE410I000	Indian country within any other Region 4 State (except Catawba lands		
	in South Carolina)		
04R10I000	All areas of Indian country not identified above that are not already		
	covered by an EPA-approved permitting program		

For stormwater discharges in EPA Region 4 outside the areas of coverage identified above, please contact your state NPDES permitting authority to obtain coverage under a state-issued NPDES permit.

EPA Region 4 Address: U.S. EPA Region 4 Water Protection Division NPDES Stormwater Program Atlanta Federal Center 61 Forsyth Street SW Atlanta, GA 30303-3104

B.5 EPA Region 5

The permit offers coverage for stormwater discharges from construction activity from the following areas in EPA Region 5:

<u>Permit No.</u>	Areas of Coverage/Where EPA is Permitting Authority
MIR101000	Indian country within the State of Michigan
MNR101000	Indian country within the State of Minnesota
WIR101000	Indian country within the State of Wisconsin, except the Sokaogon
	Chippewa (Mole Lake) Community
05R10I000	All areas of Indian country not identified above that are not already
	covered by an EPA-approved permitting program

For stormwater discharges in EPA Region 5 outside the areas of coverage identified above, please contact your state NPDES permitting authority to obtain coverage under a state-issued NPDES permit.

EPA Region 5 Address:

U.S. EPA Region 5 NPDES Program Branch 77 W. Jackson Blvd. Mail Code WN16J Chicago, IL 60604-3507

B.6 EPA Region 6

The permit offers coverage for stormwater discharges from construction activity from the following areas in EPA Region 6:

land
y of
vities
) t

<u>Permit No.</u>	Areas of Coverage/Where EPA is Permitting Authority
	pipelines (includes SIC Groups 13 and 46, and SIC codes 492 and 5171),
	and point source discharges associated with agricultural production,
	services, and silviculture (includes SIC Groups 01, 02, 07, 08, 09).
TXR10F000	Discharges in the State of Texas that are not under the authority of the
	Texas Commission on Environmental Quality (formerly TNRCC), including
	activities associated with the exploration, development, or production
	of oil or gas or geothermal resources, including transportation of crude
	oil or natural gas by pipeline.
TXR101000	Indian country within the State of Texas
06R10I000	All areas of Indian country not identified above that are not already
	covered by an EPA-approved permitting program

For stormwater discharges in EPA Region 6 outside the areas of coverage identified above, please contact your state NPDES permitting authority to obtain coverage under a state-issued NPDES permit.

EPA Region 6 Address:

U.S. EPA Region 6 NPDES Stormwater Program (WQ-PP) 1445 Ross Avenue, Suite 1200 Dallas, TX 75202-2733

B.7 EPA Region 7

The permit offers coverage for stormwater discharges from construction activity from the following areas in EPA Region 7:

<u>Permit No.</u>	Areas of Coverage/Where EPA is Permitting Authority
IAR101000	Indian country within the State of Iowa
KSR101000	Indian country within the State of Kansas
NER101000	Indian country within the State of Nebraska, except Pine Ridge
	Reservation lands (see Region 8)
07R10I000	All areas of Indian country not identified above that are not already
	covered by an EPA-approved permitting program

For stormwater discharges in EPA Region 7 outside the areas of coverage identified above, please contact your state NPDES permitting authority to obtain coverage under a state-issued NPDES permit.

EPA Region 7 Address: U.S. EPA Region 7 NPDES Stormwater Program 11201 Renner Blvd Lenexa, KS 66219

B.8 EPA Region 8

The permit offers coverage for stormwater discharges from construction activity from the following areas in EPA Region 8:

<u>Permit No.</u>	Areas of Coverage/Where EPA is Permitting Authority
COR10F000	Areas in the State of Colorado, except those located on Indian country,
	subject to construction activity by a Federal Operator
COR101000	Indian country within the State of Colorado, as well as the portion of the
	Ute Mountain Reservation located in New Mexico
MTR101000	Indian country within the State of Montana
NDR101000	Indian country within the State of North Dakota, as well as that portion of
	the Standing Rock Reservation located in South Dakota (except for the
	portion of the lands within the former boundaries of the Lake Traverse
	Reservation which is covered under South Dakota permit SDR10000I
	listed below)
SDR101000	Indian country within the State of South Dakota, as well as the portion of
	the Pine Ridge Reservation located in Nebraska and the portion of the
	lands within the former boundaries of the Lake Traverse Reservation
	located in North Dakota (except for the Standing Rock Reservation
	which is covered under North Dakota permit NDR10000I listed above)
UTR101000	Indian country within the State of Utah, except Goshute and Navajo
	Reservation lands (see Region 9)
WYR101000	Indian country within the State of Wyoming
08R10I000	All areas of Indian country not identified above that are not already
	covered by an EPA-approved permitting program

For stormwater discharges in EPA Region 8 outside the areas of coverage identified above, please contact your state NPDES permitting authority to obtain coverage under a state-issued NPDES permit.

EPA Region 8 Address: EPA Region 8 Storm Water Program Mailcode: 8P-W-WW 1595 Wynkoop Street Denver, CO 80202-1129

B.9 EPA Region 9

The permit offers coverage for stormwater discharges from construction activity from the following areas in EPA Region 9:

<u>Permit No.</u>	Areas of Coverage/Where EPA is Permitting Authority		
ASR100000	Island of American Samoa		
AZR101000	Indian country within the State of Arizona, as well as Navajo Reservation		
	lands in New Mexico and Utah		
CAR101000	Indian country within the State of California		
GUR100000	Island of Guam		
JAR100000	Johnston Atoll		
MPR100000	Commonwealth of the Northern Mariana Islands		
MWR100000	Midway Island and Wake Island		
NVR10000I	Indian country within the State of Nevada, as well as the Duck Valley		
	Reservation in Idaho, the Fort McDermitt Reservation in Oregon and the		
	Goshute Reservation in Utah		
09R10I000	All areas of Indian country not identified above that are not already		
	covered by an EPA-approved permitting program		

For stormwater discharges in EPA Region 9 outside the areas of coverage identified above, please contact your state NPDES permitting authority to obtain coverage under a state-issued NPDES permit.

EPA Region 9 Address: U.S. EPA Region 9 Water Division NPDES Stormwater Program (WTR-2-3) 75 Hawthorne Street San Francisco, CA 94105-3901

B.10 EPA Region 10

The permit offers coverage for stormwater discharges from construction activity from the following areas in EPA Region 10:

<u>Permit No.</u>	Areas of Coverage/Where EPA is Permitting Authority
AKR101000	Indian country lands as defined in 18 U.S.C. 1151 within the State of
	Alaska
AKR10F000	Denali National Park and Preserve
IDR100000	State of Idaho, except Indian country
IDR101000	Indian country within the State of Idaho, except Duck Valley Reservation
	lands (see Region 9)
ORR101000	Indian country within the State of Oregon, except Fort McDermitt
	Reservation lands (see Region 9)
WAR10F000	Areas in the State of Washington, except those located on Indian
	country, subject to construction activity by a Federal Operator
WAR101000	Indian country within the State of Washington
010R10I000	All areas of Indian country not identified above that are not already
	covered by an EPA-approved permitting program

For stormwater discharges in EPA Region 10 outside the areas of coverage identified above, please contact your state NPDES permitting authority to obtain coverage under a state-issued NPDES permit.

EPA Region 10 Address: U.S. EPA Region 10 NPDES Stormwater Program 1200 6th Avenue (OWW-191) Seattle, WA 98101-3140

Appendix C - Small Construction Waivers and Instructions

These waivers are only available to stormwater discharges associated with small construction activities (i.e., 1-5 acres). As the operator of a small construction activity, you may be able to qualify for a waiver in lieu of needing to obtain coverage under this general permit based on: (A) a low rainfall erosivity factor, (B) a TMDL analysis, or (C) an equivalent analysis that determines allocations for small construction sites are not needed. Each operator, otherwise needing permit coverage, must notify EPA of its intention for a waiver. It is the responsibility of those individuals wishing to obtain a waiver from coverage under this general permit to submit a complete and accurate waiver certification as described below. Where the operator changes or another is added during the construction project, the new operator must also submit a waiver certification to be waived.

C.1 Rainfall Erosivity Waiver

Under this scenario the small construction project's rainfall erosivity factor calculation ("R" in the Revised Universal Soil Loss Equation) is less than five during the period of construction activity. The operator must certify to EPA that construction activity will occur only when the rainfall erosivity factor is less than five. The period of construction activity begins at initial earth disturbance and ends with final stabilization. Where vegetation will be used for final stabilization, the date of installation of a stabilization practice that will provide interim non-vegetative stabilization can be used for the end of the construction period, provided the operator commits (as a condition of waiver eligibility) to periodically inspect and properly maintain the area until the criteria for final stabilization was relied on to qualify for the waiver, signature on the waiver with its certification statement constitutes acceptance of and commitment to complete the final stabilization process. The operator must submit a waiver certification to EPA prior to commencing construction activities.

Note: The rainfall erosivity factor "R" is determined in accordance with Chapter 2 of Agriculture Handbook Number 703, Predicting Soil Erosion by Water: A Guide to Conservation Planning With the Revised Universal Soil Loss Equation (RUSLE), pages 21–64, dated January 1997; United States Department of Agriculture (USDA), Agricultural Research Service.

EPA has developed an online rainfall erosivity calculator to help small construction sites determine potential eligibility for the rainfall erosivity waiver. You can access the calculator from EPA's website at: https://www.epa.gov/npdes/rainfall-erosivity-factor-calculator-small-construction-sites. The R factor can easily be calculated by using the construction site latitude/longitude or address and estimated start and end dates of construction. This calculator may also be useful in determining the time periods during which construction activity by a few weeks or expediting site stabilization will allow you to qualify for the waiver. Use this online calculator or the Construction Rainfall Erosivity Waiver Fact Sheet (https://www.epa.gov/sites/production/files/2015-10/documents/fact3-1.pdf) to assist in determining the R Factor for your small construction site.

If you are the operator of the construction activity and eligible for a waiver based on low erosivity potential, you can submit a rainfall erosivity waiver electronically via EPA's NPDES eReporting Tool (NeT) (<u>https://www.epa.gov/npdes/stormwater-discharges-construction-</u> <u>activities#ereporting</u>), unless you received a waiver from your EPA Regional Office (see Part 1.4.1 of the CGP for information about receiving a waiver from electronic reporting). Note: If the R factor is five or greater, you do not qualify for the rainfall erosivity waiver, and must obtain coverage under an NPDES permit (e.g., the CGP), unless you qualify for the Water Quality Waiver as described in section B below.

If your small construction project continues beyond the projected completion date given on the waiver certification, you must recalculate the rainfall erosivity factor for the new project duration. If the R factor is below five, you must update all applicable information on the waiver certification and retain a copy of the revised waiver as part of your records. The new waiver certification must be submitted prior to the projected completion date listed on the original waiver form to assure your exemption from permitting requirements is uninterrupted. If the new R factor is five or above, you must obtain NPDES permit coverage.

C.2 TMDL Waiver

This waiver is available if EPA has established or approved a TMDL that addresses the pollutant(s) of concern for the impaired water and has determined that controls on stormwater discharges from small construction activity are not needed to protect water quality. The pollutant(s) of concern include sediment (such as total suspended solids, turbidity or siltation) and any other pollutant that has been identified as a cause of impairment of any waterbody that will receive a discharge from the construction activity. Information on TMDLs that have been established or approved by EPA is available from EPA online at https://www.epa.gov/tmdl and from state and tribal water quality agencies.

If you are the operator of the construction activity and eligible for a waiver based on compliance with an EPA-established or approved TMDL, you must provide the following information in order to be waived from permitting requirements:

- 1. Name, address and telephone number of the construction site operator(s);
- 2. Name (or other identifier), address, county or similar governmental subdivision, and latitude/longitude of the construction project or site;
- 3. Estimated construction start and completion (i.e., final stabilization) dates, and total acreage (to the nearest quarter acre) to be disturbed;
- 4. The name of the waterbody(s) that would be receiving stormwater discharges from your construction project;
- 5. The name and approval date of the TMDL;
- 6. A statement, signed and dated by an authorized representative as provided in Appendix I, Subsection I.11, that certifies that the construction activity will take place and that the stormwater discharges will occur, within the drainage area addressed by the TMDL.

C.3 Equivalent Analysis Waiver

This waiver is available for discharges to non-impaired waters only. The operator can develop an equivalent analysis that determines allocations for his/her small construction site for the pollutant(s) of concern or determines that such allocations are not needed to protect water quality. This waiver requires a small construction operator to develop an equivalent analysis based on existing in-stream concentrations, expected growth in pollutant concentrations from all sources, and a margin of safety.

If you are a construction operator who wants to use this waiver, you must develop your equivalent analysis and provide the following information to be waived from permitting requirements:

1. Name, address and telephone number of the construction site operator(s);

- 2. Name (or other identifier), address, county or similar governmental subdivision, and latitude/longitude of the construction project or site;
- 3. Estimated construction start and completion (i.e., final stabilization) dates, and total acreage (to the nearest quarter acre) to be disturbed;
- 4. The name of the waterbody(s) that would be receiving stormwater discharges from your construction project;
- 5. Your equivalent analysis;
- 6. A statement, signed and dated by an authorized representative as provided in Appendix I, Subsection I.11, that certifies that the construction activity will take place and that the stormwater discharges will occur, within the drainage area addressed by the equivalent analysis.
- C.4 Waiver Deadlines and Submissions
 - 1. Waiver certifications must be submitted prior to commencement of construction activities.
 - 2. If you submit a TMDL or equivalent analysis waiver request, you are not waived until EPA approves your request. As such, you may not commence construction activities until receipt of approval from EPA.
 - 3. Late Notifications: Operators are not prohibited from submitting waiver certifications after initiating clearing, grading, excavation activities, or other construction activities. The Agency reserves the right to take enforcement for any unpermitted discharges that occur between the time construction commenced and waiver authorization is granted.

Submittal of a waiver certification is an optional alternative to obtaining permit coverage for discharges of stormwater associated with small construction activity, provided you qualify for the waiver. Any discharge of stormwater associated with small construction activity not covered by either a permit or a waiver may be considered an unpermitted discharge under the Clean Water Act. As mentioned above, EPA reserves the right to take enforcement for any unpermitted discharges that occur between the time construction commenced and either discharge authorization is granted or a complete and accurate waiver certification is submitted. EPA may notify any operator covered by a waiver that they must obtain NPDES permit coverage. EPA may notify any operator who has been in non-compliance with a waiver that they may no longer use the waiver for future projects. Any member of the public may petition EPA to take action under this provision by submitting written notice along with supporting justification.

Complete and accurate TMDL or equivalent analysis waiver requests must be sent to the applicable EPA Regional Office address specified in Appendix B.

Appendix D - Eligibility Procedures Relating to Threatened and Endangered Species Protection

In accordance with Part 1.1.5 of the CGP, you must follow the procedures in this appendix to determine your eligibility under one of the criteria in Part D.1 of this appendix with respect to the protection of federally listed threatened or endangered species and federally designated "critical habitat" [hereinafter "threatened and endangered species"] under the Endangered Species Act (ESA) from discharges and discharge-related activities authorized under this permit. If you do not meet one of these criteria, you are not eligible for coverage under this permit.

While coordination between you and the U.S. Fish and Wildlife Service (USFWS) and/or the National Marine Fisheries Service (NMFS)(together, the "Services") is not necessarily required in all cases, EPA encourages you to coordinate with the Services, to document that coordination, and to do so early in the planning process prior to submitting your NOI.

This appendix is organized as follows:

- Part D.1: Threatened and Endangered Species Protection Eligibility Criteria
- Part D.2: Procedures for Determining Which Threatened and Endangered Species Protection Criteria Applies

D.1 Threatened and Endangered Species Protection Eligibility Criteria

You must certify in your NOI that you meet one of the eligibility criteria listed below in order to be eligible for coverage under this permit. Once you determine the applicable eligibility criterion, you must:

- Specify the basis for your selection of the applicable eligibility criterion, and if required, provide documentation that is the basis for your determination with the NOI form; and
- Provide documentation in your SWPPP that is sufficient to support your determination that you satisfy the requirements of the applicable criterion.

The definition of "action area," which is contained in Appendix A, is repeated below for convenience.

" Action Area" – all areas to be affected directly or indirectly by the federal action and not merely the immediate area involved in the action. For the purposes of this permit and for application of the Endangered Species Act requirements, the following areas are included in the definition of action area:

- The areas on the construction site where stormwater discharges originate and flow toward the
 point of discharge into the receiving waters (including areas where excavation, site
 development, or other ground disturbance activities occur) and the immediate vicinity.
 (Example: Where bald eagles nest in a tree that is on or bordering a construction site and could
 be disturbed by the construction activity or where grading causes stormwater to flow into a
 small wetland or other habitat that is on the site that contains listed species.)
- The areas where stormwater discharges flow from the construction site to the point of discharge into receiving waters. (Example: Where stormwater flows into a ditch, swale, or gully that leads to receiving waters and where listed species (such as listed amphibians) are found in the ditch, swale, or gully.)
- The areas where stormwater from construction activities discharge into receiving waters and the areas in the immediate vicinity of the point of discharge. (Example: Where stormwater from construction activities discharges into a stream segment that is known to harbor listed aquatic species.)
- The areas where stormwater controls will be constructed and operated, including any areas where stormwater flows to and from the stormwater controls. (Example: Where a stormwater retention pond would be built.)

<u>Criterion A.</u> <u>No ESA-listed species and/or designated critical habitat present in action area</u>. Using the process outlined in Appendix D of this permit, you certify that ESA-listed species and designated critical habitat(s) under the jurisdiction of the USFWS or NMFS are not likely to occur in your site's "action area" as defined in Appendix A of this permit.

<u>Basis statement content</u>: A basis statement supporting the selection of this criterion should identify the USFWS and NMFS information sources used. Attaching aerial image(s) of the site to this NOI is helpful to EPA, USFWS, and NMFS in confirming eligibility under this criterion. Please Note: NMFS' jurisdiction includes ESA-listed marine and estuarine species that spawn in inland rivers.

<u>Criterion B.</u> <u>Eligibility requirements met by another operator under the 2017 CGP</u>. The construction site's discharges and discharge-related activities were already addressed in another operator's valid certification of eligibility for your " action area" under eligibility Criterion A, C, D, E, or F of the 2017 CGP and you have confirmed that no additional ESA-listed species and/or designated critical habitat under the jurisdiction of USFWS and/or NMFS not considered in the that certification may be present or located in the " action area." To certify your eligibility under this criterion, there must be no lapse of NPDES permit coverage in the other CGP operator's certification. By certifying eligibility under this criterion, you agree to comply with any conditions upon which the other CGP operator's certification was based. You must include in your NOI the NPDES ID from the other 2017CGP operator's notification of authorization under this permit. If your certification is based on another 2017 CGP operator's certification required of existing dischargers in criterion C in your NOI form.

<u>Basis statement content</u>: A basis statement supporting the selection of this criterion should identify the eligibility criterion of the other CGP NOI, the authorization date, and confirmation that the authorization is effective.

<u>Criterion C.</u> <u>Discharges not likely to adversely affect ESA-listed species and/or designated critical habitat.</u> ESA-listed species and/or designated critical habitat(s) under the jurisdiction of the USFWS and/or NMFS are likely to occur in or near your site's " action area," and you certify to EPA that your site's discharges and discharge-related activities are not likely to adversely affect ESA-listed threatened or endangered species and/or designated critical habitat. This certification may include consideration of any stormwater controls and/or management practices you will adopt to ensure that your discharges and discharge-related activities are not likely to adversely affect ESA-listed species and/or designated critical habitat. To certify your eligibility under this criterion, indicate 1) the ESA-listed species and/or designated habitat located in your " action area" using the process outlined in Appendix D of this permit; 2) the distance between the site and the listed species and/or designated critical habitat in the action area (in miles); and 3) a rationale describing specifically how adverse effects to ESA-listed species will be avoided from the discharges and discharge-related activities. You must also include a copy of your site map from your SWPPP showing the upland and in-water extent of your " action area" with this NOI.

<u>Basis statement content:</u> A basis statement supporting the selection of this criterion should identify the information resources and expertise (e.g., state or federal biologists) used to arrive at this conclusion. Any supporting documentation should explicitly state that both ESA-listed species and designated critical habitat under the jurisdiction of the USFWS and/or NMFS were considered in the evaluation.

Criterion D. <u>Coordination with USFWS and/or NMFS has successfully concluded.</u> Coordination between you and the USFWS and/or NMFS has concluded. The coordination must have addressed the effects of your site's discharges and discharge-related activities on ESA-listed species and/or designated critical habitat under the jurisdiction of USFWS and/or NMFS, and resulted in a written concurrence from USFWS and/or NMFS that your site's discharge-related activities are not likely to adversely affect listed species and/or critical habitat. You must include copies of the correspondence with the participating agencies in your SWPPP and this NOI.

<u>Basis statement content</u>: A basis statement supporting the selection of this criterion should identify whether USFWS or NMFS or both agencies participated in coordination, the field office/regional office(s) providing that coordination, and the date that coordination concluded.

- Criterion E. <u>ESA Section 7 consultation has successfully concluded.</u> Consultation between a Federal Agency and the USFWS and/or NMFS under section 7 of the ESA has concluded. The consultation must have addressed the effects of the construction site's discharges and discharge-related activities on ESA-listed species and/or designated critical habitat under the jurisdiction of USFWS and/or NMFS. To certify eligibility under this criterion, Indicate the result of the consultation:
 - biological opinion from USFWS and/or NMFS that concludes that the action in question (taking into account the effects of your site's discharges and discharge-related activities) is not likely to jeopardize the continued existence of listed species, nor the destruction or adverse modification of critical habitat; or
 - II. written concurrence from USFWS and/or NMFS with a finding that the site's discharges and discharge-related activities are not likely to adversely affect ESA-listed species and/or designated critical habitat.

You must include copies of the correspondence between yourself and the USFWS and/or NMFS in your SWPPP and this NOI.

<u>Basis statement content:</u> A basis statement supporting the selection of this criterion should identify the federal action agencie(s) involved, the field office/regional office(s) providing that consultation, any tracking numbers of identifiers associated with that consultation (e.g., IPaC number, PCTS number), and the date the consultation was completed.

Criterion F. <u>Issuance of section 10 permit.</u> Potential take is authorized through the issuance of a permit under section 10 of the ESA by the USFWS and/or NMFS, and this authorization addresses the effects of the site's discharges and discharge-related activities on ESA-listed species and designated critical habitat. You must include copies of the correspondence between yourself and the participating agencies in your SWPPP and your NOI.

<u>Basis statement content:</u> A basis statement supporting the selection of this criterion should identify whether USFWS or NMFS or both agencies provided a section 10 permit, the field office/regional office(s) providing permit(s), any tracking numbers of identifiers associated with that consultation (e.g., IPaC number, PCTS number), and the date the permit was granted.

You must comply with any applicable terms, conditions, or other requirements developed in the process of meeting the eligibility criteria in this section to remain eligible for coverage under this permit. Documentation of these requirements must be kept as part of your SWPPP (see Part 7.2.9.a).

NMFS will, within 14 days of submission of the NOI, advise EPA whether it believes the planned discharges meet the eligibility criteria of not likely to adversely affect NMFS Listed Resources of Concern, whether the eligibility criterion could be met with additional conditions; or whether the eligibility criterion is not met. With respects to ESA issues, EPA recognizes NMFS expertise and will carefully consider NMFS' determination in identifying eligibility for authorization, either with or without additional conditions. In the event NMFS has placed a hold on your NOI, EPA will notify you as to whether your discharges are authorized or whether an individual permit will be required. If you do not hear from EPA within 14 days, you may assume that your discharge is authorized without further conditions.

D.2 Procedures for Determining Which Threatened and Endangered Species Protection Criterion Applies

You must follow the procedures in this Part to determine the criterion listed above under which your site is eligible for permit coverage.

- D.2.1 Step 1 Determine if Your Discharges and Discharge-Related Activities Were Already Addressed in Another Operator's Valid Certification that Included Your Action Area.
 - If your discharges and discharge-related activities <u>were</u> already addressed in another operator's valid certification that included your action area (e.g., a general contractor or developer may have completed and filed an NOI for the entire action area with the necessary ESA certifications (Criterion A, C, D, E, or F)), you may select eligibility Criterion B on your NOI form.

By certifying eligibility under Criterion B, you must comply with any terms and conditions imposed under the eligibility requirements of the criterion for which the other operator has established eligibility (either Criterion A, C, D, E, or F) to ensure that your discharges and discharge-related activities are protective of listed species and/or critical habitat.

Note: If you are unable to meet these eligibility requirements, then you may either establish eligibility under one of the other criterion, or you may consider applying to EPA for an individual permit.

Under Criterion B, you must provide documentation in your SWPPP of any of these terms and conditions, as well as the other operator's basis for establishing eligibility. You must also provide a description of the basis for your selection of Criterion B on your NOI form, including the eligibility criterion (A, C, D, E, or F) that was certified to by the other operator, and must provide the NPDES ID from the other operator's notification of authorization under this permit.

If your certification is based on another operator's certification under criterion C, you must provide the documentation required in the NOI for criterion C, namely: 1) what federally listed species and/or designated habitat are located in your "action area"; and 2) the distance between your site and the listed species or designated critical habitat (in miles).

- If discharges and discharge-related activities from your site <u>were not</u> addressed in another operator's valid certification that included your action area, you must follow the applicable procedures in Steps 2 through 5 below.
- D.2.2 Step 2 Determine if Listed Threatened or Endangered Species or their Designated Critical Habitat(s) are Likely to Occur in your Site's Action Area

You must determine, to the best of your knowledge, whether species listed as either threatened or endangered, or their critical habitat(s) (see definitions of these terms in Appendix A), are located in your site's action area. To make this determination, you should first determine if listed species and/or critical habitat are expected to exist in your county or township. The U.S. Fish and Wildlife Service and National Marine Fisheries Service maintain lists of federally listed endangered or threatened species on their internet sites.

 For National Marine Fisheries Service species and critical habitat information, use the following webpages, which provide up-to-date information on listed species (<u>http://www.nmfs.noaa.gov/pr/species/esa/</u>) and critical habitat (<u>http://www.nmfs.noaa.gov/pr/species/criticalhabitat.htm</u>). To determine the field office that corresponds to your site, go to <u>http://www.nmfs.noaa.gov/</u> (under the left tab for "Regions").

For National Marine Fisheries Service species in the Greater Atlantic Region, go to <u>https://www.greateratlantic.fisheries.noaa.gov/protected/index.html</u>.

- For Fish and Wildlife Service species information, use the on-line mapping tool IPaC (the Information, Planning, and Consultation System) located at <u>http://ecos.fws.gov/ipac/</u>, and follow these steps:
 - o Select Get Started
 - o Select Enter Project Location
 - Use an address, city name or other location to zoom into your project area
 - Use the zoom feature to see the entire extent of your action area on the screen
 - Use one of the mapping features (e.g., Polygon or line feature) to draw your action
- When you are done, press *Continue*.
- Select Request an Official Species List
- Complete the fields on the Official Species List Request page, and include "(CGP)" at the end of the project description. – For Classification, select "Water Quality Modification".
- Select the appropriate requesting agency/organization type (for most dischargers, this should be "Other").
- Submit the request to acquire an Official Species List, which should show both listed species as well as any designated critical habitat that are present in the action area in the previous step.
- Note: If a link to an Official Species List is not available on the page, follow the web link of the office(s) indicated, or contact the office directly by mail or phone if a web link is not shown.
- If listed species and/or critical habitat may exist in your action area, you must do one or more of the following:
 - Conduct visual inspections. This method may be particularly suitable for construction sites that are smaller in size or located in non-natural settings such as highly urbanized areas or industrial parks where there is little or no natural habitat, or for construction activities that discharge directly into municipal stormwater collection systems.
 - Conduct a formal biological survey. In some cases, particularly for larger construction sites with extensive stormwater discharges, biological surveys may be an appropriate way to assess whether species are located in the action area and whether there are likely to be adverse effects to such species. Biological surveys are frequently performed by environmental consulting firms.
 - If required, conduct an environmental assessment under the National Environmental Policy Act (NEPA). Some construction activities might require review under NEPA for specific reasons, such as federal funding or other federal involvement in the project. Note: Coverage under the CGP does not trigger such a review for individual projects/sites. EPA has complied with NEPA in the issuance of the CGP.

and

- Follow the instructions in Steps 3 5 below, as applicable. Note that many but not all measures imposed to protect listed species under these steps will also protect critical habitat. Thus, meeting the eligibility requirements of this CGP may require measures to protect critical habitat that are separate from those to protect listed species.
- If there are <u>no</u> listed species and <u>no</u> critical habitat areas in your action area, you may check eligibility criterion A on your NOI form. You must also provide a description of the basis for the criterion selected on your NOI form and provide documentation supporting the criterion selected in your SWPPP.
- D.2.3 Step 3 Determine if the Construction Activity's Discharges or Discharge-Related Activities Are Likely to Adversely Affect Listed Threatened or Endangered Species or Designated Critical Habitat

If in Step 2 you determine that listed species and/or critical habitat could exist in your action area, you must next assess whether your discharges or discharge-related activities are likely to adversely affect listed threatened or endangered species or designated critical habitat.

Potential adverse effects from discharges and discharge-related activities include:

- *Hydrological*. Stormwater discharges may cause siltation, sedimentation, or induce other changes in receiving waters such as temperature, salinity, or pH. These effects will vary with the amount of stormwater discharged and the volume and condition of the receiving water. Where a stormwater discharge constitutes a minute portion of the total volume of the receiving water, adverse hydrological effects are less likely. Construction activity itself may also alter drainage patterns on a site where construction occurs that can impact listed species or critical habitat.
- Habitat. Excavation, site development, grading, and other surface disturbance activities from construction activities, including the installation or placement of stormwater controls, may adversely affect listed species or their habitat. Stormwater may drain or inundate listed species habitat.
- *Toxicity*. In some cases, pollutants in stormwater may have toxic effects on listed species.

The scope of effects to consider will vary with each site. If you are having difficulty determining whether your project is likely to adversely affect listed species or critical habitat, or one of the Services has already raised concerns to you, you should contact the appropriate Services office for assistance.

- If adverse effects to listed threatened or endangered species or their critical habitat <u>are not</u> likely, then you may select eligibility criterion C on the NOI form. You must provide the following specific information on your NOI form: 1) the federally listed species and/or designated habitat are located in your "action area"; and 2) the distance between your site and the listed species or designated critical habitat (in miles). You must also provide a copy of your site map with your NOI.
- If adverse effects to listed threatened or endangered species or their critical habitat <u>are likely</u>, you must follow Step 4 below.

D.2.4 Step 4 - Determine if Measures Can Be Implemented to Avoid Adverse Effects

If you make a preliminary determination in Step 3 that adverse effects from your construction activity's discharges or discharge-related activities are likely to occur, you can still receive coverage under eligibility criterion C of the CGP if appropriate measures are undertaken to avoid or eliminate the likelihood of adverse effects prior to applying for CGP coverage.

These measures may involve relatively simple changes to construction activities such as re-routing a stormwater discharge to bypass an area where species are located, relocating stormwater controls, or by modifying the "footprint" of the construction activity. If you are unable to ascertain which measures to implement to avoid the likelihood of adverse effects, you must coordinate or enter into consultation with the Fish and Wildlife Service and/or National Marine Fisheries Service, in which case you would not be eligible for coverage under eligibility criterion C, but may instead be eligible for coverage under eligibility criterion D, E, or F (described in more detail in Step 5).

- If you are able to install and implement appropriate measures to avoid the likelihood of adverse effects, then you may check eligibility criterion C on the NOI form. The measures you adopt to avoid or eliminate adverse effects must be implemented for the duration of the construction project and your coverage under the CGP. You must also provide a description of the basis for the criterion selected, and the following specific information on your NOI form: 1) the federally listed species and/or designated habitat are located in your "action area"; and 2) the distance between your site and the listed species or designated critical habitat (in miles).
- If you cannot ascertain which measures to implement to avoid the likelihood of adverse effects, you must follow the procedures in Step 5.
- D.2.5 Step 5 Determine if the Eligibility Requirements of Criterion D, E, or F Can Be Met

If in Step 4 you cannot ascertain which measures to implement to avoid the likelihood of adverse effects, you must contact the Fish and Wildlife Service and/or the National Marine Fisheries Service. You may still be eligible for CGP coverage if likely adverse effects can be addressed through meeting criterion D, E, or F.

• Criterion D: Coordination between you and the Services has concluded. The coordination must have addressed the effects of your site's discharges and discharge-related activities on federally-listed threatened or endangered species and federally-designated critical habitat, and resulted in a written concurrence from the relevant Service(s) that your site's discharges and discharge-related activities are not likely to adversely affect listed species or critical habitat.

If you have met the requirements of criterion D, you may select eligibility criterion D on the NOI form. You must provide a description of the basis for the criterion selected on your NOI form and must include copies of the correspondence between you and the applicable Service in your SWPPP.

• Criterion E: Consultation between a Federal Agency and the U.S. Fish and Wildlife Service and/or the National Marine Fisheries Service under section 7 of the ESA has concluded. The consultation must have addressed the effects of the construction site's discharges and discharge-related activities on federally-listed threatened or endangered species and federally-designated critical habitat. The result of this consultation must be either (1) a biological opinion that concludes that the action in question (taking into account the effects of your site's discharges and discharge-related activities) is not likely to jeopardize the continued existence of listed species, nor the destruction or adverse modification of critical habitat; or (2) written concurrence from the applicable Service(s) with a finding that the site's discharges and discharge-related activities are not likely to adversely affect federally-listed species or federally-designated habitat.

For more information on section 7 consultation, see 50 CFR §402. If you receive a "jeopardy opinion," you may continue to work with the Fish and Wildlife Service and/or National Marine Fisheries Service and your permitting authority to modify your project so that it will not jeopardize listed species or designated critical habitat.

Note that most consultations are accomplished through informal consultation. When conducting informal ESA section 7 consultation as a non-federal representative, you must follow the procedures found in 50 CFR Part 402 of the ESA regulations. You must notify the Services of your intention and agreement to conduct consultation as a non-federal representative.

Consultation may also occur in the context of another federal action at the construction site (e.g., where ESA section 7 consultation was performed for issuance of a wetlands dredge and fill permit for the project or where a NEPA review is performed for the project that incorporates a section 7 consultation).

Any terms and conditions developed through consultations to protect listed species and critical habitat must be incorporated into the SWPPP. As noted above, operators may, if they wish, initiate consultation with the Services at Step Four.

Whether ESA section 7 consultation must be performed with either the Fish and Wildlife Service, National Marine Fisheries Service, or both Services depends on the listed species that may be affected by the operator's activity. In general, the National Marine Fisheries Service has jurisdiction over marine, estuarine, and anadromous species. Operators should also be aware that while formal section 7 consultation provides protection from incidental takings liability, informal consultation does not.

If you have met the requirements of criterion E, you may select eligibility criterion E on the NOI form. You must provide a description of the basis for the criterion selected on your NOI form and must include copies of the correspondence between yourself and the Services in your SWPPP.

Criterion F: Your construction activities are authorized through the issuance of a
permit under section 10 of the ESA, and this authorization addresses the effects of
the site's discharges and discharge-related activities on federally-listed species
and federally-designated critical habitat.

You must follow Fish and Wildlife Serivce and/or National Marine Fisheries Service procedures when applying for an ESA section 10 permit (see 50 CFR §17.22(b)(1) for Fish and Wildlife Service and §222.22 for National Marine Fisheries Service). Application instructions for section 10 permits can be obtained from <u>http://www.fws.gov</u> and <u>http://www.nmfs.noaa.gov</u> or by contacting the appropriate Service office.

If you have met the requirements of criterion F, you may select eligibility criterion F on the NOI form. You must provide a description of the basis for the criterion selected on your NOI form and must include copies of the correspondence between yourself and the Services in your SWPPP.

Appendix E – Historic Property Screening Process

Background

Section 106 of the National Historic Preservation Act (NHPA) requires Federal agencies to take into account the effects of Federal "undertakings", such as the issuance of this permit, on historic properties that are either listed on, or eligible for listing on, the National Register of Historic

Places. To address any issues relating to historic properties in connection with the issuance of this permit, EPA developed the screening process in this appendix that enables construction operators to appropriately consider the potential impacts, if any, of their installation of stormwater controls on historic properties and to determine whether actions can be taken, if applicable, to mitigate any such impacts. Although the coverages of individual construction sites under this permit do not constitute separate Federal undertakings, the screening process in this appendix provides an appropriate site-specific means of addressing historic property issues in connection with EPA's issuance of the permit.

Instructions for All Construction Operators

<u>Key Terms</u>

Historic property- prehistoric or historic districts, sites, buildings, structures, or objects that are included in or eligible for inclusion in the National Register of Historic Places, including artifacts, records, and remains that are related to and located within such properties

SHPO – The State Historic Preservation Officer for a particular state

THPO or Tribal representative – The Tribal Historic Preservation Officer for a particular tribe or, if there is no THPO, the representative designated by such tribe for NHPA purposes

You are required to follow the screening process in this appendix to determine if your installation of stormwater controls on your site has the potential to cause effects to historic properties, and whether or not you need to contact your SHPO, THPO, or other tribal representative for further information. You may not submit your NOI until you have completed this screening process. The following four steps describe how applicants can meet the historic property requirements under this permit:

<u>Step 1</u> Are you installing any stormwater controls that require subsurface earth disturbance?¹

The first step of the screening process is to determine if you will install stormwater controls that cause subsurface earth disturbance. The installation of the following types of stormwater controls require subsurface earth disturbance:²

- Dikes
- Berms
- Catch Basins
- Ponds
- Ditches

² This list is not intended to be exhaustive. Other stormwater controls that are not on this list may involve earth-disturbing activities and must also be examined for the potential to affect historic properties.

¹ You are only required to consider earth-disturbing activities related to the installation of stormwater controls in the NHPA screening process. You are not reqired to consider other earth-disturbing activities at the site. If you are installing one of the above stormwater controls or another type of control that requires subsurface earth disturbance, your stormwater controls have the potential to have an effect on historic properties. If this is the case, then you must proceed to Step 2.

- Trenches
- Culverts
- Channels
- Perimeter Drains
- Swales

If you are not installing one of the above stormwater controls or another type of control that requires subsurface earth disturbance, then you may indicate this on your NOI, and no further screening is necessary. During the 14-day waiting period after submitting your NOI, the SHPO, THPO, or other tribal representative may request that EPA hold up authorization based on concerns about potential adverse effects to historic properties. EPA will evaluate any such request and notify you if any additional controls to address adverse effects to historic properties are necessary.

<u>Step 2</u> Have prior professional cultural resource surveys or other evaluations determined that historic properties do not exist, or have prior disturbances precluded the existence of historic properties?

If you are installing a stormwater control that requires subsurface earth disturbance, you must next determine if no historic properties exist on your site based on prior professional cultural resource surveys or other evaluations, or if the existence of historic properties has been precluded because of prior earth disturbances.

If prior to your project it has already been determined that no historic properties exist at your site based on available information, including information that may be provided by your applicable SHPO, THPO, or other tribal representative, then you may indicate this on your NOI, and no further screening steps are necessary. Similarly, if prior earth disturbances have eliminated the possibility that historic properties exist on your site, you may indicate this on your NOI, and no further screening steps are necessary. After submitting your NOI, and during the 14-day waiting period, the SHPO, THPO, or other tribal representative may request that EPA hold up authorization based on concerns about potential adverse effects to historic properties. EPA will evaluate any such request and notify you if any additional measures to address adverse effects to historic properties are necessary.

If neither of these circumstances exists for your project, you must proceed to Step 3.

<u>Step 3</u> If you are installing any stormwater controls that require subsurface earth disturbance, you must determine if these activities will have an effect on historic properties.

If your answer to the question in Step 2 is "no", then you must assess whether your earthdisturbing activities related to the installation of stormwater controls will have an effect on historic properties. This assessment may be based on historical sources, knowledge of the area, an assessment of the types of earth-disturbing activities you are engaging in, considerations of any controls and/or management practices you will adopt to ensure that your stormwater control-related earth-disturbing activities will not have an effect on historic properties, and any other relevant factors. If you determine based on this assessment that earth disturbances related to the installation of your stormwater controls will have no effect on historic properties, you may indicate this on your NOI, and document the basis for your determination in your SWPPP, and no further screening steps are necessary. After submitting your NOI, and during the 14-day waiting period, the SHPO, THPO, or other tribal representative may request that EPA hold up authorization based on concerns about potential adverse effects to historic properties. EPA will evaluate any such request and notify you if any additional measures to address adverse effects to historic properties are necessary.

If none of the circumstances in Steps 1 - 3 exist for your project, you must proceed to Step 4.

<u>Step 4:</u> If you are installing any stormwater controls that require subsurface earth disturbance and you have not satisfied the conditions in Steps 1 - 3, you must contact and consult with the appropriate historic preservation authorities.

Where you are installing stormwater controls that require subsurface earth disturbance, and you cannot determine in Step 3 that these activities will have no effect on historic properties, then you must contact the relevant SHPO, THPO, or other tribal representative to request their views as to the likelihood that historic properties are potentially present on your site and may be impacted by the installation of these controls.

Note: Addresses for SHPOs and THPOs may be found on the Advisory Council on Historic Preservation's website (www.achp.gov/programs.html). If a tribe does not have a THPO, you should contact the appropriate tribal government office designated by the tribe for this purpose.

You must submit the following minimum information in order to properly initiate your request for information:

- 1. Project name (*i.e.*, the name or title most commonly associated with your project);
- 2. A narrative description of the project;
- 3. Name, address, phone and fax number, and email address (if available) of the operator;
- 4. Most recent U.S. Geological Survey (USGS) map section (7.5 minute quadrangle) showing actual project location and boundaries clearly indicated; and
- 5. Sections of the SWPPP site map (see Part 7.2.4) that show locations where stormwater controls that will cause subsurface earth disturbance will be installed (see Step 1).

Without submitting this minimum information, you will not have been considered to have properly initiated your request. You will need to provide the SHPO, THPO, or other tribal representative a minimum of 15 calendar days after they receive these materials to respond to your request for information about your project.

If you do not receive a response within 15 calendar days after receipt by the SHPO, THPO, or other tribal representative of your request, then you may indicate this on your NOI, and no further screening steps are necessary. Or, if the applicable SHPO, THPO, or other tribal representative responds to your request with an indication that no historic properties will be affected by the installation of stormwater controls at your site, then you may indicate this on your NOI, and during the 14-day waiting period, the SHPO, THPO, or other tribal representative may request that EPA hold up authorization based on concerns about potential adverse effects to historic properties. EPA will evaluate any such request and notify you if any additional measures to address adverse effects to historic properties are necessary.

If within 15 calendar days of receipt of your request the applicable SHPO, THPO, or other tribal representative responds with a request for additional information or for further consultation regarding appropriate measures for treatment or mitigation of effects on historic properties caused by the installation of stormwater controls on your site, you must comply with this request and proceed to Step 5.

<u>Step 5:</u> Consultation with your applicable SHPO, THPO, or other tribal representative.

If, following your discussions with the appropriate historic preservation authorities in Step 4, the applicable SHPO, THPO, or tribal representaive requests additional information or further consultation, you must respond with such information or consult to determine impacts to historic properties that may be caused by the installation of stormwater controls on your site and appropriate measures for treatment or mitigation of such impacts. If as a result of your

discussions with the applicable SHPO, THPO, or tribal representative, you enter into, and comply with, a written agreement regarding treatment and/or mitigation of impacts on your site, then you may indicate this on your NOI, and no further screening steps are necessary.

If, however, agreement on an appropriate treatment or mitigation plan cannot be reached between you and the SHPO, THPO, or other tribal representative within 30 days of your response to the SHPO, THPO, or other tribal representative's request for additional information or further consultation, you may submit your NOI, but you must indicate that you have not negotiated measures to avoid or mitigate such effects. You must also include in your SWPPP the following documentation:

- 1. Copies of any written correspondence between you and the SHPO, THPO, or other tribal representative; and
- 2. A description of any significant remaining disagreements as to mitigation measures between you and the SHPO, THPO, or other tribal representative.

After submitting your NOI, and during the 14-day waiting period, the SHPO, THPO, ACHP or other tribal representative may request that EPA place a hold on authorization based upon concerns regarding potential adverse effects to historic properties. EPA, in coordination with the ACHP, will evaluate any such request and notify you if any additional measures to address adverse effects to historic properties are necessary.

Appendix F - List of Tier 3, Tier 2, and Tier 2.5 Waters

EPA's CGP has special requirements for discharges to waters that receive Tier 2, Tier 2.5, or Tier 3 protections for antidegradation purposes. See Parts 1.1.8 and 3.2.

EPA's antidegradation regulation, at 40 CFR 131.12, provides a framework for maintaining and protecting water quality for: (1) existing uses (known as "Tier 1"); (2) high quality waters by establishing a process for authorizing the lowering of water quality where existing water quality exceeds levels needed to support propagation of fish, shellfish, and wildlife and recreation in and on the water (known as "Tier 2"); and (3) for Outstanding National Resource Waters (known as "Tier 3"). While EPA's antidegradation regulation only outlines three levels of antidegradation protection, some states and tribes include an additional level of antidegradation protection between Tier 2 and Tier 3 (sometimes known as "Tier 2.5").

High quality (Tier 2) waters may be identified on a parameter-by-parameter basis or on a water body-by-water body basis consistent with the requirements of 40 CFR 131.12(a)(2). States and tribes using a parameter-by-parameter basis (sometimes called a "pollutant-by-pollutant approach") do not maintain a list of Tier 2 waters, but instead identify a high quality water at the time an entity proposes an activity that would lower water quality. In contrast, states and tribes using a water body-by-water body basis typically identify high quality waters in advance on a list by weighing a variety of factors (e.g., chemical, physical, biological, and other information) to classify a water body's overall quality.

The list below is provided as a resource for operators who must determine whether they discharge to a Tier 2, Tier 2.5, or Tier 3 water. Where available, the table lists waters specifically identified for Tier 2, Tier 2.5, or Tier 3 protection by a water quality standard authority (*e.g.*, a state or tribe). Operators should not assume that a water does not receive Tier 2, Tier 2.5, or Tier 3 protection solely based on the absence of information in this table. Evaluation regarding antidegradation protections for a specific water may need to be done on a case-by-case basis, especially where the state or tribe uses the parameter-by-parameter approach to identify whether water quality is better than necessary to support propagation of fish, shellfish, and wildlife and recreation in and on the water.

Permit Number	Areas of Coverage/Where EPA Is Permitting Authority		
MAD100000	Commor	nwealth of Massachusetts, except Indian Country lands	
	Tier 2, Tier 2.5, and 3 waters are identified and listed in the Massachusetts Water Quality Standards 314 CMR 4.00. Surface water qualifiers that correspond with Tier classifications are defined at 314 CMR 4.06(1)(d)m and listed in tables and figures at the end of 314 CMR 4.06. See MassDEP's web page at: <u>http://www.mass.gov/eea/agencies/massdep/water/regulations/314-cmr-4-00-</u> <u>mass-surface-water-quality-standards.html</u> . See also: <u>https://www.epa.gov/wqs-tech/water-quality-standards-regulations-</u> <u>mass-aphysetts</u>		
	<u>111assaci</u>	Listed as "High Quality Waters", and all wetlands that are not designated	
	Tier 2	as an Outstanding Resource Water.	
	Tier 2.5	Listed as "Outstanding Resource Water", "Public Water Supply", "Tributary to Public Water Supply", all wetlands bordering Outstanding Resource Waters, and vernal pools.	
	Tier 3	Defined as "Special Resource Water". Note: No waters have been identified as a Special Resource Water as of the issuance of this permit.	

Permit Number	Areas of Coverage/Where EPA Is Permitting Authority		
	State of New Hampshire		
NUD100000	Tier 2 waters are identified on a parameter-by-parameter basis. Tier 2.5 and 3 waters are identified and listed in the New Hampshire Water Quality Standards CHAPTER Env-Wq 1700. Description of the antidegradation tiers are included at CHAPTER Env-Wq 1708 and listed in the tables at. New dischargers and new sources should contact EPA Region 1's stormwater coordinator found at https://www.epa.gov/npdes/contact-us-stormwater#regional. See also: https://www.epa.gov/wqs-tech/water-quality-standards-regulations-new- hampshire		
	Env-Ws 1708.05(a) Surface waters of national forests and surface waters		
	Tier 3 Tier 3 Tier 3 Tier 3 Tier 3 Tier 3 Tier 4 Tier 4 Tier 4 Tier 4 Tier 5 Tier 5		
	Saint Regis Mohawk Tribe (NY)		
	Tier 2 waters are identified on a parameter-by-parameter basis. There is not a Tier 2.5 classification identified in the Saint Regis Mohawk Tribe Water Quality Standards. New dischargers and new sources should contact EPA Region 2's stormwater coordinator found at <u>https://www.epa.gov/npdes/contact-us-</u> <u>stormwater#regional</u> . See:		
	https://www.epa.gov/sites/production/files/2014-12/documents/stregis-tribe.pdf		
NYR10I000	Outstanding Resource Waters. Those waters designated as such by the Tribe. The Waters that may be considered for designation as Outstanding Resource Waters include, but are not limited to, water bodies that are recognized as: (i) Important because of protection through official action, such as Tribal, Federal or State law, Presidential or secretarial action, international treaty, or interstate compact; (ii) Having exceptional recreational significance; (iii) Having exceptional ecological significance; (iv) Having other special environmental, recreational, religious or ecological attributes; or waters whose designation as Outstanding Resource Waters is reasonably necessary for the protection of other waters so designated. New dischargers and new sources should contact EPA Region 2's stormwater coordinator found at https://www.epa.gov/npdes/contact-us-stormwater#regional.		

Permit Number		Areas of Coverage/Where EPA Is Permitting Authority	
	Common	wealth of Puerto Rico	
	Tier 2 wat 2.5 classif discharge coordina <u>stormwat</u> https://ww	ters are identified on a parameter-by-parameter basis. There is not a Tier ication identified in the Puerto Rico Water Quality Standards. New ers and new sources should contact EPA Region 2's stormwater tor found at <u>https://www.epa.gov/npdes/contact-us-</u> <u>er#regional</u> . See: ww.epa.gov/wgs-tech/water-guality-standards-regulations-puerto-rico	
	11110001711	Tier III waters are those which are classified as either Class SA or Class SF	
PRR100000	Tier 3	Class SA waters are defined as "Coastal waters and estuarine waters of high quality and/or exceptional ecological or recreational value whose existing characteristics shall not be altered, except by natural causes, in order to preserve the existing natural phenomena." Class SA waters include bioluminiscent lagoons and bays such as La Parguera and Monsio José on the Southern Coast, Bahía de Mosquito in Vieques, and any other coastal or estuarine waters of exceptional quality of high ecological value or recreational which may be designated by Puerto Rico, through Resolution, as requiring this classification for protection of the waters. Class SE waters are defined as "Surface waters and wetlands of exceptional ecological value, whose existing natural phenomena." Class SE waters include Laguna Tortuguero, Laguna Cartagena and any other surface water bodies of exceptional ecological value as may be designated by Puerto Rico through Resolution.	
	District of	Columbia	
	New disc coordina stormwat Columbia	hargers and new sources should contact EPA Region 3's stormwater tor found at <u>https://www.epa.gov/npdes/contact-us-</u> <u>er#regional</u> . Tier 2.5 waters are identified and listed in the District of a Water Quality Standards. See:	
DCR100000	https://ww dc	ww.epa.gov/wqs-tech/water-quality-standards-regulations-washington-	
	Tier 2.5	Rule 1102.4 SPECIAL WATERS OF THE DISTRICT OF COLUMBIA (SWDC): Any segment or segments of the surface waters of the District that are of water quality better than needed for the current use or have scenic or aesthetic importance shall be designated as Special Waters of the District of Columbia (SWDC). Rock Creek and its tributaries and Battery Kemble Creek and its tributaries are considered Special Waters of the District of Columbia (SWDC) under its antidegradation program.	
	Miccosuk	xee Tribe (FL)	
FLR101000	New dischargers and new sources should contact EPA Region 4's stormwater coordinator found at <u>https://www.epa.gov/npdes/contact-us-</u> <u>stormwater#regional</u> . The Miccosukee Tribe Water Quality Standards includes an additional tier of protection between Tier 2 and 3 that is referred as Tier 2 ¾ for Outstanding Miccosukee Waters. See:		
	<u>https://w</u> <u>tribe-india</u>	ww.epa.gov/wqs-tech/water-quality-standards-regulations-miccosukee- ans-florida	

Permit Number		Areas of Coverage/Where EPA Is Permitting Authority
	Tier 2 ¾	Outstanding Miccosukee Waters (OMW): The Miccosukee Tribe recognizes that the waters of its Federal Reservation which are contained within Water Conservation Area 3-A and the Miccosukee Reserved Area constitute the Tribe's highest quality waters and must be preserved in as pristine a condition as possible while at the same time allowing for the activities of man. These ecologically important waters are essential to the survival of the Miccosukee Tribe, therefore: The Miccosukee Tribe hereby designates the waters of its Federal Reservation which are contained within Water Conservation Area 3-A (North Grass, South Grass, Gap) and Miccosukee Reserved Area as Class II-A and Outstanding Miccosukee waters (OMW). The North Grass is defined as that area bounded by the northern boundary of the reservation, the eastern edge of the L-28 levee (which is east of the L-28 canal), the southern edge of the C-60 Canal, and the eastern boundary of the reservation. The South Grass is defined as the area bounded by southern edge of the C-60 Canal, and the eastern edge of the L-28 canal (which is south of the L-28 Tieback Canal), a line running north from the L-28 Canal (where the L-28 Canal turns northwest to become the L-28 Tieback Canal) until this line intercepts the L-28 Interceptor Canal, and the eastern boundary of the reservation, the enservation, the northeastern edge of the L-28 Interceptor Canal, and the eastern boundary of the reservation, the eastern boundary of the reservation, the user the L-28 Interceptor Canal, and the eastern edge of the L-28 Interceptor Canal, the oil pipeline until the oil pipeline intercepts the L-28 Interceptor Canal, and the eastern edge of the L-28 Interceptor Canal, the oil pipeline which runs generally south from the L-28 Canal until the pipeline intercepts a line running north from the L-28 Canal until the eile pipeline until the oil pipeline the L-28 Tieback Canal, and the eastern edge of the L-28 Interceptor Canal, and the eastern edge of the L-28 Interceptor Canal, and the eastern edge
	Tier 3	Tier 3: Outstanding Natural Resource Waters (ONRW): Where high quality waters constitute an Outstanding Tribal resource such as waters of parks and wildlife refuges and waters of exceptional ecological and recreational significance, that water quality shall be maintained and protected. These waters shall be designated as Outstanding Natural Resource Waters (ONRW). Currently, no Tribal waters are designated as ONRW.
	Seminole	e Tribe (FL)
	New disc coordina <u>stormwa</u>	chargers and new sources should contact EPA Region 4's stormwater ator found at <u>https://www.epa.gov/npdes/contact-us-</u> <u>ter#regional</u> . See also:
	<u>https://w</u> 12/docu	ww.epa.gov/sites/production/files/2014- ments/seminole_floridawqs.pdf

Permit Number		Areas of Coverage/Where EPA Is Permitting Authority		
	Fond du	Lac Band of MN Chippewa		
	Tier 2 waters are identified on a parameter-by-parameter basis. There is not a Tier 2.5 classification identified in the Fond du Lac Band of MN Chippewa Water Quality Standards. New dischargers and new sources should contact EPA Region 5's stormwater coordinator found at <u>https://www.epa.gov/npdes/contact-us-stormwater#regional</u> . See:			
	https://w	ww.epa.gov/wqs-tech/water-quality-standards-regulations-fond-du-lac-		
	Tier 3	Six Lakes are presently identified as Tier 3/Outstanding Reservation Resource Waters (ORRW): (1) Dead Fish Lake; (2) Jaskari Lake; (3) Miller (Mud) Lake; (4) Perch Lake; (5) Rice Portage Lake; (6) Wild Rice Lake.		
	Grand Po	ortage Band of MN Chippewa		
MNR101000	Tier 2 wa of protect Grand Pe OTWR-Re circumst water qu EPA Regi https://w	ters are identified on a parameter-by-parameter basis. Two subcategories ction (referred to as outstanding tribal water resource (OTWR)) exist in the ortage Band of MN Chippewa Water Quality Standards as follows: (a) estricted (lowered water quality may be allowed under limited ances); (b) OTWR-Prohibited (Discharges and permanent lowering of uality are prohibited). New dischargers and new sources should contact ion 5's stormwater coordinator found at www.epa.gov/npdes/contact-us-stormwater#regional. See:		
	https://www.epa.gov/wgs-tech/water-guality-standards-regulations-grand-			
	portage-	band-minnesota-chippewa-tribe		
	Tier 2	OTWR-Restricted: All waters, not already classified as Tier 3, are high quality Tier 2 waters (see Grand Portage Reservation Water Quality Standards, Section VI & VII, Pages 14-16).		
	Tier 3	OTWR-Prohibited: "The portion of Lake Superior north of latitude 47 degrees, 57 minutes, 13 seconds, east of Hat Point, south of the Minnesota-Ontario boundary, and west of the Minnesota-Michigan boundary" (see Section VII, Page 16).		
	Bad Rive	r Band of Lake Superior Chippewa (WI)		
WIR101000	Tier 2 waters are identified on a water body-by-water body basis. Tier 2, 2.5, and 3 classifications are included in the Bad River Band of Lake Superior Chippewa Water Quality Standards. See:			
	https://w band-lak	ww.epa.gov/wqs-tech/water-quality-standards-regulations-bad-river- ke-superior-chippewa-tribe		
	Tier 2	Any surface water not specifically classified as Outstanding Tribal Resource Water or Outstanding Resource Water is classified as Exceptional Resource Water (Anishinaabosibiing).		
	Tier 2.5	Outstanding Resource Waters: a portion of Bad River, from downstream the confluence with the White River to Lake Superior, White River, Marengo River, Graveyard Creek, Bear Trap Creek, Wood Creek, Brunsweiler River, Tyler Forks, Bell Creek, and Vaughn Creek.		

Permit Number		Areas of Coverage/Where EPA Is Permitting Authority
	Tier 3	Outstanding Tribal Resource Waters: Kakagon Slough and the lower wetland reaches of its tributaries that support wild rice, Kakagon River, Bad River Slough, Honest John Lake, Bog Lake, a portion of Bad River, from where it enters the Reservation through the confluence with the White River, and Potato River.
	Lac du Fl	ambeau Band of the Lake Superior Chippewa
	Tier 2 wa classifica Chippew	ters are identified on a water body-by-water body basis. Tier 2, 2.5, and 3 Itions are included in the Lac du Flambeau Band of the Lake Superior va Water Quality Standards. See:
	https://w	ww.epa.gov/wqs-tech/water-quality-standards-regulations-lac-du-
	nampea	u-band-lake-superior-chippewa-tilbe
	Tier 2	All named waters, including wetlands, not specified under an Antidegradation classification are classified as Tribal Resource Water (Tier 2). Unclassified Named Waters (Tier 2): Buckskin Lake; Flambeau Lake; Long (Interlaken) Lake); Marland's Lake (Sec. 13, T40NR4E); Moss Lake; Pokegema Lake.
	Tier 2.5	Exceptional Tribal Resource Waters: Bills Lake, Birch Lake, Bobidosh Lake, Bog Lake (SE SE Sec. 31, T40NR6E), Bolton Lake, Broken Bow Lake, Chewalah Lake, Clear Lake (Sec. 2, T39NR4E), Corn Great, Great, Corn Lake, Little "Least/Lesser", Crawling Stone Lake, Big, Crawling Stone Lake, Little, Crescent Lake, Crooked Lake, Big, David Lake, Ellerson Lake, Middle, Ellerson Lake, West, Elsie Lake "Boundary Lake", Fat Lake, Fence Lake, Gresham Creek, Green Lake (NW NW Sec. 19, T41R6E), Grey Lake, Gunlock Lake, Haskell Lake, Headflyer Lake (Sec. 19, T41NR5E), Highway Lake (NW NW Sec. 19, T41NR5E), Horsehead Lake (SE SW Sec. 9, T40NR5E), Hutton's Creek, Ike Walton Lake, Lily Lake (SE SW Sec. 35, T40NR5E), Little Ten Lake, Lodge Lake "L. Rice" (NW NW Sec. 8, T41NR6E), Lucy Lake, Mindys Lake (Sec. 8, T40NR5E), Minette Lake, Mitten Lake, Monk's Lake (Sec. 13, T40NR5E), Moving Cloud Lake, Mud Creek, Muskesin Lake, Patterson Lake, Placid Twin Lake (North), Placid Twin Lake (South), Plummer Lake, Poupart Lake, Sand Lake, Little, Scott Lake (Sec. 22, T40N, R4E), Shishebogama Lake, Signal Lake, Snort Lake (Sec. 5, T41N, R6E), Spring Lake "Jerms", Squirrel Lake, Statenaker Lake "Hollow", Stearns Lake "Hourglass", Sugarbush "Hidden Lake" (NW NW Sec. 17, T41NR5E), Sugarbush Creek, Sugarbush Lake, Little, Sugarbush Lake, Lower, Sugarbush Lake, Middle, Sugarbush Lake, Upper, Sunfish Lake, Tippecanoe Lake, Tomahawk River, To-To Tom Lake, Toulish Lake, Trout River, Warrior Lake, White Sand Lake, Whitefish Lake "Cattail Lake" (Sec. 34, T40NSR), Wishow Lake, Wyandock Lake.
	Tier 3	Outstanding Tribal Resource Waters: Bear River (1st bridge to Reservation boundary), Big Springs (Sec. 25, T40NR4E), Black Lake, Cranberry Lake, Doud Lake, Eagle Lake, Gene Lake, Johnson Springs, Little Trout Lake, Lost Lake (Sect. 1, T41NR4E), Mishonagon Creek, Munnomin (Jesse, Duck) Lake, Negani (Hegani) Lake, Reservation Line Lake, Spring Creek, Tank Lake, Thomas Lake, Wild Rice Lake, Zee Lake.

Permit Number	Areas of Coverage/Where EPA Is Permitting Authority		
	State of New Mexico		
	Tier 2 waters are identified on a parameter-by-parameter basis. There is not a Tier 2.5 classification identified in the State of New Mexico Water Quality Standards. New dischargers and new sources should contact EPA Region 6's stormwater coordinator found at <u>https://www.epa.gov/npdes/contact-us-</u>		
	https://www.epa.gov/wgs-tech/water-guality-standards-regulations-new-mexico		
NMR100000	Tier 2 If you need assistance determining if your discharge is to a Tier 2 waterbody, please contact the NMED Surface Water Quality Bureau's Stormwater Program at <u>https://www.env.nm.gov/swqb/StormWater/index.html</u> .		
	Tier 3 See <u>https://www.env.nm.gov/swqb/ONRW/</u> for current list of NMED's Tier 3/Outstanding National Resource Waters. See also New Mexico's Water Quality Standards at 20.6.4.9.D NMAC.		
	Ohkay Owingeh (NM) (formerly the Pueblo of San Juan)		
	New dischargers and new sources should contact EPA Region 6's stormwater coordinator found at <u>https://www.epa.gov/npdes/contact-us-</u> <u>stormwater#regional</u> . See also: <u>https://www.epa.gov/wqs-tech/water-quality-standards-regulations-ohkay-</u> owingeh-pueblo-formerly-pueblo-san-juan		
	Pueblo of Acoma (NM)		
	New dischargers and new sources should contact EPA Region 6's stormwater coordinator found at <u>https://www.epa.gov/npdes/contact-us-</u> <u>stormwater#regional</u> . See also:		
	acoma		
	Pueblo of Isleta (NM)		
NMR101000	New dischargers and new sources should contact EPA Region 6's stormwater coordinator found at <u>https://www.epa.gov/npdes/contact-us-</u> <u>stormwater#regional</u> . See also:		
	https://www.epa.gov/wqs-tech/water-quality-standards-regulations-pueblo-isleta		
	Pueblo of Nambe (NM)		
	New dischargers and new sources should contact EPA Region 6's stormwater coordinator found at <u>https://www.epa.gov/npdes/contact-us-</u> stormwater#regional. See also:		
	https://www.epa.gov/wqs-tech/water-quality-standards-regulations-pueblo- nambe		
	Pueblo of Picuris (NM)		
	New dischargers and new sources should contact EPA Region 6's stormwater coordinator found at <u>https://www.epa.gov/npdes/contact-us-</u> <u>stormwater#regional</u> . Tier 2, 2.5, and 3 classifications are included in the Pueblo of Picuris Water Quality Standards. See:		
	https://www.epa.gov/wqs-tech/water-quality-standards-regulations-pueblo- picuris		

Permit Number	Areas of Coverage/Where EPA Is Permitting Authority
	Pueblo of Pojoaque (NM)
	New dischargers and new sources should contact EPA Region 6's stormwater coordinator found at <u>https://www.epa.gov/npdes/contact-us-</u> stormwater#regional. See also:
	https://www.epa.gov/wqs-tech/water-quality-standards-regulations-pueblo- pojoaque
	Pueblo of Sandia (NM)
	New dischargers and new sources should contact EPA Region 6's stormwater coordinator found at <u>https://www.epa.gov/npdes/contact-us-</u> stormwater#regional. See also:
	https://www.epa.gov/wqs-tech/water-quality-standards-regulations-pueblo- sandia
	Pueblo of Santa Ana (NM)
	New dischargers and new sources should contact EPA Region 6's stormwater coordinator found at <u>https://www.epa.gov/npdes/contact-us-</u> stormwater#regional, See also:
	https://www.epa.gov/wqs-tech/water-quality-standards-regulations-pueblo-
	Pueblo of Santa Clara (NM)
	New dischargers and new sources should contact EPA Region 6's stormwater coordinator found at <u>https://www.epa.gov/npdes/contact-us-</u> <u>stormwater#regional</u> . See also: https://www.epa.gov/wgs-tech/water-guality-standards-regulations-pueblo-
	<u>santa-clara</u>
	Pueblo of Taos (NM)
	New dischargers and new sources should contact EPA Region 6's stormwater coordinator found at <u>https://www.epa.gov/npdes/contact-us-</u> stormwater#regional. See also:
	https://www.epa.gov/wqs-tech/water-quality-standards-regulations-pueblo-taos
	Tier 3 Outstanding Tribal Resource Waters: Mountain Lakes; Mountain Streams & Springs;
	Pueblo of Tesuque (NM)
	New dischargers and new sources should contact EPA Region 6's stormwater coordinator found at <u>https://www.epa.gov/npdes/contact-us-</u> stormwater#regional. See also:
	https://www.epa.gov/wqs-tech/water-quality-standards-regulations-pueblo- tesuque
	Ute Mountain Ute Tribe
COR101000	Tier 2 waters are identified on a parameter-by-parameter basis. There is not a Tier 2.5 classification identified in the Ute Mountain Ute Tribe Water Quality Standards. New dischargers and new sources should contact EPA Region 8's stormwater coordinator found at <u>https://www.epa.gov/npdes/contact-us-stormwater#regional</u> . See also:

Permit Number	Areas of Coverage/Where EPA Is Permitting Authority		
	https://www.epa.gov/wqs-tech/water-quality-standards-regulations-ute- mountain-ute-tribe		
	Tier 3	Outstanding Tribal Resource Waters: 1. Ute Spring and unnamed creek from Ute Spring downstream within Section 12, TWP35N R18W (Colorado). 2. Allen Canyon Creek, Sections 17, 20, 29, 30, 31, TWP 35S, R21E (Utah) 3. "Lopez" Spring and unnamed creek tributary to and downstream from the spring, within Section 35, TWP 34N, R18W	
	Assiniboi	ne and Sioux Tribes of the Fort Peck Indian Reservation (MT)	
	Tier 2 wa 2.5 classi Indian Re should co <u>https://w</u>	ters are identified on a water body-by-water body basis. There is not a Tier fication identified in the Assiniboine and Sioux Tribes of the Fort Peck eservation Water Quality Standards. New dischargers and new sources ontact EPA Region 8's stormwater coordinator found at ww.epa.gov/npdes/contact-us-stormwater#regional. See also:	
	https://w	ww.epa.gov/wqs-tech/water-quality-standards-regulations-assiniboine-	
	Tier 2	Most Tribal Waters will qualify as Tier 2 waters. Unless the water body is not attaining the Clean Water Act Section 101(a)(2) goals, the water body has received an OTRW designation, or there is no assimilative capacity for pollutants to protect existing and designated uses, it is likely that the water body will receive Tier 2 protection.	
	Confede	rated Salish and Kootenai Tribes of the Flathead Reservation (MT)	
MTR101000	Tier 2 waters are identified on a water body-by-water body basis. There is not a Tier 2.5 classification identified in the Confederated Salish and Kootenai Tribes of the Flathead Reservation Water Quality Standards. New dischargers and new sources should contact EPA Region 8's stormwater coordinator found at https://www.epa.gov/npdes/contact-us-stormwater#regional . See also:		
	<u>https://w</u> confede	ww.epa.gov/wqs-tech/water-quality-standards-regulations- rated-salish-and-kootenai-tribes-flathead	
	Tier 3	The following are Tier 3 waters: All waters located within Tribally designated primitive or wilderness areas.	
	Northern	Cheyenne (MT)	
	Tier 2 waters are identified on a water body-by-water body basis. There is not a Tier 2.5 classification identified in the Northern Cheyenne Water Quality Standards. New dischargers and new sources should contact EPA Region 8's stormwater coordinator found at <u>https://www.epa.gov/npdes/contact-us-stormwater#regional</u> . See also: <u>https://www.epa.gov/wqs-tech/water-quality-standards-regulations-northern-cheyenne-tribe-northern-cheyenne-tresetvation</u>		
	Island of	American Samoa	
ASR100000	New disc coordina stormwa 12/docu	hargers and new sources should contact EPA Region 9's stormwater tor found at <u>https://www.epa.gov/npdes/contact-us-</u> <u>ter#regional</u> . See also: <u>https://www.epa.gov/sites/production/files/2014-</u> <u>ments/aswqs.pdf</u>	

Permit Number	Areas of Coverage/Where EPA Is Permitting Authority			
	Hopi Trib	e (AZ)		
	Tier 2 waters are identified on a parameter-by-parameter basis. There is not a Tier 2.5 classification identified in the Hopi Tribe Water Quality Standards. New dischargers and new sources should contact EPA Region 9's stormwater coordinator found at <u>https://www.epa.gov/npdes/contact-us-</u> stormwater#regional. See also:			
	https://w	ww.epa.gov/wqs-tech/water-quality-standards-regulations-hopi-tribe		
	Tier 3	Unique Waters: In the Moencopi Wash watershed, from Blue Canyon Springs to the confluence of Begashibito Wash.		
	Hualapa	i Indian Tribe (AZ)		
	Tier 2 waters are identified on a parameter-by-parameter basis. There is not a Tier 2.5 classification identified in the Hualapai Indian Tribe Water Quality Standards. New dischargers and new sources should contact EPA Region 9's stormwater coordinator found at <u>https://www.epa.gov/npdes/contact-us-stormwater#regional</u> . See also:			
	https://w	https://www.epa.gov/wqs-tech/water-quality-standards-regulations-hualapai-		
	<u>tribe</u>			
AZR101000	Tier 3	Segments assigned as Tier 3: Spencer; Meriwhitica; Willow Spring; Upper Milkweed Spring; Bridge Canyon; Travertine Spring; Travertine Falls; Diamond Creek; Diamond Creek Spring; Blue Mountain; Metuck; Peach Springs Spring; Westwater; Clay Tank; Hocky Puck; Pocamote Spring; Mohawk Spring; Granite Spring; Three Spring; Warm Spring; Honga Spring; National Canyon Spring; National Canyon; Moss Spring.		
	Navajo N	Jation (AZ, NM, UT)		
	New disc coordina stormwa	chargers and new sources should contact EPA Region 9's stormwater ator found at <u>https://www.epa.gov/npdes/contact-us-</u> t <u>er#regional</u> . See also:		
	https://www.epa.gov/wqs-tech/water-quality-standards-regulations-navajo- nation			
	White Mo	ountain Apache Tribe (AZ)		
	Tier 2 waters are identified on a water body-by-water body basis. Tier classifications are identified in Appendix B of the White Mountain Apache Tribe Water Quality Standards. New dischargers and new sources should contact EPA Region 9's stormwater coordinator found at <u>https://www.epa.gov/npdes/contact- us-stormwater#regional</u> . See also:			
	https://w mountain	ww.epa.gov/wqs-tech/water-quality-standards-regulations-white- n-apache-tribe		

Permit Number	Areas of Coverage/Where EPA Is Permitting Authority		
	Tier 2	High Quality Waters: East Fork White River, above R52 Road; Paradise Creek, above Wohlenberg; Ord Creek; Smith Cienega; Bull Cienega; Smith Creek; Big Bonito; Tonto Creek, below Y47 Crossing; Crooked Creek; Boggy Creek; Little Bonito Creek, above Y55 Crossing; Flash Creek; Squaw Creek; Hurricane Lake; Hurricane Creek; Hughey Creek; Bonito Cienega; West Fork Black River; Hall Cienega; Purcell Cienega; Thompson Creek; Cibecue Creek in Box Canyon to Salt river; Rock Springs Creek; Willow Creek (Lower Canyon Cr.). Sensitive Waters (treated the same manner as Tier 2): East Fork White River below R52 Road, above Rock Cr; Lofer Cienega Creek; Carrizo Creek above Corduroy; Cedar Creek; Big Canyon (E. Cedar Creek); Middle Cedar Creek; West Cedar Creek; Cibecue Creek, Box Canyon up to Confluence with Salt Creek; Spring Creek; Salt Creek; Cibecue Creek, from confluence w/Salt Cr. To Big Springs; Cibecue Creek, above Big Springs; Salt Draw; Canyon Creek S. of Chediski Farms; Oak Creek; Canyon Creek, N. of Chediski Farms.	
	Tier 3	Outstanding Waters: East Fork White River, in Wilderness area; Pumpkin Lake.	
	Big Pine	Band of Owens Valley (CA)	
	New disc coordina stormwa https://w	chargers and new sources should contact EPA Region 9's stormwater ator found at <u>https://www.epa.gov/npdes/contact-us-</u> <u>ter#regional</u> . See also: <u>www.epa.gov/wqs-tech/water-quality-standards-regulations-big-pine-</u> ibe-owens-valley.	
	Hoopa V	alley Tribe (CA)	
	New disc coordina stormwa https://w tribe	chargers and new sources should contact EPA Region 9's stormwater ator found at <u>https://www.epa.gov/npdes/contact-us-</u> <u>ter#regional</u> . See also: //ww.epa.gov/wqs-tech/water-quality-standards-regulations-hoopa-valley-	
CAR101000	Paiute-Sł	noshone Indians of the Bishop Community (CA)	
	New dischargers and new sources should contact EPA Region 9's stormwater coordinator found at <u>https://www.epa.gov/npdes/contact-us-</u> <u>stormwater#regional</u> . See also: <u>https://www.epa.gov/wqs-tech/water-quality-standards-regulations-bishop-</u> paiute-tribe		
	Twenty-N	line Palms (CA)	
	New disc coordina stormwa https://w palms-ba	chargers and new sources should contact EPA Region 9's stormwater ator found at <u>https://www.epa.gov/npdes/contact-us-</u> <u>ter#regional</u> . See also: <u>ww.epa.gov/wqs-tech/water-quality-standards-regulations-twenty-nine-</u> and-mission-indians	

Permit Number	Areas of Coverage/Where EPA Is Permitting Authority			
GUR100000	Island of (Guam		
	New dischargers and new sources should contact EPA Region 9's stormwater coordinator found at <u>https://www.epa.gov/npdes/contact-us-stormwater#regional</u> . See also: <u>https://www.epa.gov/sites/production/files/2014-12/documents/aswas.pdf</u>			
	Johnston ,	Atoll		
JAR100000	New dischargers and new sources should contact EPA Region 9's stormwa coordinator found at <u>https://www.epa.gov/npdes/contact-us-</u> stormwater#regional			
	Common	wealth of the Northern Mariana Islands		
MPR100000	New dischargers and new sources should contact EPA Region 9's stormwater coordinator found at <u>https://www.epa.gov/npdes/contact-us-</u> <u>stormwater#regional</u> . See also: <u>https://www.epa.gov/sites/production/files/2014-</u> <u>12/documents/aswgs.pdf</u>			
	Midway Is	sland and Wake Island		
MWR100000	New dischargers and new sources should contact EPA Region 9's stormwater coordinator found at <u>https://www.epa.gov/npdes/contact-us-</u> stormwater#regional			
	Pyramid L	ake Paiute (NV)		
NVR10000I	New dischargers and new sources should contact EPA Region 9's stormwater coordinator found at <u>https://www.epa.gov/npdes/contact-us-</u> <u>stormwater#regional</u> . See also:			
	https://www.epa.gov/wqs-tech/water-quality-standards-regulations-pyramid-lake- paiute-tribe			
	State of Id	laho		
	Tier 2 waters are identified on a water body-by-water body basis. There is not a Tier 2.5 classification identified in the State of Idaho Water Quality Standards. New dischargers and new sources should contact EPA Region 10's stormwater coordinator found at <u>https://www.epa.gov/npdes/contact-us-stormwater#regional</u> . See also:			
IDR100000	https://wv	ww.epa.gov/wqs-tech/water-quality-standards-regulations-idaho		
	Tier 2 and Tier 3	For Tier 2 and Tier 3 waters, please consult the most recent approved version of Idaho's Idaho Integrated Report, available at: <u>http://www.deq.idaho.gov/water-quality/surface-water/monitoring- assessment/integrated-report/</u> and the closest regional office of the Idaho Department of Environmental Quality: <u>http://www.deq.idaho.gov/regional-offices-issues/</u> .		
IDR101000	Coeur D'A	Alene Tribe (ID)		
	Tier 2 waters are identified on a water body-by-water body basis. There is not a Tier 2.5 classification identified in the Coeur D'Alene Tribe Water Quality Standards. New dischargers and new sources should contact EPA Region 10's stormwater coordinator found at https://www.epa.gov/npdes/contact-us-stormwater#regional . See also:			
	https://www.epa.gov/wqs-tech/water-quality-standards-regulations-coeur- dalene-tribe-indians			

Permit Number	Areas of Coverage/Where EPA Is Permitting Authority
	Confederated Tribes of the Warm Springs Reservation (OR)
	New dischargers and new sources should contact EPA Region 10's stormwater coordinator found at <u>https://www.epa.gov/npdes/contact-us-</u> stormwater#regional. See also:
	https://www.epa.gov/wqs-tech/water-quality-standards-regulations- confederated-tribes-warm-springs-indian-reservation
ORRI0000	Confederated Tribes of Umatilla (OR)
	New dischargers and new sources should contact EPA Region 10's stormwater coordinator found at <u>https://www.epa.gov/npdes/contact-us-</u> stormwater#regional. See also:
	https://www.epa.gov/wqs-tech/water-quality-standards-regulations- confederated-tribes-umatilla-indian-reservation-oregon
	Confederated Tribes of the Chehalis Reservation (WA)
	Tier 2 waters are identified on a parameter-by-parameter basis. There is not a Tier 2.5 classification identified in the Confederated Tribes of the Chehalis Reservation Water Quality Standards. New dischargers and new sources should contact EPA Region 10's stormwater coordinator found at <u>https://www.epa.gov/npdes/contact-us-stormwater#regional</u> .
	https://www.epa.gov/wqs-tech/water-quality-standards-regulations- confederated-tribes-chehalis-reservation
	Confederated Tribes of the Colville Reservation (WA)
	EPA established federal water quality standards for the Confederated Tribes of the Colville Reservation at 40 CFR 131.35. See:
	https://www.epa.gov/wqs-tech/water-quality-standards-regulations- confederated-tribes-colville-reservation
	Kalispel Indian Community (WA)
WAR101000	New dischargers and new sources should contact EPA Region 10's stormwater coordinator found at <u>https://www.epa.gov/npdes/contact-us-</u> stormwater#regional. See also:
	https://www.epa.gov/wqs-tech/water-quality-standards-regulations-kalispel-
	New dischargers and new sources should contact EPA Region 10's stormwater
	coordinator found at <u>https://www.epa.gov/npdes/contact-us-</u> stormwater#regional. See also:
	https://www.epa.gov/wqs-tech/water-quality-standards-regulations-lummi-nation
	Makah Indian Nation (WA)
	New dischargers and new sources should contact EPA Region 10's stormwater coordinator found at <u>https://www.epa.gov/npdes/contact-us-</u> <u>stormwater#regional</u> . See also:
	https://www.epa.gov/wqs-tech/water-quality-standards-regulations-makah- indian-nation

Permit Number	Areas of Coverage/Where EPA Is Permitting Authority
	Port Gamble S'Klallam (WA)
	New dischargers and new sources should contact EPA Region 10's stormwater coordinator found at <u>https://www.epa.gov/npdes/contact-us-</u> stormwater#regional. See also:
	https://www.epa.gov/wqs-tech/water-quality-standards-regulations-port-gamble- sklallam-tribe
	Puyallup Tribe of Indians (WA)
	New dischargers and new sources should contact EPA Region 10's stormwater coordinator found at <u>https://www.epa.gov/npdes/contact-us-</u> <u>stormwater#regional</u> . See also:
	https://www.epa.gov/wqs-tech/water-quality-standards-regulations-puyallup- tribe-indians
	Spokane Tribe of Indians (WA)
	New dischargers and new sources should contact EPA Region 10's stormwater coordinator found at <u>https://www.epa.gov/npdes/contact-us-</u> <u>stormwater#regional</u> . See also:
	https://www.epa.gov/wqs-tech/water-quality-standards-regulations-spokane- tribe-indians

Appendix G – Buffer Requirements

The purpose of this appendix is to assist you in complying with the requirements in Part 2.2.1 of the permit regarding the establishment of natural buffers and/or equivalent sediment controls. This appendix is organized as follows:

G.ŕ	I Sites and	That Are Required to Provide and Maintain Natural Buffers and/or Equivalent Erosion Sediment controls	2	
G.2	G.2 Compliance Alternatives and Exceptions			
	G.2.1	Compliance Alternatives	2	
	G.2.2	Exceptions to the Compliance Alternatives	3	
	G.2.3	Requirements for Providing and Maintaining Natural Buffers	4	
	G.2.4	Guidance for Providing the Equivalent Sediment Reduction as a 50-foot Buffer	7	
G.3 Small Residential Lot Compliance Alternatives		11		
	G.3.1	Small Residential Lot Compliance Alternative Eligibility	11	
	G.3.2	Small Residential Lot Compliance Alternatives	11	
G.1 SITES THAT ARE REQUIRED TO PROVIDE AND MAINTAIN NATURAL BUFFERS AND/OR EQUIVALENT EROSION AND SEDIMENT CONTROLS

The requirement in Part 2.2.1 to provide and maintain natural buffers and/or equivalent erosion and sediment controls applies for any discharges to waters of the U.S. located within 50 feet of your site's earth disturbances. If the water of the U.S. is not located within 50 feet of earth-disturbing activities, Part 2.2.1 does not apply. See Figure G-1.



Figure G-1 Example of earth-disturbing activities within 50 feet of a water of the U.S.

G.2 COMPLIANCE ALTERNATIVES AND EXCEPTIONS

G.2.1 Compliance Alternatives

If Part 2.2.1 applies to your site, you have three compliance alternatives from which you can choose, unless you qualify for any of the exceptions (see below and Part 2.2.1.a):

- 1. Provide and maintain a 50-foot undisturbed natural buffer; or
- 2. Provide and maintain an undisturbed natural buffer that is less than 50 feet and is supplemented by erosion and sediment controls that achieve the sediment load reduction equivalent to a 50-foot undisturbed natural buffer; or
- 3. If infeasible to provide and maintain an undisturbed natural buffer of any size, implement erosion and sediment controls to achieve the sediment load reduction equivalent to a 50-foot undisturbed natural buffer.¹

The compliance alternative selected must be maintained throughout the duration of permit coverage.

See Part G.2.2 below for exceptions to the compliance alternatives.

See Part G.2.3 for requirements applicable to providing and maintaining natural buffers under compliance alternatives 1 and 2 above.

See Part G.2.4 for requirements applicable to providing erosion and sediment controls that achieve the sediment load reduction equivalent to a 50-foot undisturbed natural buffer under compliance alternatives 2 and 3 above.

G.2.2 Exceptions to the Compliance Alternatives

The following exceptions apply to the requirement to implement one of the Part 2.2.1.a compliance alternatives (see also Part 2.2.1.b):

- The following disturbances within 50 feet of a water of the U.S. are exempt from the requirements Part 2.2.1 and this Appendix:
 - Construction approved under a CWA Section 404 permit; or
 - Construction of a water-dependent structure or water access areas (e.g., pier, boat ramp, trail).
- If there is no discharge of stormwater to waters of the U.S. through the area between the disturbed portions of the site and any waters of the U.S. located within 50 feet of your site, you are not required to comply with the requirements in Part 2.2.1 and this Appendix. This includes situations where you have implemented controls measures, such as a berm or other barrier, that will prevent such discharges.
- Where no natural buffer exists due to preexisting development disturbances (e.g., structures, impervious surfaces) that occurred prior to the initiation of planning for the current development of the site, you are not required to comply with the requirements in Part 2.2.1 and this Appendix.

Where some natural buffer exists but portions of the area within 50 feet of the water of the U.S. are occupied by preexisting development disturbances, you <u>are</u> required to comply with the requirements in Part 2.2.1 and this Appendix. For the purposes of calculating the sediment load reduction for either compliance alternative 2 or 3, you are not expected to compensate for the reduction in buffer function that would have resulted from the area covered by these preexisting disturbances. Clarity about how to implement the compliance alternatives for these situations is provided in G.2.3 and G.2.4 below.

If during your project, you will disturb any portion of these preexisting disturbances, the area removed will be deducted from the area treated as a "natural buffer."

- For "linear construction sites" (see Appendix A), you are not required to comply with this requirement if site constraints (e.g., limited right-of-way) make it infeasible to implement one of the Part 2.2.1.a compliance alternatives, provided that, to the extent feasible, you limit disturbances within 50 feet of any waters of the U.S. and/or you provide supplemental erosion and sediment controls to treat stormwater discharges from earth disturbances within 50 feet of the water of the U.S. You must also document in your SWPPP your rationale for why it is infeasible for you to implement one of the Part 2.2.1.a compliance alternatives, and describe any buffer width retained and supplemental erosion and sediment controls to treat stormater.
- For "small residential lot" construction (i.e., a lot being developed for residential purposes that will disturb less than 1 acre of land, but is part of a larger residential

project that will ultimately disturb greater than or equal to 1 acre), you have the option of complying with one of the "small residential lot" compliance alternatives in Part G.3 of this appendix.

Note that you must document in your SWPPP if any disturbances related to any of the above exceptions occurs within the buffer area on your site.

G.2.3 Requirements for Providing and Maintaining Natural Buffers

This part of the appendix applies to you if you choose compliance alternative 1 (50-foot buffer), compliance alternative 2 (a buffer of < 50 feet supplemented by additional erosion and sediment controls that achieve the equivalent sediment load reduction as the 50-foot buffer), or if you are providing a buffer in compliance with one of the "small residential lot" compliance alternatives in Part G.3.

Buffer Width Measurement

Where you are retaining a buffer of any size, the buffer should be measured perpendicularly from any of the following points, whichever is further landward from the water:

- 1. The ordinary high water mark of the water body, defined as the line on the shore established by fluctuations of water and indicated by physical characteristics such as a clear, natural line impressed on the bank, shelving, changes in the character of soil, destruction of terrestrial vegetation, and/or the presence of litter and debris; or
- 2. The edge of the stream or river bank, bluff, or cliff, whichever is applicable.

Refer to Figure G-2 and Figure G-3. You may find that specifically measuring these points is challenging if the flow path of the water of the U.S. changes frequently, thereby causing the measurement line for the buffer to fluctuate continuously along the path of the waterbody. Where this is the case, EPA suggests that rather than measuring each change or deviation along the water's edge, it may be easier to select regular intervals from which to conduct your measurement. For instance, you may elect to conduct your buffer measurement every 5 to 10 feet along the length of the water.

Additionally, note that if earth-disturbing activities will take place on both sides of a water of the U.S. that flows through your site, to the extent that you are establishing a buffer around this water, it must be established on both sides. For example, if you choose compliance alternative 1, and your project calls for disturbances on both sides of a small stream, you would need to retain the full 50 feet of buffer on both sides of the water. However, if your construction activities will only occur on one side of the stream, you would only need to retain the 50-foot buffer on the side of the stream where the earth-disturbance will occur.



Figure G-2 Buffer measurement from the ordinary high water mark of the water body, as indicated by a clear natural line impressed on the bank, shelving, changes in the character of the soil, destruction of terrestrial vegetation, and/or the presence of litter/debris.



Figure G-3 Buffer measurement from the edge of the bank, bluff, or cliff, whichever is applicable.

Limits to Disturbance Within the Buffer

You are considered to be in compliance with the requirement to provide and maintain a natural buffer if you retain and protect from construction activities the natural buffer that existed prior to the commencement of construction. If the buffer area contains no vegetation prior to the commencement of construction (e.g., sand or rocky surface), you are not required to plant vegetation. As noted above, any preexisting structures or

impervious surfaces may occur in the natural buffer provided you retain and protect from disturbance the buffer areas outside of the preexisting disturbance.

To ensure that the water quality protection benefits of the buffer are retained during construction, you are prohibited from conducting any earth-disturbing activities within the buffer during permit coverage. In furtherance of this requirement, prior to commencing earth-disturbing activities on your site, you must delineate, and clearly mark off, with flags, tape, or a similar marking device, the buffer area on your site. The purpose of this requirement is to make the buffer area clearly visible to the people working on your site so that unintended disturbances are avoided.

While you are not required to enhance the quality of the vegetation that already exists within the buffer, you are encouraged to do so where such improvements will enhance the water quality protection benefits of the buffer. (Note that any disturbances within the buffer related to buffer enhancement are permitted and do not constitute construction disturbances.) For instance, you may want to target plantings where limited vegetation exists, or replace existing vegetation where invasive or noxious plant species (see http://plants.usda.gov/java/noxiousDriver) have taken over. In the case of invasive or noxious species, you may want to remove and replace them with a diversity of native trees, shrubs, and herbaceous plants that are well-adapted to the climatic, soil, and hydrologic conditions on the site. You are also encouraged to limit the removal of naturally deposited leaf litter, woody debris, and other biomass, as this material contributes to the ability of the buffer to retain water and filter pollutants.

If a portion of the buffer area adjacent to the water of the U.S. is owned by another party and is not under your control, you are only required to retain and protect from construction activities the portion of the buffer area that is under your control. For example, if you comply with compliance alternative 1 (provide and maintain a 50-foot buffer), but 10 feet of land immediately adjacent to the water of the U.S. is owned by a different party than the land on which your construction activities are taking place and you do not have control over that land, you must only retain and protect from construction activities the 40-foot buffer area that occurs adjacent to the property on which your construction activities are taking place. EPA would consider you to be in compliance with this requirement regardless of the activities that are taking place in the 10-foot area that is owned by a different party than the land on which your construction activities are taking place that you have no control over.

Discharges to the Buffer

You must ensure that all discharges from the area of earth disturbance to the natural buffer are first treated by the site's erosion and sediment controls (for example, you must comply with the Part 2.2.3 requirement to install sediment controls along any perimeter areas of the site that will receive pollutant discharges), and if necessary to prevent erosion caused by stormwater flows within the buffer, you must use velocity dissipation devices. The purpose of this requirement is to decrease the rate of stormwater flow and encourage infiltration so that the pollutant filtering functions of the buffer will be achieved. To comply with this requirement, construction operators typically will use devices that physically dissipate stormwater flows so that the discharge entering the buffer is spread out and slowed down.

SWPPP Documentation

You are required to document in your SWPPP the natural buffer width that is retained. For example, if you are complying with alternative 1, you must specify in your SWPPP that you are providing a 50-foot buffer. Or, if you will be complying with alternative 2, you must document the reduced width of the buffer you will be retaining (and you must also

describe the erosion and sediment controls you will use to achieve an equivalent sediment reduction, as required in Part G.2.4 below). Note that you must also show any buffers on your site map in your SWPPP consistent with Part 7.2.4.i. Additionally, if any disturbances related to the exceptions in Part G.2.2 occur within the buffer area, you must document this in the SWPPP.

G.2.4 Guidance for Providing the Equivalent Sediment Reduction as a 50-foot Buffer

This part of the appendix applies to you if you choose compliance alternative 2 (provide and maintain a buffer that is less than 50 feet that is supplemented by erosion and sediment controls that achieve the sediment load reduction equivalent to a 50-foot buffer) or compliance alternative 3 (implement erosion and sediment controls to achieve the sediment load reduction equivalent to a 50-foot buffer).

Determine Whether it is Feasible to Provide a Reduced Buffer

EPA recognizes that there will be a number of situations in which it will be infeasible to provide and maintain a buffer of any width. While some of these situations may exempt you from the buffer requirement entirely (see G.2.2), if you do not qualify for one of these exemptions, there still may be conditions or circumstances at your site that make it infeasible to provide a natural buffer. For example, there may be sites where a significant portion of the property on which the earth-disturbing activities will occur is located within the buffer area, thereby precluding the retention of natural buffer areas.

Therefore, you should choose compliance alternative 2 if it is feasible for you to retain some natural buffer on your site. (Note: For any buffer width retained, you are required to comply with the requirements in Part G.2.3, above, concerning the retention of vegetation and restricting earth disturbances.) Similarly, if you determine that it is infeasible to provide a natural buffer of any size during construction, you should choose alternative 3.

Design Controls That Provide Equivalent Sediment Reduction as 50-foot Buffer

You must next determine what additional controls must be implemented on your site that, alone or in combination with any retained natural buffer, achieve a reduction in sediment equivalent to that achieved by a 50-foot buffer.

Note that if only a portion of the natural buffer is less than 50 feet, you are only required to implement erosion and sediment controls that achieve the sediment load reduction equivalent to the 50-foot buffer for discharges through that area. You would not be required to provide additional treatment of stormwater discharges that flow through 50 feet or more of natural buffer. See Figure G-4.



Figure G-4 Example of how to comply with the requirement to provide the equivalent sediment reduction when only a portion of your earth-disturbances discharge to a buffer of less than 50-feet.

Steps to help you meet compliance alternative 2 and 3 requirements are provided below.

Step 1 - Estimate the Sediment Reduction from the 50-foot Buffer

In order to design controls that match the sediment removal efficiency of a 50-foot buffer, you first need to know what this efficiency is for your site. The sediment removal efficiencies of natural buffers vary according to a number of site-specific factors, including precipitation, soil type, land cover, slope length, width, steepness, and the types of erosion and sediment controls used to reduce the discharge of sediment prior to the buffer. EPA has simplified this calculation by developing buffer performance tables covering a range of vegetation and soil types for the areas covered by the CGP. See Attachment 1 of this Appendix, Tables G-8 through G-15. Note: buffer performance values in Tables G-8 through G-15 represent the percent of sediment captured through the use of perimeter controls (e.g., silt fences) and 50-foot buffers at disturbed sites of fixed proportions and slopes.¹

- The sediment removal efficiencies are based on the U.S. Department of Agriculture's RUSLE2 ("Revised Universal Soil Loss Equation 2") model for slope profiles using a 100-foot long denuded slopes.
- Sediment removal was defined as the annual sediment delivered at the downstream end of the 50-foot natural buffer (tons/yr/acre) divided by the annual yield from denuded area (tons/yr/acre).
- As perimeter controls are also required by the CGP, sediment removal is in part a function of the reduction due to a perimeter control (i.e., silt fence) located between the disturbed portion of the site and the upstream edge of the natural buffer and flow traveling through a 50-foot buffer of undisturbed natural vegetation.
- It was assumed that construction sites have a relatively uniform slope without topographic features that accelerate the concentration for erosive flows.

¹ EPA used the following when developing the buffer performance tables:

Using Tables G-8 through G-15 (see Attachment 1 of this Appendix), you can determine the sediment removal efficiency of a 50-foot buffer for your geographic area by matching the vegetative cover type that best describes your buffer area and the type of soils that predominate at your site. For example, if your site is located in Massachusetts (Table G-9), and your buffer vegetation corresponds most closely with that of tall fescue grass, and the soil type at your site is best typified as sand, your site's sediment removal efficiency would be 81 percent.

In this step, you should choose the vegetation type in the tables that most closely matches the vegetation that would exist naturally in the buffer area on your site regardless of the condition of the buffer. However, because you are not required to plant any additional vegetation in the buffer area, in determining what controls are necessary to meet this sediment removal equivalency in Step 2 below, you will be able to take credit for this area as a fully vegetated " natural buffer."

Similarly, if a portion of the buffer area adjacent to the water of the U.S. is owned by another party and is not under your control, you can treat the area of land not under your control as having the equivalent vegetative cover and soil type that predominates on the portion of the property on which your construction activities are occurring.

For example, if your earth-disturbances occur within 50 feet of a water of the U.S., but the 10 feet of land immediately adjacent to the water of the U.S. is owned by a different party than the land on which your construction activities are taking place and you do not have control over that land, you can treat the 10 foot area adjacent to the stream as having the equivalent soil and vegetation type that predominates in the 40 foot area under your control. You would then make the same assumption in Step 2 for purposes of determining the equivalent sediment removal.

Alternatively, you may do your own calculation of the effectiveness of the 50-foot buffer based upon your site-specific conditions, and may use this number as your sediment removal equivalency standard to meet instead of using Tables G-8 through G-15. This calculation must be documented in your SWPPP.

Step 2 - Design Controls That Match the Sediment Removal Efficiency of the 50-foot Buffer

Once you determine the estimated sediment removal efficiency of a 50-foot buffer for your site in Step 1, you must next select stormwater controls that will provide an equivalent sediment load reduction. These controls can include the installation of a single control, such as a sediment pond or additional perimeter controls, or a combination of stormwater controls. Whichever control(s) you select, you must demonstrate in your SWPPP that the controls will provide at a minimum the same sediment removal capabilities as a 50-foot natural buffer (Step 1). You may take credit for the removal efficiencies of your required perimeter controls in your calculation of equivalency, because these were included in calculating the buffer removal efficiencies in Tables G-8 through G-15. (Note: You are reminded that the controls must be kept in effective operating condition until you complete final stabilization on the disturbed portions of the site discharging to the water of the U.S.)

[•] It was assumed that vegetation has been removed from the disturbed portion of the site and a combination of cuts and fills have resulted in a smooth soil surface with limited retention of near-surface root mass.

To represent the influence of soil, EPA analyzed 11 general soil texture classifications in its evaluation of buffer performance. To represent different types of buffer vegetation, EPA evaluated 4 or more common vegetative types for each state/territory covered under the permit. For each vegetation type evaluated, EPA considered only permanent, non-grazed, and non-harvested vegetation, on the assumption that a natural buffer adjacent to the water of the U.S. will typically be undisturbed. EPA also evaluated slope steepness and found that sediment removal efficiencies present in Tables G-8 through G-15 are achievable for slopes that are less than nine percent.

To make the determination that your controls and/or buffer area achieve an equivalent sediment load reduction as a 50-foot buffer, you should use a model or other type of calculation. As mentioned above, there are a variety of models available that can be used to support your calculation, including USDA's RUSLE-series programs and the WEPP erosion model, SEDCAD, SEDIMOT, or other models. A couple of examples are provided in Attachment 3 to help illustrate how this determination could be made.

If you retain a buffer of less than 50 feet, you may take credit for the removal that will occur from the reduced buffer and only need to provide additional controls to make up the difference between the removal efficiency of a 50 foot buffer and the removal efficiency of the narrower buffer. For example, if you retain a 30 foot buffer, you can account for the sediment removal provided by the 30 foot buffer retained, and you will only need to design controls to make up for the additional removal provided by the 20 feet of buffer that is not being provided. To do this, you would plug the width of the buffer that is retained into RUSLE or another model, along with other stormwater controls that will together achieve a sediment reduction equivalent to a natural 50-foot buffer.

As described in Step 1 above, you can take credit for the area you retained as a "natural buffer" as being fully vegetated, regardless of the condition of the buffer area.

For example, if your earth-disturbances occur 30 feet from a water of the U.S., but the 10 feet of land immediately adjacent to the water of the U.S. is owned by a different party than the land on which your construction activities are taking place and you do not have control over that land, you can treat the 10-foot area as a natural buffer, regardless of the activities that are taking place in the area. Therefore, you can assume (for purposes of your equivalency calculation) that your site is providing the sediment removal equivalent of a 30-foot buffer, and you will only need to design controls to make up for the additional removal provided by the 20-foot of buffer that is not being provided.

<u>Step 3 - Document How Site-Specific Controls Will Achieve the Sediment Removal</u> <u>Efficiency of the 50-foot Buffer</u>

In Steps 1 and 2, you determined both the expected sediment removal efficiency of a 50-foot buffer at your site, and you used this number as a performance standard to design controls to be installed at your site, which alone or in combination with any retained natural buffer, achieves the expected sediment removal efficiency of a 50-foot buffer at your site. The final step is to document in your SWPPP the information you relied on to calculate the equivalent sediment reduction as an undisturbed natural buffer.

EPA will consider your documentation to be sufficient if it generally meets the following:

- For Step 1, refer to the table in Attachment 1 that you used to derive your estimated 50-foot buffer sediment removal efficiency performance. Include information about the buffer vegetation and soil type that predominate at your site, which you used to select the sediment load reduction value in Tables G-8 through G-15. Or, if you conducted a site-specific calculation for sediment removal efficiency, provide the specific removal efficiency, and the information you relied on to make your site-specific calculation.
- For Step 2, (1) Specify the model you used to estimate sediment load reductions from your site; and (2) the results of calculations showing how your controls will meet or exceed the sediment removal efficiency from Step 1.

If you choose compliance alternative 3, you must also include in your SWPPP a description of why it is infeasible for you to provide and maintain an undisturbed natural buffer of any size.

G.3 SMALL RESIDENTIAL LOT COMPLIANCE ALTERNATIVES

EPA has developed two additional compliance alternatives applicable only to "small residential lots" that are unable to provide and maintain a 50 foot buffer.

A small residential lot is a lot or grouping of lots being developed for residential purposes that will disturb less than 1 acre of land, but that is part of a larger residential project that will ultimately disturb greater than or equal to 1 acre.

The following steps describe how a small residential lot

operator would achieve compliance with one these 2 alternatives.

G.3.1 Small Residential Lot Compliance Alternative Eligibility

In order to be eligible for the small residential lot compliance alternatives, the following conditions must be met:

- a. The lot or grouping of lots meets the definition of "small residential lot"; and
- b. The operator must follow the guidance for providing and maintaining a natural buffer in Part G.2.3 of this Appendix, including:
 - i. Ensure that all discharges from the area of earth disturbance to the natural buffer are first treated by the site's erosion and sediment controls, and use velocity dissipation devices if necessary to prevent erosion caused by stormwater within the buffer;
 - ii. Document in the SWPPP the natural buffer width retained on the property, and show the buffer boundary on your site plan; and
 - iii. Delineate, and clearly mark off, with flags, tape, or other similar marking device, all natural buffer areas.
- G.3.2 Small Residential Lot Compliance Alternatives

You must next choose from one of two small residential lot compliance alternatives and implement the stormwater control practices associated with that alternative.

Note: The compliance alternatives provided below are not mandatory. Operators of small residential lots can alternatively choose to comply with the any of the options that are available to other sites in Part 2.2.1.a and G.2.1 of this Appendix.

Small Residential Lot Compliance Alternative 1

Alternative 1 is a straightforward tiered-technology approach that specifies the controls that a small residential lot must implement based on the buffer width retained. To meet the requirements of small residential lot compliance alternative 1, you must implement the controls specified in Table G-1 based on the buffer width to be retained. See footnote 3, below, for a description of the controls you must implement.

For example, if you are an operator of a small residential lot that will be retaining a 35-foot buffer and you choose Small Residential Lot Compliance Alternative 1, you must implement double perimeter controls between earth disturbances and the water of the U.S.

In addition to implementing the applicable control, you must also document in your SWPPP how you will comply with small residential lot compliance alternative 1.

Table G-T Alternative T Requirements ²								
Retain 50-foot Buffer	Retain <50 and >30 foot Buffer	Retain \leq 30 foot Buffer						
No Additional Requirements	Double Perimeter Controls	Double Perimeter Controls and 7-Day Site Stabilization						

Table C 1 Alternative 1 Dequirements?

Small Residential Lot Compliance Alternative 2

Alternative 2 specifies the controls that a builder of a small residential lot must implement based on both the buffer width retained and the site's sediment discharge risk. By incorporating the sediment risk, this approach may result in the implementation of controls that are more appropriate for the site's specific conditions.

Step 1 – Determine Your Site's Sediment Risk Level

To meet the requirements of Alternative 2, you must first determine your site's sediment discharge "risk level" based on the site's slope, location, and soil type. To help you to determine your site's sediment risk level, EPA developed five different tables for different slope conditions. You should select the table that most closely corresponds to your site's average slope.

For example, if your site's average slope is 7 percent, you should use Table G-4 to determine your site's sediment risk.

After you determine which table applies to your site, you must then use the table to determine the "risk level" (e.g., "low", "moderate", or "high") that corresponds to your site's location and predominant soil type.³

For example, based on Table G-3, a site located in New Hampshire with a 4 percent average slope and with predominately sandy clay loam soils would fall into the "moderate" risk level.

³ One source for determining your site's predominant soil type is the USDA's Web Soil Survey located at http://websoilsurvey.nrcs.usda.gov/app/WebSoilSurvey.aspx.

² Description of Additional Controls Applicable to Small Residential Lot Compliance Alternatives 1 and 2:

No Additional Requirements: If you implement a buffer of 50 feet or greater, then you are not subject to any additional requirements. Note that you are required to install perimeter controls between the disturbed portions of your site and the buffer in accordance with Part 2.2.3.

Double Perimeter Control: In addition to the reduced buffer width retained on your site, you must provide a double row of perimeter controls between the disturbed portion of your site and the water of the U.S. spaced a minimum of 5 feet apart.

Double Perimeter Control and 7-Day Site Stabilization: In addition to the reduced buffer width retained on your site and the perimeter control implemented in accordance with Part 2.2.3, you must provide a double row of perimeter controls between the disturbed portion of your site and the water of the U.S. spaced a minimum of 5 feet apart, and you are required to complete the stabilization activities specified in Parts 2.2.14 within 7 calendar days of the temporary or permanent cessation of earth-disturbing activities.

Soil Type Location	Clay	Silty Clay Loam or Clay- Loam	Sand	Sandy Clay Loam, Loamy Sand or Silty Clay	Loam, Silt, Sandy Loam or Silt Loam
CNMI / Guam	Moderate	Moderate	Moderate	Moderate	High
Puerto Rico	Moderate	Moderate	Moderate	Moderate	High
Virgin Islands	Low	Moderate	Low	Moderate	Moderate
American Samoa	Moderate	Moderate	Moderate	Moderate	High
Massachusetts and New Hampshire	Low	Moderate	Low	Low	Moderate
Idaho	Low	Low	Low	Low	Low
New Mexico	Low	Low	Low	Low	Low
Washington D.C.	Low	Moderate	Low	Low	Moderate

Table G_2 Risk Levels f	or Sites with Average	Slones of < 3 Percent
Table O-2 Nisk Levels I	of sites with Average	

Table G-3 Risk Levels for Sites with Average Slopes of > 3 Percent and ≤ 6 Percent

Soil Type Location	Clay	Silty Clay Loam or Clay- Loam	Sand	Sandy Clay Loam, Loamy Sand or Silty Clay	Loam, Silt, Sandy Loam or Silt Loam
CNMI / Guam	Moderate	Moderate	Moderate	Moderate	High
Puerto Rico	Moderate	Moderate	Moderate	Moderate	High
Virgin Islands	Moderate	Moderate	Moderate	Moderate	High
American Samoa	High	High	Moderate	High	High
Massachusetts and New Hampshire	Moderate	Moderate	Low	Moderate	High
Idaho	Low	Low	Low	Low	Low
New Mexico	Low	Low	Low	Low	Moderate
Washington D.C.	Moderate	Moderate	Moderate	Moderate	High

Soil Type Location	Clay	Silty Clay Loam or Clay- Loam	Sand	Sandy Clay Loam, Loamy Sand or Silty Clay	Loam, Silt, Sandy Loam or Silt Loam
CNMI / Guam	Moderate	High	Moderate	High	High
Puerto Rico	Moderate	High	Moderate	Moderate	High
Virgin Islands	Moderate	Moderate	Moderate	Moderate	High
American Samoa	High	High	High	High	High
Massachusetts and New Hampshire	Moderate	Moderate	Moderate	Moderate	High
Idaho	Low	Low	Low	Low	Low
New Mexico	Low	Low	Low	Low	Moderate
Washington D.C.	Moderate	Moderate	Moderate	Moderate	High

Table	G-4 Risk	l evels for	Sites with	Average	Slopes	of > 6 I	Percent an	d < 9	Percent
Table				riverage	Siopes				recont

Table G-5 Risk Levels for Sites with Average Slopes of > 9 Percent and ≤ 15 Percent

Soil Type Location	Clay	Silty Clay Loam or Clay- Loam	Sand	Sandy Clay Loam, Loamy Sand or Silty Clay	Loam, Silt, Sandy Loam or Silt Loam
CNMI / Guam	High	High	High	High	High
Puerto Rico	High	High	High	High	High
Virgin Islands	Moderate	High	Moderate	High	High
American Samoa	High	High	High	High	High
Massachusetts and New Hampshire	Moderate	Moderate	Moderate	Moderate	High
Idaho	Low	Low	Low	Low	Low
New Mexico	Low	Moderate	Low	Moderate	Moderate
Washington D.C.	Moderate	High	Moderate	Moderate	High

Soil Type Location	Clay	Silty Clay Loam or Clay- Loam	Sand	Sandy Clay Loam, Loamy Sand or Silty Clay	Loam, Silt, Sandy Loam or Silt Loam
CNMI / Guam	High	High	High	High	High
Puerto Rico	High	High	High	High	High
Virgin Islands	High	High	High	High	High
American Samoa	High	High	High	High	High
Massachusetts and New Hampshire	High	High	Moderate	High	High
Idaho	Low	Low	Low	Low	Moderate
New Mexico	Moderate	Moderate	Moderate	Moderate	High
Washington D.C.	High	High	Moderate	High	High

Table G-6 Risk Levels for Sites with Average Slopes of > 15 Percent

Step 2 - Determine Which Additional Controls Apply

Once you determine your site's "risk level", you must next determine the additional controls you need to implement on your site, based on the width of buffer you plan to retain. Table G-7 specifies the requirements that apply based on the "risk level" and buffer width retained. See footnote 3, above, for a description of the additional controls that are required.

For example, if you are the operator of a small residential lot that falls into the "moderate" risk level, and you decide to retain a 20-foot buffer, using Table G-7 you would determine that you need to implement double perimeter controls to achieve compliance with small residential lot compliance alternative 2.

You must also document in your SWPPP your compliance with small residential lot compliance alternative 2.

Risk Level Based on Estimated Soil Erosion	Retain ≥ 50' Buffer	Retain <50' and >30' Buffer	Retain ≤ 30' and >10' Buffer	Retain ≤ 10' Buffer
Low Risk	No Additional Requirements	No Additional Requirements	Double Perimeter Control	Double Perimeter Control
Moderate Risk	No Additional Requirements	Double Perimeter Control	Double Perimeter Control	Double Perimeter Control and 7-Day Site Stabilization
High Risk	No Additional Requirements	Double Perimeter Control	Double Perimeter Control and 7-Day Site Stabilization	Double Perimeter Control and 7-Day Site Stabilization

Table G-7. Alternative 2 Requirements²

ATTACHMENT 1

Sediment Removal Efficiency Tables⁴

EPA recognizes that very high removal efficiencies, even where theoretically achievable by a 50-foot buffer, may be very difficult to achieve in practice using alternative controls. Therefore in the tables below, EPA has limited the removal efficiencies to a maximum of 90%. Efficiencies that were calculated at greater than 90% are shown as 90%, and this is the minimum percent removal that must be achieved by alternative controls.

Table G-8 Estimated 50-foot Buffer Performance in Idaho*

	Estimated % Sediment Removal					
Type of Buffer Vegetation**	Clay	Silty Clay Loam or Clay-Loam	Sand	Sandy Clay Loam, Loamy Sand or Silty Clay	Loam, Silt, Sandy Loam or Silt Loam	
Tall Fescue Grass	42	52	44	48	85	
Medium-density Weeds	28	30	28	26	60	
Low-density Warm-season Native Bunchgrass (i.e., Grama Grass)	25	26	24	24	55	
Northern Mixed Prairie Grass	28	30	28	26	50	
Northern Range Cold Desert Shrubs	28	28	24	26	50	

* Applicable for sites with less than nine percent slope

** Characterization focuses on the under-story vegetation

Table G-9 Estimated 50-foot Buffer Performance in Massachusetts and New Hampshire*

	Estimated % Sediment Removal					
Type of Buffer Vegetation**	Clay	Silty Clay Loam or Clay-Loam	Sand	Sandy Clay Loam, Loamy Sand or Silty Clay	Loam, Silt, Sandy Loam or Silt Loam	
Warm-season Grass (i.e., Switchgrass, Lemongrass)	79	90	90	90	90	
Cool-season Dense Grass (Kentucky Bluegrass, Smooth Bromegrass, Timothy)	78	90	90	90	90	
Tall Fescue Grass	76	90	81	89	90	
Medium-density Weeds	66	76	60	72	66	

* Applicable for sites with less than nine percent slope

** Characterization focuses on the under-story vegetation

⁴ The buffer performances were calculated based on a denuded slope upgradient of a 50-foot buffer and a perimeter controls, as perimeter controls are a standard requirement (see Part 2.2.3).

	Estimated % Sediment Removal				
Type of Buffer Vegetation **	Clay	Silty Clay Loam or Clay-Loam	Sand	Sandy Clay Loam, Loamy Sand or Silty Clay	Loam, Silt, Sandy Loam or Silt Loam
Tall Fescue grass	71	85	80	86	90
Medium-density Weeds	56	73	55	66	78
Low-density Warm-season Native Bunchgrass (i.e., Grama Grass)	53	70	51	62	67
Southern Mixed Prairie Grass	53	71	52	63	50
Southern Range Cold Desert Shrubs	56	73	55	65	53

Table G-10 Estimated 50-foot Buffer Performance in New Mexico*

* Applicable for sites with less than nine percent slope

** Characterization focuses on the under-story vegetation

Table G-11 Estimated 50-foot Buffer Performance in Washington, DC*

	Estimated % Sediment Removal				
Type of Buffer Vegetation **	Clay	Silty Clay Loam or Clay-Loam	Sand	Sandy Clay Loam, Loamy Sand or Silty Clay	Loam, Silt, Sandy Loam or Silt Loam
Warm-season Grass (i.e., Switchgrass, Lemongrass)	82	90	90	90	90
Cool-season Dense Grass (Kentucky Bluegrass, Smooth Bromegrass, Timothy)	81	90	90	90	90
Tall Fescue Grass	79	90	83	89	90
Medium-density Weeds	71	79	66	75	74

* Applicable for sites with less than nine percent slope ** Characterization focuses on the under-story vegetation

Table G-12 Estimated 50-foot Buffer Performance in American Samoa*

	Estimated % Sediment Removal				
Type of Buffer Vegetation **	Clay	Silty Clay Loam or Clay-Loam	Sand	Sandy Clay Loam, Loamy Sand or Silty Clay	Loam, Silt, Sandy Loam or Silt Loam
Bahiagrass (Permanent cover)	82	90	90	90	83
Warm-season Grass (i.e., Switchgrass, Lemongrass)	82	90	90	90	85
Dense Grass	82	90	90	90	83
Tall Fescue Grass	82	89	82	89	79
Medium-density Weeds	70	73	62	75	59

* Applicable for sites with less than nine percent slope

** Characterization focuses on the under-story vegetation

	Estimated % Sediment Removal				
Type of Buffer Vegetation **	Clay	Silty Clay Loam or Clay-Loam	Sand	Sandy Clay Loam, Loamy Sand or Silty Clay	Loam, Silt, Sandy Loam or Silt Loam
Bahiagrass (Permanent cover)	80	90	90	90	89
Warm-season Grass (i.e., Switchgrass, Lemongrass)	80	90	90	90	90
Dense Grass	79	90	90	90	89
Tall Fescue Grass	76	90	80	88	87
Medium-density Weeds	63	73	53	68	61

Table G-13 Estimated 50-foot Buffer Performance in CNMI and Guam*

* Applicable for sites with less than nine percent slope ** Characterization focuses on the under-story vegetation

Table G-14 Estimated 50-foot Buffer Performance in Puerto Rico*

	Estimated % Sediment Removal				
Type of Buffer Vegetation**	Clay	Silty Clay Loam or Clay-Loam	Sand	Sandy Clay Loam, Loamy Sand or Silty Clay	Loam, Silt, Sandy Loam or Silt Loam
Bahiagrass (Permanent cover)	83	90	90	90	90
Warm-season Grass (i.e., Switchgrass, Lemongrass)	83	90	90	90	90
Dense Grass	83	90	90	90	90
Tall Fescue Grass	82	90	84	90	89
Medium-density Weeds	72	78	65	76	64

* Applicable for sites with less than nine percent slope ** Characterization focuses on the under-story vegetation

Table G-15 Estimated 50-foot Buffer Performance in Virgin Islands*

Type of Buffer Vegetation**	Clay	Silty Clay Loam or Clay-Loam	Sand	Sandy Clay Loam, Loamy Sand or Silty Clay	Loam, Silt, Sandy Loam or Silt Loam
Bahiagrass (Permanent cover)	85	90	90	90	90
Warm-season Grass (i.e., Switchgrass, Lemongrass)	86	90	90	90	90
Dense Grass	85	90	90	90	90
Tall Fescue Grass	85	90	88	90	89
Medium-density Weeds	75	77	71	78	63

* Applicable for sites with less than nine percent slope ** Characterization focuses on the under-story vegetation

ATTACHMENT 2

Using the Sediment Removal Efficiency Tables - Questions and Answers

- What if my specific buffer vegetation is not represented in Tables G-8 through G-15? Tables G 8 through G 15 provide a wide range of factors affecting buffer performance; however, there are likely instances where the specific buffer vegetation type on your site is not listed. If you do not see a description of the type of vegetation present at your site, you should choose the vegetation type that most closely matches the vegetation type on your site. You can contact your local Cooperative Extension Service Office (http://nifa.usda.gov/partners-and-extension-map) for assistance in determining the vegetation type in Tables G-8 through G-15 that most closely matches your site-specific vegetation.
- What if there is high variability in local soils? EPA recognizes that there may be a number of different soil type(s) on any given construction site. General soil information can be obtained from USDA soil survey reports (<u>http://websoilsurvey.nrcs.usda.gov</u>) or from individual site assessments performed by a certified soil expert. Tables G-8 through G-15 present eleven generic soil texture classes, grouping individual textures where EPA has determined that performance is similar. If your site contains different soil texture classes, you should use the soil type that best approximates the predominant soil type at your site.
- What if my site slope is greater than 9 percent after final grade is reached? As indicated in the buffer performance tables, the estimated sediment removal efficiencies are associated with disturbed slopes of up to 9 percent grade. Where your graded site has an average slope of greater than 9 percent, you should calculate a site-specific buffer performance.
- How do I calculate my own estimates for sediment reduction at my specific site? If you determine that it is necessary to calculate your own sediment removal efficiency using site-specific conditions (e.g., slopes at your site are greater than 9 percent), you can use a range of available models that are available to facilitate this calculation, including USDA's RUSLE-series programs and the WEPP erosion model, SEDCAD, SEDIMOT, or other equivalent models.
- What is my estimated buffer performance if my site location is not represented by Tables G-8 through G-15? If your site is located in an area not represented by Tables G-8 through G-15, you should use the table that most closely approximates conditions at your site. You may instead choose to conduct a site-specific calculation of the buffer performance.
- What if only a portion of my site drains to the buffer area? If only a portion of your site drains to a water of the U.S., where that water is within 50 feet of your earth disturbances, you are only required to meet the equivalency requirement for the stormwater flows corresponding to those portions of the site. See Example 2 below for an example of how this is expected to work.

ATTACHMENT 3

Examples of How to Use the Sediment Removal Efficiency Tables

Example 1. Comparatively Wet Location (7.5 acre site located in Massachusetts)

The operator of a 7.5-acre construction site in Massachusetts has determined that it is infeasible to establish a buffer of any size on the site, and is now required to select and install controls that will achieve an equivalent sediment load reduction as that estimated in G-9 for their site conditions. The first step is to identify what percentage of eroded sediment is estimated to be retained from a 50-foot buffer. For this example, it is assumed that the site has a relatively uniform gentle slope (3 percent), so Table G-9 can be used to estimate the 50-foot buffer sediment load reduction. If the site's buffer vegetation is best typified by cool-season dense grass and the underlying soil is of a type best described as loamy sand, the 50-foot buffer is projected to capture 90 percent of eroded sediment from the construction site.

The second step is to determine what sediment controls can be selected and installed in combination with the perimeter controls already required to be implemented at the site (see Part 2.2.3), which will achieve the 90 percent sediment removal efficiency from Table G-9. For this example, using the RUSLE2 profile model, it was determined that installing a pair of shallow-sloped diversion ditches to convey runoff to a well-designed and maintained sediment basin provides 99 percent sediment removal. Because the estimated sediment reduction is greater than the required 90 percent that a 50-foot buffer provides, the operator will have met the buffer requirements. See Figure G-5. The operator could also choose a different set of controls, as long as they achieve at least a 90 percent sediment removal efficiency.



Figure G-5 Example 1 – Equivalent Sediment Load Reductions at a 7.5 ac Site in MA.

Example 2. Arid Location With Pre-existing Disturbances in the Natural Buffer (6.5 acre site located in New Mexico)

An operator of a site in New Mexico determines that it is not feasible to provide a 50-foot buffer, but a 28-foot buffer can be provided. Because the operator will provide a buffer that is less than

50 feet, the operator must determine which controls, in combination with the 28-foot buffer, achieve a sediment load reduction equivalent to the 50-foot buffer. In this example, the project will disturb 6.5 acres of land, but only 1.5 acres of the total disturbed area drains to the buffer area. Within the 28-foot buffer area is a preexisting concrete walkway. Similar to Example 1, the equivalence analysis starts with Step 1in Part G.2.4 of this Appendix with a review of the New Mexico buffer performance (Table G-10). The operator determines that the predominate vegetation type in the buffer area is prairie grass, the soil type is similar to silt, and the site is of a uniform, shallow slope (e.g., 3 percent grade). Although the operator will take credit for the disturbance caused by the concrete walkway as a natural buffer in Step 2, here the operator can treat the entire buffer area as being naturally vegetated with prairie grass. Based on this information, the operator refers to Table G-10 to estimate that the 50-foot buffer would retain 50 percent of eroded soil.

The second step is to determine, based on the 50 percent sediment removal efficiency found in Table G-10, what sediment controls, in combination with the 28-foot buffer area, can be implemented to reduce sediment loads by 50 percent or more. The operator does not have to account the reduction in buffer function caused by the preexisting walkway, and can take credit for the entire 28-foot buffer being fully vegetated in the analysis. For this example, using the RUSLE2 profile model, the operator determined that installing a fiber roll barrier between the silt fence (already required by Part 2.2.3) and the 28-foot buffer will achieve an estimated 84 percent sediment removal efficiency. See Figure G-6. Note that this operator is subject to the requirement in Part G.2.3 of this Appendix to ensure that discharges through the silt fence, fiber roll barrier, and 28-foot buffer do not cause erosion within the buffer. The estimated sediment reduction is greater than the required 50 percent; therefore the operator will have met the buffer alternative requirement.



Figure G-6 Example 2 – Equivalent Sediment Load Reductions at a 6.5 ac Site in NM.

Appendix H – 2-Year, 24-Hour Storm Frequencies

Part 2.2.12 of the permit indicates that if you install a sediment basin, one of the design requirements is to provide storage for either (1) the calculated volume of runoff from a 2-year, 24-hour storm, or (2) 3,600 cubic feet per acre drained. This appendix is intended to provide a guide to permittees to determine the volume of precipitation associated with their local 2-year, 24-hour storm event.

The permittee should start out by determining their local 2-year, 24-hour storm volume. The rainfall frequency atlases, technical papers, and the Precipitation Frequency Data Server (PFDS) developed by the National Oceanic and Atmospheric Administration's (NOAA) National Weather Service (NWS) serve as national standards for rainfall intensity at specified frequencies and durations in the United States. Table H-1 identifies methods for determining precipitation frequency based on permit area. EPA notes that permittees may also use alternative peer-reviewed data sources not listed in Table H - 1 to determine the 2-year, 24-hour storm for their site.

PERMIT AREA	METHOD TO DETERMINE PRECIPITATION FREQUENCY
District of Columbia	PFDS; NOAA Atlas 14, Vol. 2
Idaho	NOAA Atlas 2, Vol. 5; Technical Paper 40
Massachusetts	Technical Paper 40
New Hampshire	Technical Paper 40
New Mexico	PFDS; Technical Paper 40
Selected Pacific Islands	PFDS; Technical Paper 40
Puerto Rico and the U.S Virgin Islands	PFDS; Technical Paper 40
Other	PFDS; Technical Paper 40; NOAA Atlas 2 or 14

Table H -1 – Method to Determine Precipitation Frequency Based on Permit Area

How to Determine Your Local 2-year, 24-hour Storm Size

Projects located in the District of Columbia, Massachusetts, New Hampshire, New Mexico, Puerto Rico, U.S. Virgin Islands, or Pacific Islands can use the PFDS at

<u>http://hdsc.nws.noaa.gov/hdsc/pfds/index.html</u> or the appropriate NOAA's Atlas 14 Volume at <u>http://www.nws.noaa.gov/oh/hdsc/currentpf.htm</u> to determine their precipitation frequency.

The PFDS is an easy to use, point-and-click interface to official U.S. precipitation frequency estimates and intensities. The opening PFDS screen is a clickable map of the United States. Upon clicking on a state, a state-specific interface appears. From this page the user selects the following:

- A location: Either via clicking on the map or manually entering a longitude/latitude coordinate;
- Data type: precipitation depth or precipitation intensity
- Units: english or metric; and
- Time series type: partial duration or annual maximum.

Additionally, PFDS also serves as a tool for providing references and other information for other current precipitation frequency standards that are not yet updated.

Projects located in Idaho can use the NOAA Atlas 2, Vol. 5 to determine their precipitation frequency. NOTE: Precipitation Frequencies on the NOAA Atlas 2, Vol. 5 are in tenths of an inch and will have to be converted to inches to determine precipitation frequency. NOAA Atlas 2, Vol. 5 can be accessed at

<u>http://www.nws.noaa.gov/oh/hdsc/PF_documents/Atlas2_Volume5.pdf</u>. (See also attached map of NOAA Atlas 2, Vol. 5)

Projects located in areas not covered by the PFDS or NOAA Atlases will need to use TP-40 to identify the precipitation frequency. TP-40 provides a map of the continental U.S. for the 2-year, 24-hour rainfall. TP40 can be accessed at

http://www.nws.noaa.gov/oh/hdsc/PF_documents/TechnicalPaper_No40.pdf. (See also attached map of TP-40)





Appendix I - Standard Permit Conditions

Standard permit conditions in Appendix I are consistent with the general permit provisions required under 40 CFR 122.41.

I.1 Duty To Comply.

You must comply with all conditions of this permit. Any permit noncompliance constitutes a violation of the Clean Water Act and is grounds for enforcement action; for permit termination, revocation and reissuance, or modification; or for denial of a permit renewal application.

- I.1.1 You must comply with effluent standards or prohibitions established under Section 307(a) of the Clean Water Act for toxic pollutants within the time provided in the regulations that establish these standards, even if the permit has not yet been modified to incorporate the requirement.
- 1.1.2 Penalties for Violations of Permit Conditions: The Director will adjust the civil and administrative penalties listed below in accordance with the Civil Monetary Penalty Inflation Adjustment Rule (61 FR 252, December 31, 1996, pp. 69359-69366, as corrected in 62 FR 54, March 20, 1997, pp.13514-13517) as mandated by the Debt Collection Improvement Act of 1996 for inflation on a periodic basis. This rule allows EPA's penalties to keep pace with inflation. The Agency is required to review its penalties at least once every 4 years thereafter and to adjust them as necessary for inflation according to a specified formula. The civil and administrative penalties following were adjusted for inflation starting in 1996.

I.1.2.1 Criminal Penalties.

- a. *Negligent Violations*. The CWA provides that any person who negligently violates permit conditions implementing Sections 301, 302, 306, 307, 308, 318, or 405 of the Act is subject to criminal penalties of not less than \$2,500 nor more than \$25,000 per day of violation, or imprisonment of not more than one year, or both. In the case of a second or subsequent conviction for a negligent violation, a person shall be subject to criminal penalties of not more than \$50,000 per day of violation or by imprisonment of not more than two years, or both.
- b. *Knowing Violations.* The CWA provides that any person who knowingly violates permit conditions implementing Sections 301, 302, 306, 307, 308, 318, or 405 of the Act is subject to a fine of not less than \$5,000 nor more than \$50,000 per day of violation, or by imprisonment for not more than 3 years, or both. In the case of a second or subsequent conviction for a knowing violation, a person shall be subject to criminal penalties of not more than \$100,000 per day of violation, or imprisonment of not more than 6 years, or both.
- c. *Knowing Endangerment.* The CWA provides that any person who knowingly violates permit conditions implementing Sections 301, 302, 306, 307, 308, 318, or 405 of the Act and who knows at that time that he or she is placing another person in imminent danger of death or serious bodily injury shall upon conviction be subject to a fine of not more than \$250,000 or by imprisonment of not more than 15 years, or both. In the case of a second or subsequent conviction for a knowing endangerment violation, a person shall be subject to a fine of not more than \$500,000 or by imprisonment of not more than 30 years, or both. An organization, as defined in Section 309(c)(3)(B)(iii) of the Act, shall, upon conviction of violating the imminent danger provision be subject to a fine of not

more than \$1,000,000 and can fined up to \$2,000,000 for second or subsequent convictions.

- d. *False Statement*. The CWA provides that any person who falsifies, tampers with, or knowingly renders inaccurate any monitoring device or method required to be maintained under this permit shall, upon conviction, be punished by a fine of not more than \$10,000, or by imprisonment for not more than 2 years, or both. If a conviction of a person is for a violation committed after a first conviction of such person under this paragraph, punishment is a fine of not more than \$20,000 per day of violation, or by imprisonment of not more than 4 years, or both. The Act further provides that any person who knowingly makes any false statement, representation, or certification in any record or other document submitted or required to be maintained under this permit, including monitoring reports or reports of compliance or non-compliance shall, upon conviction, be punished by a fine of not more than \$10,000 per violation, or by imprisonment for not more than 4 years.
- 1.1.2.2 *Civil Penalties.* The CWA provides that any person who violates a permit condition implementing Sections 301, 302, 306, 307, 308, 318, or 405 of the Act is subject to a civil penalty not to exceed the maximum amount authorized by Section 309(d) of the Act, as adjusted pursuant to the Federal Civil Penalties Inflation Adjustment Act (28 U.S.C. § 2461 note), and codified at 40 CFR § 19.4.
- 1.1.2.3 Administrative Penalties. The CWA provides that any person who violates a permit condition implementing Sections 301, 302, 306, 307, 308, 318, or 405 of the Act is subject to an administrative penalty, as follows
 - a. Class I Penalty. Not to exceed the maximum amounts authorized by Section 309(g)(2)(A) of the Act, as adjusted pursuant to the Federal Civil Penalties Inflation Adjustment Act (28 U.S.C. § 2461 note), as amended (28 U.S.C. § 2461 note), and codified at 40 CFR § 19.4.
 - b. Class II Penalty. Not to exceed the maximum amounts authorized by Section 309(g)(2)(B) of the Act, as adjusted pursuant to the Federal Civil Penalties Inflation Adjustment Act (28 U.S.C. § 2461 note), as amended, (28 U.S.C. § 2461 note), and codified at 40 CFR § 19.4.
- I.2 Duty to Reapply.

If you wish to continue an activity regulated by this permit after the expiration date of this permit, you must apply for and obtain authorization as required by the new permit once EPA issues it.

I.3 Need to Halt or Reduce Activity Not a Defense.

It shall not be a defense for you in an enforcement action that it would have been necessary to halt or reduce the permitted activity in order to maintain compliance with the conditions of this permit.

I.4 Duty to Mitigate.

You must take all reasonable steps to minimize or prevent any discharge in violation of this permit which has a reasonable likelihood of adversely affecting human health or the environment.

I.5 Proper Operation and Maintenance.

You must at all times properly operate and maintain all facilities and systems of treatment and control (and related appurtenances) that are installed or used by you to achieve compliance with the conditions of this permit. Proper operation and maintenance also includes adequate laboratory controls and appropriate quality assurance procedures. This provision requires the operation of backup or auxiliary facilities or similar systems which are installed by you only when the operation is necessary to achieve compliance with the conditions of this permit.

I.6 Permit Actions.

This permit may be modified, revoked and reissued, or terminated for cause. Your filing of a request for a permit modification, revocation and reissuance, or termination, or a notification of planned changes or anticipated noncompliance does not stay any permit condition.

I.7 Property Rights.

This permit does not convey any property rights of any sort, or any exclusive privileges.

I.8 Duty to Provide Information.

You must furnish to EPA or an authorized representative (including an authorized contractor acting as a representative of EPA), within a reasonable time, any information that EPA may request to determine whether cause exists for modifying, revoking and reissuing, or terminating this permit or to determine compliance with this permit. You must also furnish to EPA or an authorized representative upon request, copies of records required to be kept by this permit.

I.9 Inspection and Entry.

You must allow EPA or an authorized representative (including an authorized contractor acting as a representative of EPA), upon presentation of credentials and other documents as may be required by law, to:

- 1.9.1 Enter upon your premises where a regulated facility or activity is located or conducted, or where records must be kept under the conditions of this permit;
- 1.9.2 Have access to and copy, at reasonable times, any records that must be kept under the conditions of this permit;
- 1.9.3 Inspect at reasonable times any facilities, equipment (including monitoring and control equipment), practices, or operations regulated or required under this permit; and
- 1.9.4 Sample or monitor at reasonable times, for the purposes of assuring permit compliance or as otherwise authorized by the Clean Water Act, any substances or parameters at any location.
- I.10 Monitoring and Records.
- 1.10.1 Samples and measurements taken for the purpose of monitoring must be representative of the volume and nature of the monitored activity.
- 1.10.2 You must retain records of all monitoring information, including all calibration and maintenance records and all original strip chart recordings for continuous monitoring instrumentation, copies of all reports required by this permit, and records of all data used to complete the application for this permit, for a period of at least three years from the date the permit expires or the date the permittee's authorization is terminated. This period may be extended by request of EPA at any time.

- I.10.3 Records of monitoring information must include:
- I.10.3.1 The date, exact place, and time of sampling or measurements;
- I.10.3.2 The individual(s) who performed the sampling or measurements;
- I.10.3.3 The date(s) analyses were performed
- I.10.3.4 The individual(s) who performed the analyses;
- I.10.3.5 The analytical techniques or methods used; and
- I.10.3.6 The results of such analyses.
- I.10.4 Monitoring must be conducted according to test procedures approved under 40 CFR Part 136, unless other test procedures have been specified in the permit.
- 1.10.5 The Clean Water Act provides that any person who falsifies, tampers with, or knowingly renders inaccurate any monitoring device or method required to be maintained under this permit shall, upon conviction, be punished by a fine of not more than \$10,000, or by imprisonment for not more than 2 years, or both. If a conviction of a person is for a violation committed after a first conviction of such person under this paragraph, punishment is a fine of not more than \$20,000 per day of violation, or by imprisonment of not more than 4 years, or both.
- I.11 Signatory Requirements.
- I.11.1 All applications, including NOIs, must be signed as follows:
- I.11.1.1 For a corporation: By a responsible corporate officer. For the purpose of this subsection, a responsible corporate officer means: (i) a president, secretary, treasurer, or vice-president of the corporation in charge of a principal business function, or any other person who performs similar policy- or decision-making functions for the corporation, or (ii) the manager of one or more manufacturing, production, or operating facilities, provided, the manager is authorized to make management decisions which govern the operation of the regulated facility including having the explicit or implicit duty of making major capital investment recommendations, and initiating and directing other comprehensive measures to assure long term environmental compliance with environmental laws and regulations; the manager can ensure that the necessary systems are established or actions taken to gather complete and accurate information for permit application requirements; and where authority to sign documents has been assigned or delegated to the manager in accordance with corporate procedures.
- I.11.1.2 For a partnership or sole proprietorship: By a general partner or the proprietor, respectively; or
- I.11.1.3 For a municipality, state, federal, or other public agency: By either a principal executive officer or ranking elected official. For purposes of this subsection, a principal executive officer of a federal agency includes (i) the chief executive officer of the agency, or (ii) a senior executive officer having responsibility for the overall operations of a principal geographic unit of the agency (e.g., Regional Administrator of EPA).
- 1.11.2 Your SWPPP, including changes to your SWPPP, inspection reports, and any other compliance documentation required under this permit, must be signed by a person described in Appendix I, Subsection 1.11.1 above or by a duly authorized representative of that person. A person is a duly authorized representative only if:
- I.11.2.1 The authorization is made in writing by a person described in Appendix I, Subsection I.11.1;

- I.11.2.2 The authorization specifies either an individual or a position having responsibility for the overall operation of the regulated facility or activity such as the position of plant manager, operator of a well or a well field, superintendent, position of equivalent responsibility, or an individual or position having overall responsibility for environmental matters for the company. (A duly authorized representative may thus be either a named individual or any individual occupying a named position); and
- I.11.2.3 The signed and dated written authorization is included in the SWPPP. A copy must be submitted to EPA, if requested.
- 1.11.3 Changes to Authorization. If an authorization under this permit is no longer accurate because a different operator has responsibility for the overall operation of the construction site, a new NOI must be submitted to EPA. See Table 1 in Part 1.4.2 of the permit. However, if the only change that is occurring is a change in contact information or a change in the facility's address, the operator need only make a modification to the existing NOI submitted for authorization.
- 1.11.4 Any person signing documents in accordance with Appendix I, Subsections 1.11.1 or 1.11.2 above must include the following certification:

"I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gathered and evaluated the information contained therein. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information contained is, to the best of my knowledge and belief, true, accurate, and complete. I have no personal knowledge that the information submitted is other than true, accurate, and complete I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations."

- 1.11.5 For persons signing NOIs electronically, in addition to meeting other applicable requirements in Appendix I, Subsection I.11, such signatures must meet the same signature, authentication, and identity-proofing standards set forth at 40 CFR § 3.2000(b) for electronic reports (including robust second-factor authentication).
- 1.11.6 The CWA provides that any person who knowingly makes any false statement, representation, or certification in any record or other document submitted or required to be maintained under this permit, including monitoring reports or reports of compliance or non-compliance shall, upon conviction, be punished by a fine of not more than \$10,000 per violation, or by imprisonment for not more than 6 months per violation, or by both.
- I.12 Reporting Requirements.
- 1.12.1 Planned changes. You must give notice to EPA as soon as possible of any planned physical alterations or additions to the permitted facility. Notice is required only when:
- 1.12.1.1 The alteration or addition to a permitted facility may meet one of the criteria for determining whether a facility is a new source in 40 CFR 122.29(b); or
- 1.12.1.2 The alteration or addition could significantly change the nature or increase the quantity of pollutants discharged. This notification applies to pollutants which are subject neither to effluent limitations in the permit, nor to notification requirements under 40 CFR 122.42(a)(1).

- I.12.2 Anticipated noncompliance. You must give advance notice to EPA of any planned changes in the permitted facility or activity which may result in noncompliance with permit requirements.
- 1.12.3 Transfers. This permit is not transferable to any person except after notice to EPA. Where a facility wants to change the name of the permittee, the original permittee (the first owner or operators) must submit a Notice of Termination pursuant to Part 8. The new owner or operator must submit a Notice of Intent in accordance with Part 1.7 and Table 1. See also requirements in Appendix I, Subsections I.11.1 and I.11.2.
- 1.12.4 Monitoring reports. Monitoring results must be reported at the intervals specified elsewhere in this permit.
- 1.12.4.1 Monitoring results must be reported on a Discharge Monitoring Report (DMR) or forms provided or specified by EPA for reporting results of monitoring of sludge use or disposal practices.
- 1.12.4.2 If you monitor any pollutant more frequently than required by the permit using test procedures approved under 40 CFR Part 136 or, in the case of sludge use or disposal, approved under 40 CFR 136 unless otherwise specified in 40 CFR Part 503, or as specified in the permit, the results of this monitoring must be included in the calculation and reporting of the data submitted in the DMR or sludge reporting form specified by EPA.
- 1.12.5 Compliance schedules. Reports of compliance or noncompliance with, or any progress reports on, interim and final requirements contained in any compliance schedule of this permit must be submitted no later than 14 days following each schedule date.
- I.12.6 Twenty-four hour reporting. In addition to reports required elsewhere in this permit:
- 1.12.6.1 You must report any noncompliance which may endanger health or the environment directly to the EPA Regional Office (see contacts at https://www2.epa.gov/national-pollutant-discharge-elimination-system-npdes/contact-us-stormwater#regional). Any information must be provided orally within 24 hours from the time you become aware of the circumstances. A written submission must also be provided within five days of the time you become aware of the circumstances. The written submission must contain a description of the noncompliance and its cause; the period of noncompliance, including exact dates and times, and if the noncompliance has not been corrected, the anticipated time it is expected to continue; and steps taken or planned to reduce, eliminate, and prevent reoccurrence of the noncompliance.
- 1.12.6.2 The following shall be included as information which must be reported within 24 hours under this paragraph.
 - a. Any unanticipated bypass which exceeds any effluent limitation in the permit. (See 40 CFR 122.41(m)(3)(ii))
 - b. Any upset which exceeds any effluent limitation in the permit
 - c. Violation of a maximum daily discharge limit for any numeric effluent limitation. (See 40 CFR 122.44(g).)
- 1.12.6.3 EPA may waive the written report on a case-by-case basis for reports under Appendix I, Subsection 1.12.6.2 if the oral report has been received within 24 hours.
- 1.12.7 Other noncompliance. You must report all instances of noncompliance not reported under Appendix I, Subsections 1.12.4, 1.12.5, and 1.12.6, at the time monitoring reports are submitted. The reports must contain the information listed in Appendix I, Subsection 1.12.6.
- 1.12.8 Other information. Where you become aware that you failed to submit any relevant facts in a permit application, or submitted incorrect information in a permit application

or in any report to the Permitting Authority, you must promptly submit such facts or information.

- I.13 Bypass.
- I.13.1 Definitions.
- I.13.1.1 Bypass means the intentional diversion of waste streams from any portion of a treatment facility See 40 CFR 122.41(m)(1)(i).
- 1.13.1.2 Severe property damage means substantial physical damage to property, damage to the treatment facilities which causes them to become inoperable, or substantial and permanent loss of natural resources which can reasonably be expected to occur in the absence of a bypass. Severe property damage does not mean economic loss caused by delays in production. See 40 CFR 122.41(m)(1)(ii).
- 1.13.2 Bypass not exceeding limitations. You may allow any bypass to occur which does not cause effluent limitations to be exceeded, but only if it also is for essential maintenance to assure efficient operation. These bypasses are not subject to the provisions of Appendix I, Subsections 1.13.3 and 1.13.4. See 40 CFR 122.41(m)(2).
- I.13.3 Notice.
- 1.13.3.1 Anticipated bypass. If you know in advance of the need for a bypass, you must submit prior notice, if possible at least ten days before the date of the bypass. See 40 CFR 122.41(m)(3)(i).
- I.13.3.2 Unanticipated bypass. You must submit notice of an unanticipated bypass as required in Appendix I, Subsection I.12.6 (24-hour notice). See 40 CFR 122.41(m)(3)(ii).
- I.13.4 Prohibition of bypass. See 40 CFR 122.41(m)(4).
- I.13.4.1 Bypass is prohibited, and EPA may take enforcement action against you for bypass, unless:
 - a. Bypass was unavoidable to prevent loss of life, personal injury, or severe property damage;
 - b. There were no feasible alternatives to the bypass, such as the use of auxiliary treatment facilities, retention of untreated wastes, or maintenance during normal periods of equipment downtime. This condition is not satisfied if adequate backup equipment should have been installed in the exercise of reasonable engineering judgment to prevent a bypass which occurred during normal periods of equipment downtime or preventive maintenance; and
 - c. You submitted notices as required under Appendix I, Subsection I.13.3.
- I.13.4.2 EPA may approve an anticipated bypass, after considering its adverse effects, if EPA determines that it will meet the three conditions listed above in Appendix I, Subsection I.13.4.1.
- I.14 Upset.
- I.14.1 Definition. Upset means an exceptional incident in which there is unintentional and temporary noncompliance with technology based permit effluent limitations because of factors beyond your reasonable control. An upset does not include noncompliance to the extent caused by operational error, improperly designed treatment facilities, inadequate treatment facilities, lack of preventive maintenance, or careless or improper operation. See 40 CFR 122.41(n)(1).

- 1.14.2 Effect of an upset. An upset constitutes an affirmative defense to an action brought for noncompliance with such technology based permit effluent limitations if the requirements of Appendix I, Subsection I.14.3 are met. No determination made during administrative review of claims that noncompliance was caused by upset, and before an action for noncompliance, is final administrative action subject to judicial review. See 40 CFR 122.41(n)(2).
- 1.14.3 Conditions necessary for a demonstration of upset. See 40 CFR 122.41(n)(3). A permittee who wishes to establish the affirmative defense of upset must demonstrate, through properly signed, contemporaneous operating logs, or other relevant evidence that:
- I.14.3.1 An upset occurred and that you can identify the cause(s) of the upset;
- 1.14.3.2 The permitted facility was at the time being properly operated; and
- 1.14.3.3 You submitted notice of the upset as required in Appendix I, Subsection 1.12.6.2.b (24 hour notice).
- I.14.3.4 You complied with any remedial measures required under Appendix I, Subsection I.4.
- I.14.4 Burden of proof. In any enforcement proceeding, you, as the one seeking to establish the occurrence of an upset, have the burden of proof. See 40 CFR 122.41(n)(4).
- I.15 Retention of Records.

Copies of the SWPPP and all documentation required by this permit, including records of all data used to complete the NOI to be covered by this permit, must be retained for at least three years from the date that permit coverage expires or is terminated. This period may be extended by request of EPA at any time.

- I.16 Reopener Clause.
- 1.16.1 Procedures for modification or revocation. Permit modification or revocation will be conducted according to 40 CFR §122.62, §122.63, §122.64 and §124.5.
- 1.16.2 Water quality protection. If there is evidence indicating that the stormwater discharges authorized by this permit cause, have the reasonable potential to cause or contribute to an excursion above any applicable water quality standard, you may be required to obtain an individual permit, or the permit may be modified to include different limitations and/or requirements.
- 1.16.3 Timing of permit modification. EPA may elect to modify the permit prior to its expiration (rather than waiting for the new permit cycle) to comply with any new statutory or regulatory requirements, such as for effluent limitation guidelines that may be promulgated in the course of the current permit cycle.
- I.17 Severability.

Invalidation of a portion of this permit does not necessarily render the whole permit invalid. EPA's intent is that the permit is to remain in effect to the extent possible; in the event that any part of this permit is invalidated, EPA will advise the regulated community as to the effect of such invalidation.

Appendix J - Notice of Intent (NOI) Form and Instructions

Part 1.4.1 requires you to use the NPDES eReporting Tool, or "NeT" system, to prepare and submit your NOI electronically. However, if the EPA Regional Office grants you a waiver to use a paper NOI form, and you elect to use it, you must complete and submit the following form.

NPDES FORM 3510-9	\$EPA	United States Environmental Protection Agency Washington, DC 20460 Notice of Intent for the 2017 NPDES Construction General Permit	Form Approved. OMB No. 2040-0004			
Submission of this Not the NPDES Construc- identified in Section required prior to cor you must submit a c permit coverage. Re	Submission of this Notice of Intent (NOI) constitutes notice that the operator identified in Section III of this form requests authorization to discharge pursuant to the NPDES Construction General Permit (CGP) permit number identified in Section II of this form. Submission of this NOI also constitutes notice that the operator identified in Section III of this form. Submission of this NOI also constitutes notice that the operator identified in Section II of this form. Submission of this NOI also constitutes notice that the operator identified in Section III of this form meets the eligibility requirements of Part 1.1 CGP for the project identified in Section IV of this form. Permit coverage is required prior to commencement of construction activity until you are eligible to terminate coverage as detailed in Part 8 of the CGP. To obtain authorization, you must submit a complete and accurate NOI form. Discharges are not authorized if your NOI is incomplete or inaccurate or if you were never eligible for permit coverage. Refer to the instructions at the end of this form.					
I. Approval to Use	Paper NOI Form					
Have you been grar	nted a waiver from electronic repo	ting from the Regional Office *? 🗌 YES 🛛 NO				
If yes, check wh	nich waiver you have been granted,	the name of the EPA Regional Office staff person who granted the waiver, and	the date of approval:			
Waiver grante	d: Ihe owner/operatoris identified as und Communications C	or's headquarters is physically located in a geographic area (i.e., ZIP code er-served for broadband Internet access in the most recent report from the commission.	or census tract) that Federal			
	The owner/operate	or has issues regarding available computer access or computer capability.				
Name of EPA	staff person that granted the waiv	er:				
Date approva	al obtained:					
* Note: You are requ file this form electror	uired to obtain approval from the an incally using the NPDES eReporting	pplicable Regional Office prior to using this paper NOI form. If you have not Tool (NeT).	obtained a waiver, you must			
II. Permit Informa	tion	NPDES ID (EPA Use Only):				
Master Permit Numb	per:	(see Appendix B of the CGP for the list of eligible permit	numbers)			
III. Operator Inform	mation					
Operator Information	n					
Operator Name:						
Are you requesting a	coverage under this NOI as a "fede	ral operator" as defined in Appendix A? 🔲 YES 🛛 NO				
Mailing Address:						
Street:						
City:		State: ZIP Code:				
County or Similar Go	overnment Division:					
Phone:		Ext.				
E-mail:						
Operator Point of Co	ontact Information:					
First Name, Middle Initial, Last Name:						
Title:						
NOI Preparer (Complete if NOI was prepared by someone other than the certifier):						
First Name, Middle Initial, Last Name:						
Organization:						
Phone:		Ext.				
E-mail:						

IV. Project/Site Information				
Project/Site Name:				
Project/Site Address:				
Street/Location:				
City: State: ZIP Code: -				
County or Similar Government Subdivision:				
For the project/site you are seeking permit coverage, provide the following information:				
Latitude/Longitude (Use decimal degrees and specify method):				
Latitude: ^ N (decimal degrees) Longitude: ^ W (decimal degrees)				
Latitude/Longitude Data Source: 🗌 Map 🔲 GPS 🔲 Other Horizontal Reference Datum: 🗌 NAD 27 🔲 NAD 83 🗌 WGS 84				
Is your project/site located in Indian country lands, or located on a property of religious or cultural significance to an Indian tribe? 🗌 YES 🔹 NO				
If yes, provide the name of the Indian tribe associated with the area of Indian country (including name of Indian reservation, if applicable), or if not in				
indian country, provide the name of the indian thoe associated with the property.				
Estimated Project Start Date:				
Estimated Area to be Disturbed (to the nearest quarter acre):				
Type of Construction Site (check all that apply): 🗌 Single-Family Residential 📄 Multi-Family Residential 📄 Commercial 📄 Industrial				
🔲 Institutional 🔛 Highway or Road 🔲 Utility 🛄 Other				
Will there be demolition of any structure built or renovated before January 1, 1980? 🗌 YES 🛛 NO				
If yes, do any of the structures being demolished have at least 10,000 square feet of floor space? 🗌 YES 🛛 🗌 NO				
Was the pre-development land use used for agriculture (see Appendix A for definition of "agricultural land")? 🗌 YES 🛛 🗍 NO				
Have earth-disturbing activities commenced on your project/site? 🔲 YES 📄 NO				
lf yes, is your project an *emergency-related project" (see Appendix A)? 🔲 YES 🛛 🗌 NO				
Have stormwater discharges from your project/site been covered previously under an NPDES permit? 🗌 YES 🛛 NO				
If yes, provide the NPDES ID (if you had coverage under EPA's 2012 CGP or the NPDES permit number if you had coverage under an EPA individual permit:				
V. Discharge Information				
By indicating "Yes" below, I confirm that I understand that the CGP only authorizes the allowable stormwater discharges in Part 1.2.1 and the allowable non- stormwater discharges listed in Part 1.2.2. Any discharges not expressly authorized in this permit cannot become authorized or shielded from liability under CWA section 402(k) by disclosure to EPA, state, or local authorities after issuance of this permit via any means, including the Notice of Intent (NOI) to be covered by the permit, the Stormwater Pollution Prevention Plan (SWPPP), during an inspection, etc. If any discharges requiring NPDES permit coverage other than the allowable stormwater and non-stormwater discharges listed in Parts 1.2.1 and 1.2.2 will be discharged, they must be covered under another NPDES permit. YES				
Does your project/site discharge stormwater into a Municipal Separate Storm Sewer System (MS4)? 🗌 YES 🛛 🗌 NO				
Are there any waters of the U.S. within 50 feet of your project's earth disturbances? 🗌 YES 🛛 🗌 NO				

Receiving Waters Information: (Attach a separate list if necessary)							
For each point of discharge, provide the following receiving water information:							
Provide the name of the first water of the U.S. that receives stormwater directly from the point of discharge and/or from the MS4 that the point of discharge discharges to:	If the receiving water is impaired (on the CWA 303(d) list), list the pollutants that are causing the impairment:	If a TMDL been completed for this receiving waterbody, providing the following information:					
		TMDL Name and ID:					
		Pollutant(s) for which there is a TMDL:					
		TMDL Name and ID [.]					
		Pollutant(s) for which there is a TMDL:					
		TMDL Name and ID:					
		Pollutant(s) for which there is a TMDL:					
		TMDL Name and ID:					
		Pollutant(s) for which there is a TMDL:					
	For each point of discharge, provide the f Provide the name of the first water of the U.S. that receives stormwater directly from the point of discharge and/or from the MS4 that the point of discharge discharges to:	For each point of discharge, provide the following receiving water information: Provide the name of the first water of the US, that receives stormwater directly from the point of discharge and/or from the MS4 that the point of discharge discharges to: If the receiving water is impaired (on the CWA 303(d) list), list the pollutants that are causing the impairment: If the receiving water is impaired (on the CWA 303(d) list), list the pollutants that are causing the impairment: If the receiving water is impaired (on the CWA 303(d) list), list the pollutants that are causing the impairment: If the receiving water is impaired (on the CWA 303(d) list), list the pollutants that are causing the impairment: If the receiving water is impaired (on the CWA 303(d) list), list the pollutants that are causing the impairment: If the receiving water is impaired (on the CWA 303(d) list), list the pollutants that are causing the impairment: If the receiving water is impaired (on the CWA 303(d) list), list the pollutants that are causing the impairment: If the receiving water is impaired (on the CWA 303(d) list), list the pollutants that are causing the impairment: If the receiving water is impaired (on the CWA 303(d) list), list the pollutants that are causing the impairment is the pollutants that are causing the impairment is the pollutant is the p					
		TMDL Name and ID:					
--	---	---	--	--	--	--	--
		Pollutant(s) for which there is a TMDL:					
		TMDL Name and ID:					
		Pollutant(s) for which there is a TMDL:					
Are any of the wate (water quality exce (Outstanding Nation YES NO	ers of the U.S. to which you discharge designated by the state or tribal authority under its antidegra eds levels necessary to support propagation of fish, shellfish, and wildlife and recreation in and on nal Resource Water)? (See Appendix F).	adation policy as a Tier 2 (or Tier 2.5) water the water) or as a Tier 3 water					
If yes, name(s) of re	ceiving water(s) and its designation (Tier 2, Tier 2.5 or Tier 3):						
VI. Chemical Trea	atment Information						
Will you use polyme	rs, flocculants, or other treatment chemicals at your construction site? YES NO						
lf yes, will you If yes, have yc ☐ YES ☐ N	use cationic treatment chemicals at your construction site*? UYES UNO ou been authorized to use cationic treatment chemicals by your applicable EPA Regional Office ir O	n advance of filing your NOI*?					
If you have be include docur will not lead to	een authorized to use cationic treatment chemicals by your applicable EPA Regional Office, attac mentation of the appropriate controls and implementation procedures designed to ensure that yo b a violation of water quality standards.	ch a copy of your authorization letter and our use of cationic treatment chemicals					
Please indicate the	Please indicate the treatment chemicals that you will use:						
* Note: You are ineligible for coverage under this permit unless you notify your applicable EPA Regional Office in advance and the EPA office authorizes coverage under this permit after you have included appropriate controls and implementation procedures designed to ensure that your use of cationic treatment chemicals will not lead to a violation of water quality standards.							
VII. Stormwater Pollution Prevention Plan (SWPPP) Information							
Has the SWPPP bee	n prepared in advance of filing this NOI, as required? \square YES \square NO						
SWPPP Contact Info	rmation:						
First Name, Middle Initial Last Name:							
Professional Title:							
Phone:	Ext.						
E-mail:							

VIII. End	angered Species Protection
Using the the requi endange Marine Fi	instructions in Appendix D of the CGP, under which criterion listed below are you eligible for coverage under this permit? Check only 1 box, include red information and provide a sound basis for supporting the criterion selected. You must consider Endangered Species Act listed threatened or red species (ESA-listed) and/or designated critical habitat(s) under the jurisdiction of both the U.S. Fish and Wildlife Service (USFWS) and National sheries Service (NMFS) and select the most conservative criterion that applies.
A	<u>No ESA-listed species and/or designated critical habitat present in action area</u> . Using the process outlined in Appendix D of this permit, you certify that ESA-listed species and designated critical habitat(s) under the jurisdiction of the USFWS or NMFS are not likely to occur in your site's "action area" as defined in Appendix A of this permit. [Basis statement content: A basis statement supporting the selection of this criterion should identify the USFWS and NMFS information sources used. Attaching aerial image(s) of the site to this NOI is helpful to EPA, USFWS, and NMFS in confirming eligibility under this criterion. Please Note: NMFS' jurisdiction includes ESA-listed marine and estuarine species that spawn in inland rivers.]
B	Eligibility requirements met by another operator under the 2017 CGP. The construction site's discharges and discharge-related activities were already addressed in another operator's valid certification of eligibility for your "action area" under eligibility Criterion A, C, D, E, or F of the 2017 CGP and you have confirmed that no additional ESA-listed species and/or designated critical habitat under the jurisdiction of USFWS and/or NMFS not considered in the that certification may be present or located in the "action area." To certify your eligibility under this criterion, there must be no lapse of NPDES permit coverage in the other CGP operator's certification. By certifying eligibility under this criterion, you agree to comply with any conditions upon which the other CGP operator's certification is based on another 2017 CGP operator's certification of authorization under this permit. If your certification is based on another 2017 CGP operator's certification C, you must provide EPA with the relevant supporting information required of existing dischargers in criterion C in your NOI form. <u>Basis statement content: A basis statement supporting the selection of this criterion should identify the eligibility criterion of the other CGP NOI, the authorization date, and confirmation that the authorization is effective 1.</u>
	If you select criterion B, provide the NPDES ID from the other operator's notification of authorization under this permit:
C	Discharges not likely to adversely affect ESA-listed species and/or designated critical habitat. ESA-listed species and/or designated critical habitat(s) under the jurisdiction of the USFWS and/or NMFS are likely to adversely affect ESA-listed threatened or endangered species and/or designated critical habitat. This certification may include consideration of any stormwater controls and/or management practices you will adopt to ensure that your discharges and discharge-related activities are not likely to adversely affect ESA-listed species and/or designated critical habitat. To certify your eligibility under this criterion, indicate 1) the ESA-listed species and/or designated nabitat located in your "action area" using the process outlined in Appendix D of this permit: 2) the distance between the site and the listed species and/or designated from the discharges and discharge-related activities. So and your subject to easing that process outlined in appendix to of this permit: 2) the distance between the site and the listed species and/or management practical habitat in the action area (in miles), and 3) a rationale describing specifically how adverse effects to ESA-listed species and/or designated in -water extent of your "action area" with this NOI. <u>Basis</u> statement content: A basis statement supporting the selection of this criterion should dentify the information resources and experise (e.g., state or federal biologists) used to arrive at this conclusion. Any supporting documentation should explicitly state that both ESA-listed species and designated critical habitat under the jurisdiction of the USFWS and/or NMFS were considered in the evaluation.] What ESA-listed species and/or designated critical habitat are located in your "action area" (in miles, state "on site" if the ESA-listed species and/or designated critical habitat is within the area to be disturbed):
D	<u>Coordination with USFWS and/or NMFS has successfully concluded.</u> Coordination between you and the USFWS and/or NMFS has concluded. The coordination must have addressed the effects of your site's discharges and discharge-related activities on ESA-listed species and/or designated critical habitat under the jurisdiction of USFWS and/or NMFS, and resulted in a written concurrence from USFWS and/or NMFS that your site's discharges and discharge-related activities are not likely to adversely affect listed species and/or critical habitat. You must include copies of the correspondence with the participating agencies in your SWPPP and this NOI. <u>[Basis statement content: A basis statement supporting the selection of this criterion should identify whether USFWS or NMFS or both agencies participated in coordination, the field office/regional office(s) providing that coordination concluded.]</u>
Ē	ESA Section 7 consultation has successfully concluded. Consultation between a Federal Agency and the USFWS and/or NMFS under section 7 of the ESA has concluded. The consultation must have addressed the effects of the construction site's discharges and discharge-related activities on ESA-listed species and/or designated critical habitat under the jurisdiction of USFWS and/or NMFS. To certify eligibility under this criterion, Indicate the result of the consultation:
	biological opinion from USFWS and/or NMFS that concludes that the action in question (taking into account the effects of your site's discharges and discharge-related activities) is not likely to jeopardize the continued existence of listed species, nor the destruction or adverse modification of critical habitat; or
	written concurrence from USFWS and/or NMFS with a finding that the site's discharges and discharge-related activities are not likely to adversely affect ESA-listed species and/or designated critical habitat.
	You must include copies of the correspondence between yourself and the USFWS and/or NMFS in your SWPPP and this NOI. <u>[Basis statement</u> <u>content: A basis statement supporting the selection of this criterion should identify the federal action agencie(s) involved, the field office/regional <u>office(s) providing that consultation, any tracking numbers of identifiers associated with that consultation (e.g., IPaC number, PCTS number), and the <u>date the consultation was completed.</u>]</u></u>

F <u>Issuance of secti</u> and this authoriz habitat. You mu <u>statement conte</u> <u>section 10 perm</u> <u>IPaC number, PC</u>	on 10 permit. Potential take is authorized through the issuance of a permit under section 10 of the ESA by the USFWS and/or NMFS, action addresses the effects of the site's discharges and discharge-related activities on ESA-listed species and designated critical st include copies of the correspondence between yourself and the participating agencies in your SWPPP and your NOI. <u>[Basis</u> ent: A basis statement supporting the selection of this criterion should identify whether USFWS or NMFS or both agencies provided a it, the field office/regional office(s) providing permit(s), any tracking numbers of identifiers associated with that consultation (e.g., CTS number), and the date the permit was granted.]
Provide a brief summary of you selected.].	the basis for criterion selection listed above [the necessary content for a supportive basis statement is provided under the criterion
IX. Historic Preservation	
Are you installing any storm	water controls as described in Appendix E that require subsurface earth disturbance? (Appendix E, Step 1) 🛛 YES 🗌 NO
If yes, have prior surve precluded the existen	eys or evaluations conducted on the site have already determined historic properties do not exist, or that prior disturbances have ce of historic properties? (Appendix E, Step 2) 🔲 YES 🛛 NO
lf no, have you d (Appendix E, Ste	etermined that your installation of subsurface earth-disturbing stormwater controls will have no effect on historic properties? p 3) YES NO
If no, did th subsurface	e SHPO, THPO, or other tribal representative (whichever applies) respond to you within the 15 calendar days to indicate whether the earth disturbances caused by the installation of stormwater controls affect historic properties? (Appendix E, Step 4) \square YES \square NO
lf yes,	describe the nature of their response:
	Written indication that no historic properties will be affected by the installation of stormwater controls.
	Written indication that adverse effects to historic properties from the installation of stormwater controls can be mitigated by agreed upon actions.
	No agreement has been reached regarding measures to mitigate effects to historic properties from the installation of stormwater controls.
	Other:
X. Certification Informati	ion
I certify under penalty of lav to assure that qualified pers system, or those persons dir and complete. I have no p penalties for submitting false First Name, Middle Initial, Last Name:	w that this document and all attachments were prepared under my direction or supervision in accordance with a system designed onnel properly gathered and evaluated the information submitted. Based on my inquiry of the person or persons who manage the actly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, ersonal knowledge that the information submitted is other than true, accurate, and complete. I am aware that there are significant e information, including the possibility of fine and imprisonment for knowing violations.
Email:	

Instructions for Completing EPA Form 3510-9

Notice of Intent for the 2017 NPDES Construction General Permit

NPDES Form Date (2/17)

This Form Replaces Form 3510-9 (02/12)

Form Approved OMB No. 2040-0004

Who Must File an NOI Form

Under the provisions of the Clean Water Act, as amended (33 U.S.C. 1251 et. seq.; the Act), federal law prohibits stormwater discharges from certain construction activities to waters of the U.S. unless that discharge is covered under a National Pollutant Discharge Elimination System (NPDES) permit. Operators of construction sites where one or more acres are disturbed, smaller sites that are part of a larger common plan of development or sale where there is a cumulative disturbance of at least one acre, or any other site specifically designated by the Director, must obtain coverage under an NPDES general permit. For coverage under the 2017 CGP, each person, firm, public organization, or any other entity that meets either of the following criteria must file a Notice of Intent form: (1) they have operational control over construction plans and specifications, including the ability to make modifications to those plans and specifications; or (2) they have day-to-day operational control of those activities at the project necessary to ensure compliance with the permit conditions. If you have questions about whether you need a NPDES stormwater permit, or if you need information to determine whether EPA or your state agency is the permitting authority, contact your EPA Regional Office.

Completing the Form

Obtain and read a copy of the 2017 CGP, viewable at <u>https://www.epa.gov/npdes/stormwater-discharges-</u>

construction-activities#cgp. To complete this form, type or print uppercase letters, in the appropriate areas only. Please place each character between the marks (abbreviate if necessary to stay within the number of characters allowed for each item). Use one space for breaks between words, but not for punctuation marks unless they are needed to clarify your response. If you have any questions on this form, telephone EPA's NOI Processing Center at (866) 352-7755. Please submit the original document with signature in ink - do not send a photocopied signature.

Section I. Approval to Use Paper NOI Form

You must indicate whether you have been granted a waiver from electronic reporting from the EPA Regional Office. Note that you are not authorized to use this paper NOI form unless the EPA Regional Office has approved its use. Where you have obtained approval to use this form, indicate the waiver that you have been granted, the name of the EPA staff person who granted the waiver, and the date that approval was provided.

See <u>https://www.epa.gov/npdes/contact-us-</u> stormwater#regional

for a list of EPA Regional Office contacts.

Section II. Permit Number

Provide the master permit number of the permit under which you are applying for coverage (see Appendix B of the general permit for the list of eligible master permit numbers)

Section III. Operator Information

Provide the legal name of the person, firm, public organization, or any other entity that operates the project described in this NOI. Refer to Appendix A of the permit for the definition of "operator".

Indicate whether you are seeking coverage under this permit as a "federal operator" as defined in Appendix A.

Also provide a point of contact, the operator's mailing address, county, telephone number, and e-mail address (to be notified via e-mail of NOI approval when available). Correspondence for the NOI will be sent to this address.

If the NOI was prepared by someone other than the certifier (for example, if the NOI was prepared by the facility SWPPP contact or a consultant for the certifier's signature), include the full name, organization, phone number, and email address of the NOI preparer.

Section IV. Project/Site Information

Enter the official or legal name and complete street address, including city, state, ZIP code, and county or similar government subdivision of the project or site. If the project or site lacks a street address, indicate the general location of the site (e.g., Intersection of State Highways 61 and 34). Complete site information must be provided for permit coverage to be granted.

Provide the latitude and longitude of your facility in decimal degrees format. The latitude and longitude of your facility can be determined in several different ways, including through the use of global positioning system (GPS) receivers, U.S. Geological Survey (U.S.G.S.) topographic or quadrangle maps, and web-based siting tools, among others. For consistency, EPA requests that measurements be taken from the approximate center of the construction site. For linear construction sites, the measurement should be taken midpoint of the site. If known, enter the horizontal reference datum for your latitude and longitude. The horizontal reference datum is shown on the bottom left corner of USGS topographic maps; it is also available for GPS receivers.

Indicate whether the project is in Indian country lands or located on a property of religious or cultural significance to an Indian tribe, and if so, provide the name of the Indian tribe associated with the area of Indian country (including name of Indian reservation, if applicable), or if not in Indian country, provide the name of the Indian tribe associated with the property.

Enter the estimated construction start and completion dates using four digits for the year (i.e., 10/06/2012). Indicate to the nearest quarter acre the estimated area to be disturbed.

Indicate the type of construction site, if demolition is occurring, and if so, if the structure has at least 10,000 square feet of floor space. Indicate whether the pre-development land use of the site was used for agriculture Appendix A defines "agricultural land" as cropland, grassland, rangeland, pasture, and other agricultural land, on which agricultural and forest-related products or livestock are produced and resource concerns may be addressed. Agricultural lands include cropped woodland, marshes, incidental areas included in the agricultural operation, and other types of agricultural land used for the production of livestock.

Indicate whether earth-disturbing activities have already commenced on your project/site. If earth-disturbing activities have commenced on your site because stormwater discharges from the site have been previously covered under a NPDES permit, you must provide the 2012 CGP NPDES ID or the NPDES permit number if coverage was under an individual permit.

Section V. Discharge Information

You must confirm that you understand that the CGP only authorizes the allowable stormwater discharges listed in Part 1.2.1 and the allowable non-stormwater discharges listed in Part 1.2.2.

Instructions for Completing EPA Form 3510-9

Notice of Intent for the 2017 NPDES Construction General Permit

NPDES Form Date (2/17)

This Form Replaces Form 3510-9 (02/12)

Form Approved OMB No. 2040-0004

Any discharges not expressly authorized under the CGP are not covered by the CGP or the permit shield provision of the CWA Section 402(k) and they cannot become authorized or shielded by disclosure to EPA, state, or local authorities via the NOI to be covered by the permit or by any other means (e.g., in the SWPPP or during an inspection). If any discharges requiring NPDES permit coverage other than the allowable stormwater and nonstormwater discharges listed in Parts 1.2.1 and 1.2.2 will be discharged, they must either be eliminated or covered under another NPDES permit.

Indicate whether discharges from the site will enter into a municipal separate storm sewer system (MS4), as defined in Appendix A.

Also, indicate whether any waters of the U.S. exist within 50 feet from your site. Note that if "yes", you are required to comply with the requirement in Part 2.2.1 of the permit to provide natural buffers or equivalent erosion and sediment controls.

For each unique point of discharge you list, you must specify the name of the first water of the U.S. that receives stormwater directly from the point of discharge and/or from the MS4 that the point of discharge discharges to. You must specify whether any waters of the U.S. that you discharge to are listed as "impaired" as defined in Appendix A, and the pollutants for which the water is impaired. You must identify any Total Maximum Daily Loads (TMDL) that have been completed for any of the waters of the U.S. that you discharge to.

Indicate whether discharges from the site will enter into a water of the U.S. that is designated as a Tier 2, Tier 2.5, or Tier 3 water. A list of Tier 2, 2.5, and 3 waters is provided as Appendix F. If the answer is "yes", name all waters designated as Tier 2, Tier 2.5, or Tier 3 to which the site will discharge.

Section VI. Chemical Treatment Information

Indicate whether the site will use polymers, flocculants, or other treatment chemicals. Indicate whether the site will employ cationic treatment chemicals. If the answer is "yes" to either question, indicate which chemical(s) you will use. Note that you are not eligible for coverage under this permit to use cationic treatment chemicals unless you notify your applicable EPA Regional Office in advance and the EPA office authorizes coverage under this permit after you have included appropriate controls and implementation procedures designed to ensure that your use of cationic treatment chemicals will not lead to a violation of water quality standards. If you have been authorized to use cationic treatment chemicals by your applicable EPA Regional Office, attach a copy of your authorization letter and include documentation of the appropriate controls and implementation procedures designed to ensure that your use of cationic treatment chemicals will not lead to a violation of water quality standards. Examples of cationic treatment chemicals include, but are not limited to, cationic polyacrylamide (C-PAM), POlyDADMAC (POLYDIALLYLDIMETHYLAMMONIUM CHLORIDE), and chitosan.

Section VII. Stormwater Pollution Prevention Plan (SWPPP) Information

All sites eligible for coverage under this permit are required to prepare a SWPPP in advance of filing the NOI, in accordance with Part 7. Indicate whether the SWPPP has been prepared in advance of filing the NOI. Indicate the street, city, state, and ZIP code where the SWPPP can be found. Indicate the contact information (name, organization, phone, and email) for the person who developed the SWPPP for this project.

Section VIII. Endangered Species Information

Using the instructions in Appendix D, indicate under which criterion (i.e., A, B, C, D, E, or F) of the permit the applicant is eligible with regard to protection of ESA-listed endangered and threatened species and designated critical habitat. A description of the basis for the criterion selected must also be provided.

If criterion B is selected, provide the NPDES Number for the other operator who had previously certified their eligibility for the CGP under criterion A, C, D, E, or F. The Tracking Number was assigned when the operator received coverage under this permit, and is included in the notice of authorization.

If criterion C is selected, you must attach copies of your site map. See Part 7.2.4 of the permit for information about what is required to be in your site map. You must also specify the federally-listed species and/or federally-designated critical habitat that are located in the "action area" of the project, and provide the distance between the construction site and any listed endangered species and/or their designated critical habitat.

If criterion D, E, or F is selected, attach copies of any communications between you and the U.S. Fish and Wildlife Service and National Marine Fisheries Service and identify the participating agencies and Field Offices/Regional Offices you worked with in the basis statement of this NOI.

Section IX. Historic Preservation

Use the instructions in Appendix E to complete the questions on the NOI form regarding historic preservation.

Section X. Certification Information

The NOI must be signed as follows:

For a corporation: By a responsible corporate officer. For the purpose of this Section, a responsible corporate officer means:

(i) a president, secretary, treasurer, or vice-president of the corporation in charge of a principal business function, or any other person who performs similar policy- or decision-making functions for the corporation, or (ii) the manager of one or more manufacturing, production, or operating facilities, provided, the manager is authorized to make management decisions which govern the operation of the regulated facility including having the explicit or implicit duty of making major capital investment recommendations, and initiating and directing other comprehensive measures to assure long-term environmental compliance with environmental laws and regulations; the manager can ensure that the necessary systems are established or actions taken to gather complete and accurate information for permit application requirements; and where authority to sign documents has been assigned or delegated to the manager in accordance with corporate procedures.

For a partnership or sole proprietorship: By a general partner or the proprietor, respectively; or

For a municipality, state, federal, or other public agency: By either a principal executive officer or ranking elected official. For purposes of this Part, a principal executive officer of a federal agency includes (i) the chief executive officer of the agency, or

Instructions for Completing EPA Form 3510-9

Notice of Intent for the 2017 NPDES Construction General Permit

NPDES Form Date (2/17)

This Form Replaces Form 3510-9 (02/12)

Form Approved OMB No. 2040-0004

(ii) a senior executive officer having responsibility for the overall operations of a principal geographic unit of the agency (e.g., Regional Administrator of EPA). Include the name and title of the person signing the form and the date of signing. An unsigned or undated NOI form will not be considered eligible for permit coverage.

Modifying Your NOI

If you have been granted a waiver from your Regional Office from electronic reporting, and if after submitting your NOI you need to correct or update any fields on this NOI form, you may do so by indicating changes on this same form. Paperwork Reduction Act Notice

Public reporting burden for this NOI is estimated to average 3.7 hours. This estimate includes time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB control number. Send comments regarding the burden estimate, any other aspect of the collection of information, or suggestions for improving this form, including any suggestions which may increase or reduce this burden to: Chief, Information Policy Branch 2136, U.S. Environmental Protection, Agency, 1200 Pennsylvania Avenue, NW, Washington, D.C. 20460. Include the OMB control number on

any correspondence. Do not send the completed form to this address.

Submitting Your Form

Submit your NOI form by mail to one of the following addresses:

For Regular U.S. Mail Delivery: Stormwater Notice Processing Center Mail Code 4203M, ATTN: 2017 CGP U.S. EPA 1200 Pennsylvania Avenue, NW Washington, DC 20460

For Overnight/Express Mail Delivery: Stormwater Notice Processing Center William Jefferson Clinton East Building - Room 7420 ATTN: 2017 CGP U.S. EPA 1201 Constitution Avenue, NW Washington, DC 20004

Visit this website for instructions on how to submit electronically:

https://www.epa.gov/npdes/stormwater-dischargesconstruction-activities#ereporting Appendix K - Notice of Termination (NOT) Form and Instructions

Part 8.3 requires you to use the NPDES eReporting Tool, or "NeT" system, to prepare and submit your NOT electronically. However, if you are given a waiver by the EPA Regional Office to use a paper NOT form, and you elect to use it, you must complete and submit the following form.

NPDES FORM 3510-13	₿E	PA	Nc	itice of T	Un Fermin <i>i</i>	nited St. ation (P	ates En Wa NOT) fi	NVIRON ASHING OR THE	mental Ion, Do 2017 N	. Prote C 2046 IPDES	ction 50 Const	Agenc ructio	;y n Gene	ral Pern	VIT	Form Approved. OMB No. 2040-0004
Submission of this Noti the NPDES Constructions to the instructions at t	Submission of this Notice of Termination constitutes notice that the operator identified in Section III of this form is no longer authorized discharge pursuant to the NPDES Construction General Permit (CGP) from the site identified in Section IV of this form. All necessary information must be included on this form. Refer to the instructions at the end of this form.															
I. Approval to Use F	Paper NOT	Form														
Have you been grant	ed a waiver	from electroni	c reportinę	g from th	ne Regio	onal Of	fice *?	YES		10						
If yes, check which waiver you have been granted, the name of the EPA Regional Office staff person who granted the waiver, and the date of approval:																
Waiver granted	Waiver granted: The owner/operator's headquarters is physically located in a geographic area (i.e., ZIP code or census tract) that is identified as under-served for broadband Internet access in the most recent report from the Federal Communications Commission.															
	Tr	ne owner/oper	ator has is	sues reg	arding	availat	ole con	nputer	access	or cor	nputer	capab	oility.			
Name of EPA st	aff person th	nat granted the	e waiver:													
Date approval	obtained:	/	/]											
* Note: You must have form electronically us	e been giver ing the NDPE	n approval by t ES eReporting 1	he Region ool (NeT).	al Office	e prior t	o using	this pa	aper NC)T form	. If you	have	not obt	ained a	waiver,	you	must file this
II. Permit Informatio	on															
NPDES ID:																
Reason for Terminatio	n (Check or	nly one):														
You have co	ompleted all	construction a	activities a	t your site	e, and g	you hav	ve met	all oth	er requ	uiremer	nts in Pa	art 8.2.1	1.			
Another ope	erator has as	sumed control	over all a	reas of tl	ne site a	and tha	at oper	ator ha	is subm	nitted a	in NOI	and ob	otained	coveraç	ge ur	ider the CGP
You have ob construction	otained cove N site.	ərage under a	n individua	al permit	or ano	other ge	neral N	NPDES p	permit a	addres	sing sto	ormwat	er disch	narges fr	om tl	ne
III. Operator Inform	ation															
Operator Name:																
Mailing Address:																
Street:																
City:									State:]	ZIP Co	ode:			-
County or Similar Gov	County or Similar Government Division:															
Phone:	Phone:															
E-mail:																
IV. Project/Site Information																
Project/Site Name:																
Project/Site Address:																
Street/Location:]				
City:									State:			ZIP Co	ode:			-
County or Similar Gov	County or Similar Government Division:															

V. Certification Information					
I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gathered and evaluated the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.					
First Name, Middle					
Signature: Date://					

Notice of Termination for the 2017 NPDES Construction General Permit

NPDES Form Date (2/17)

This Form Replaces Form 3510-13 (02/12)

Form Approved OMB No. 2040-0004

Who May File an NOT Form

Permittees who are presently covered under the EPA-issued 2017 Construction General Permit (CGP) for Stormwater Discharges Associated with Construction Activity may submit an NOT form when: (1) earth-disturbing activities at the site are completed and the conditions in Parts 8.2.1.a through 8.2.1.b are met; or (2) the permittee has transferred all areas under its control to another operator, and that operator has submitted and obtained coverage under this permit; or (3) the permittee has obtained coverage under a different NPDES permit for the same discharges.

Completing the Form

Type or print, using uppercase letters, in the appropriate areas only. Please place each character between the marks. Abbreviate if necessary to stay within the number of characters allowed for each item. Use only one space for breaks between words, but not for punctuation marks unless they are needed to clarify your response. If you have any questions about this form, refer to <u>https://www.epa.gov/npdes/stormwater-dischargesconstruction-activities#cgp</u> or telephone EPA's NOI Processing Center at (866) 352-7755. Please submit original document with signature in ink - do not send a photocopied signature.

Section I. Approval to Use Paper NOT Form

You must indicate whether you have been granted a waiver from electronic reporting from the EPA Regional Office. Note that you are not authorized to use this paper NOT form unless the EPA Regional Office has approved its use. Where you have obtained approval to use this form, indicate the waiver that you have been granted, the name of the EPA staff person who granted the waiver, and the date that approval was provided.

See<u>https://www.epa.gov/npdes/contact-us-stormwater#regional</u> for a list of EPA Regional Office contacts.

Section II. Permit Information

Enter the existing NPDES ID assigned to the project . If you do not know the permit tracking number, or contact EPA's NOI Processing Center at (866) 352-7755.

Indicate your reason for submitting this Notice of Termination by checking the appropriate box. Check only one.

Section III. Operator Information

Provide the legal name of the person, firm, public organization, or any other entity that operates the project described in this NOT and is covered by the NPDES ID identified in Section II. Enter the complete mailing address, telephone number, and email address of the operator.

Section IV. Project/Site Information

Enter the official or legal name and complete street address, including city, state, ZIP code, and county or similar government subdivision of the project or site. If the project or site lacks a street address, indicate the general location of the site (e.g., Intersection of State Highways 61 and 34). Complete site information must be provided for termination of permit coverage to be valid.

Section V. Certification Information The NOT, must be signed as follows:

For a corporation: By a responsible corporate officer. For the purpose of this Part, a responsible corporate officer means: (i) a president, secretary, treasurer, or vice-president of the corporation in charge of a principal business function, or any other person who performs similar policy-or decision-making functions for the corporation, or (ii) the manager of one or more manufacturing,

production, or operating facilities, provided, the manager is authorized to make management decisions which govern the operation of the regulated facility including having the explicit or implicit duty of making major capital investment recommendations, and initiating and directing other comprehensive measures to assure long-term environmental compliance with environmental laws and regulations; the manager can ensure that the necessary systems are established or actions taken to gather complete and accurate information for permit application requirements; and where authority to sign documents has been assigned or delegated to the manager in accordance with corporate procedures.

For a partnership or sole proprietorship: By a general partner or the proprietor, respectively; or

For a municipality, state, federal, or other public agency: By either a principal executive officer or ranking elected official. For purposes of this Part, a principal executive officer of a federal agency includes (i) the chief executive officer of the agency, or (ii) a senior executive officer having responsibility for the overall operations of a principal geographic unit of the agency (e.g., Regional Administrator of EPA).

Include the name, title, and email address of the person signing the form and the date of signing. An unsigned or undated NOT form will not be considered valid termination of permit coverage.

Paperwork Reduction Act Notice

Public reporting burden for this NOT is estimated to average 0.5 hours per notice, including time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB control number. Send comments regarding the burden estimate, any other aspect of the collection of information, or suggestions for improving this form including any suggestions which may increase or reduce this burden to: Chief, Information Policy Branch, 2136, U.S. Environmental Protection Agency, 1200 Pennsylvania Avenue, NW, Washington, DC 20460. Include the OMB number on any correspondence. Do not send the completed form to this address.

Submitting Your Form:

Submit your NOT form by mail to one of the following addresses:

For Regular U.S. Mail Delivery: Stormwater Notice Processing Center Mail Code 4203M, ATTN: 2017 CGP U.S. EPA 1200 Pennsylvania Avenue, NW Washington, DC 20460

For Overnight/Express Mail Delivery: Stormwater Notice Processing Center William Jefferson Clinton East Building - Room 7420 ATTN: 2017 CGP U.S. EPA 1201 Constitution Avenue, NW Washington, DC 20004

Visit this website for instructions on how to submit electronically: <u>https://www.epa.gov/npdes/stormwater-discharges-</u> <u>construction-activities#ereporting</u>

Appendix L – Suggested Format for Request for Chemical Treatment

If you plan to add "cationic treatment chemicals" (as defined in Appendix A) to stormwater and/or authorized non-stormwater prior to discharge, Part 1.1.9 requires you to notify your applicable EPA Regional Office in advance of submitting your NOI. The EPA Regional Office will authorize coverage under this permit after you have included appropriate controls and implementation procedures designed to ensure that your use of cationic treatment chemicals will not lead to an exceedance of water quality standards. To notify your EPA Regional Office, you may use following form.

€EPA	United States Environmental Protection Agency Washington, DC 20460 Suggested Format for Notifying EPA about Proposed Use of Cationic Treatment Chemicals under the 2017 NPDES Construction General Permit						
Under Part 1.1.9 of the 2017 CGP, if you plan to add "cationic treatment chemicals" (as defined in Appendix A) to stormwater and/or authorized non- stormwater prior to discharge, you may not submit your Notice of Intent (NOI) until you notify your applicable EPA Regional Office in advance and the EPA Regional Office authorizes coverage under this permit after you have included appropriate controls and implementation procedures designed to ensure that your use of cationic treatment chemicals will not lead to a violation of water quality standards. You may use this suggested form to notify your EPA Regional Office about your proposed use of cationic treatment chemicals.							
I. Operator Information							
Operator Name:							
Mailing Address:							
Street:							
City:	State: ZIP Code: -						
Phone:	Ext.						
E-mail:							
II. Project/Site Informati	ion						
Project/Site Name:							
Project/Site Address:							
Street/Location:							
City:	State: ZIP Code:						
County or Similar Government Subdivision:							
Site contact name (if different from operator):							
Site contact phone (if different from operator):							
Name(s) of receiving waterbodies:							
III. Map							
Attach a map that illustrat - All receiving waterbodies - All proposed location(s) of - All proposed point(s) of d - All soil types within areas - All area of earth disturba - Sufficient indication of to Attach a schematic drawi	es the entire site including all of the below items. Include this map in your Stormwater Pollution Prevention Plan (SWPPP): s of chemical treatment system(s) lischarge to receiving waterbodies to be disturbed nce pography to indicate where stormwater flows ng of the proposed treatment system(s). Include all components of the treatment train sample points, and pipe configurations. In						

Attach a schematic drawing of the proposed treatment system(s). Include all components of the treatment train, sample points, and pipe configurations. In addition to sufficient holding capacity upstream of treatment, the system must have the capacity to hold water for testing and to re-treat water that does not meet water quality standards.

IV. Responsible Personnel					
Treatment System Operator or Company Image: A state of the stat					
Street/Location:					
City: Zip Code:					
Responsible personnel. List personnel who will be responsible for operating the chemical treatment systems and application of the chemicals. Cite the training that the personnel have received in operation and maintenance of the treatment system(s) and use of the specific chemical(s) proposed					
V. Proposed Treatment					
Check proposed treatment system.					
Chitosan enhanced sand filtration with discharge to infiltration (ground water)					
Chitosan enhanced sand filtration with discharge to temporary holding ponds (batch).					
Chitosan enhanced sand filtration with discharge to surface waters (flow-through).					
non-toxic effluent/ discharge)					
Check proposed estimate chemical(a) to be used:					
$\Box = E_{\text{loc}} C_{\text{lear}} I (2\% \text{ chitosan acetate solution})$					
StormKlear TM LiquiFloc TM (1% chitosan acetate solution).					
□ ChitoVan [™] (1% chitosan acetate solution).					
□ StormKlear [™] LiquiFloc [™] (3% Chitosan acetate solution)					
Other					
Estimated Treatment Period Start Date:					
Describe sampling and recordkeeping schedule. Attach additional sheets as needed:					
Explain why you have selected this proposed treatment system and chemicals. Include an explanation of why the use of cationic treatment chemicals is necessary at the site. Reference how the soil types on your site influenced your choices. Describe or provide an illustration of how the site of the discharge					
will be stabilized and why the discharge location will not cause erosion of the discharge water's bank or bed (please note that a permit from the Corps and state agencies may be necessary to place rock in the water body for this stabilization). Attach as many additional sheets as needed for a full explanation. If					
you have a report from a chemical treatment contractor describing their recommended approach you may attach that.					

VI. Certification Information						
 I have documented and hereby certify that the following information is correct and has been documented in the SWPPP for this project: The SWPPP includes a complete site-specific description of the chemical treatment system herein proposed for use, including specifications, design, and Material Safety Data Sheets for all chemicals to be used. The controls to be used on the site are compatible with the safe and effective use of cationic chemical treatment. I verified through jar tests that the site soil is conducive to chemical treatment. I verified that the chemical treatment system operators for this project received training. I read, understand, and will follow all conditions and design criteria in the applicable use designation(s). If the discharge is to tribal waters, I notified the appropriate tribal government of the intent to use chemical treatment on a site located within that jurisdiction. I will keep the use level designation, operation and maintenance manual, and training certificate on site prior to and during use of chemical treatment. A licensed engineer designed the system for this project including system sizing, pond sizing, and flow requirements. I verify that the discharge will not adversely affect downstream conveyance systems or stream channels (e.g. cause erosion). 						
I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gathered and evaluated the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.						
Authorized Official First Name, Middle Initial, Last Name:						
Title:						
Signature: Date: / /						

Instructions for Submitting This Form:

Submit your this form to your applicable EPA Regional Office. Contact information can be found at: https://www.epa.gov/npdes/contact-us-stormwater#regional

TAB 10

Development & Commercial Stormwater Construction Site Inspection Report

^	General Information					
Project Name						
Owners/Operators Name						
Date of Inspection	Start Time					
Inspector's Name(s)						
Inspector's Title(s)	Inspector					
Inspector's Contact Information						
Inspector's Qualifications	Training and work experience – see inspector qualification page in section 2 of the SWPPP.					
Type of Inspection: Regular During storm evaluation	vent Dost-storm event					
	Weather Information					
Has there been a storm event sinceIf yes, provide:Storm Start Date:Approxit	the last inspection? imate Amount of Precipitation (in):					
Weather at time of this inspection?	Sleet Snowing High Winds Partly Cloudy					
Have any discharges occurred sinc If yes, describe: What did the water look like at the	e the last inspection? e time of the discharge? Clear 🗌 Partly turbid 🗌 Very turbid					
Are there any discharges at the time of inspection? If yes, describe: What did the water look like at the time of the discharge? Clear Partly turbid Very turbid						
1. Is a rain gage installed on site? Where is it located? 2. Has the Rain Event page been filled out? 3. Are there MSDS sheets on site? Where are they located? 4. Has the SWPPP been signed on the certification page? What companies have signed? 5. Have the delegation letters been signed? What companies have signed? 6. Has a delegation of authority been filled out for who is signing the inspection reports? Who is signing the inspection reports? 7. Has the "Chemical On Site" form been filled out? Where is it located? 8. Is there a spill kit on site? Where is it located? 9. Have they done any training for the supervisors or others? 10. Was the inspector able to train any one on this visit? 10. Was the inspector able to train any one on this visit? Who did you speak with? Are the SWPPP and inspections available on site? The SWPPP book and inspections are located at						
	Notes					

Notes	
) .	

	Final Stabilization/Termination Checklist.						
1.	Are all soil-disturbing activities complete?						
2.	Have all inactive areas of the site not covered by pavement or structure achieved a density of 70% coverage?						
3.	Date of Final Stabilization.						
	If construction ceases on the site for more than 14 days, the site must be stabilized until construction resumes.						
Date	e Construction Stopped	Date Construction Resu	ımed				
Mea the	asures Taken to Stabilize Site.						

Verify what stage of construction the project is in, and record dates when activities started and were completed.							
Construction Phasing							
Activity	Current Status	Activity Started / Completed					
Installed BMPs		Started:					
		Completed:					
Site Clearing and Grading		Started:					
		Completed:					
Installing Utilities		Started:					
		Completed:					
Building Structure		Started:					
		Completed:					
Paving and Walks		Started:					
		Completed:					
Final Grading/ Stabilize Site		Started:					
		Completed:					
Other		Started:					
		Completed:					

Site-specific BMPs

• The corrective actions initiated and date completed are in the Corrective Action Log.

	List of BMPs Installed	BMP Installed?	BMP Maintenance Required?	Notes
1				
2				
3				
4				
5				
6				
7				
8				
9				
10				

1	Are the BMPs shown on	
	the map?	
2	Were there changes to	
	the SWPPP?	
3	Has the SWPPP been	
	updated?	
4	Were the changes to the	
	SWPPP implemented	
	within 7 days?	

	New BMPs needed	Notes
1		
2		
3		
4		
5		

Overall Site Issues

A list of corrective actions will be supplied with this inspection.

	BMP/activity	Implemented?	Maintenance Required?	Corrective Action Needed and Notes.
1	Are all slopes and disturbed areas not actively being worked properly stabilized?			
2	Are natural resource areas (e.g., streams, Arroyos, mature trees, etc.) protected with barriers or similar BMPs?			
3	Are perimeter controls and sediment barriers adequately installed (keyed into substrate) and maintained?			
4	Are discharge points and receiving waters free of any sediment deposits?			
5	Are storm drain inlets properly protected?			
6	Is the construction exit preventing sediment from being tracked into the street?			
7	Is trash/litter from work areas collected and placed in dumpsters?			
8	Are washout facilities (e.g., paint, stucco, concrete) available, clearly marked, and maintained?			

	BMP/activity	Implemented?	Maintenance Required?	Corrective Action Needed and Notes.
9	Are vehicle and equipment fueling, cleaning, and maintenance areas free of spills, leaks, or any other deleterious material?			
10	Are materials that are potential storm water contaminants stored inside or under cover?			
11	Are non-storm water discharges (e.g., wash water, dewatering) properly controlled?			
12	Has the Site map been updated to reflect current conditions?			The map has been updated.
13	Is the NOI posted			NOI Posting Location:
14	Were previous corrections made within 7 days of last inspection or before the next storm event?			
15	(Other)			

Wal	k through the facility and	look for signs of	pollution including paint,	solvents, chemicals, solid waste, oil, and fuel.
1	Are there any signs of			
	hazardous materials			
	being exposed to storm			
	water runoff?			
2	Have there been any			
	reportable quantities			
	releases of hazardous			
	materials?			

CERTIFICATION STATEMENT

"I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gathered and evaluated the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations."

Print name:	Title: Inspector
Signature:	_Date:
SWPPP Management Signature:	_ Date:

Project:

Corrective Action Log

Number	Corrective Action Needed	Date Action Noted	Date Corrected	Date Correction Noted By Inspector		
_						
SWPPP Management Signature: Date:						

Date:

After Rain Event Construction Compliance Inspection For

Contractor:						
Site:						
Conducted By:						
Time of visit: Part 1: Walk through the facility and look for signs of erosion	contro	l measu	res that may have failed or			
been damaged from the recent rainfall event.	contro	i measu	res that may have failed of			
a. Site Inspection	Y	Ν	Notes			
1. Are there any erosion control structures damaged from the						
rain event?						
2. Are there signs of new ruts or gullies from the rain event?						
3. Are there signs of significant amounts of mud in the street						
or outfalls from the rainfall event?						
4. Are there any conditions that need immediate attention?						
Part 2: Inspection report summary.		T	1. 10			
b. Inspection Report Summary		Infor	mation/Comments			
1. Name of Inspector	т ·	· 1	1 .			
2. Qualifications of Inspector	inspector qualification page in the SWPPP					
3. Measures/Areas Inspected						
4. Observed Conditions.						
5. Changes Necessary to the SWPPP.						
6. Were there any discharges?						
What did the water look like at the time of the discharge?						
7. Clear Partly sandy Very sandy						
8. Was Inspection Conducted Within 24 Hours of Last						
Rainfall Over 1/4"? How much did it rain?						
"I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gathered and evaluated the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations."						
Signature: Printed Name	:					
Date: Title	: Insp	ector				
SWPPP Management Signature		<u> </u>	Date:			