



VICINITY MAP M-10-Z  
NOT TO SCALE

**LEGEND**

- RD ROOF DRAIN
- FF= 5062.0 FINISH FLOOR ELEVATION
- INV INVERT
- EXISTING CONTOUR
- PROPOSED CONTOUR
- FLOW ARROW
- EXISTING EDGE OF PAVING
- CONSTRUCTION FENCE
- DISTURBED AREA



**EROSION AND SEDIMENT CONTROL PLAN**  
1" = 30'



**J M Z architects**  
architecture | urbanism  
Jose M. Zelaya, AIA  
6100 Seagull St. Suite B203  
Albuquerque, NM 87109  
Ph: (505) 508-8512  
www.JMZarchitecture.com



Consultant

Client  
**Archdiocese of Santa Fe**  
4000 St. Joseph Pl. N.W.  
Albuquerque, NM 87120

Revisions

No.	Date	Description

Issue Date: **SEPTEMBER 4, 2014**  
Project No: **JMZ 032013**  
Doc. Phase: **100% CDS**

**FOR PERMIT AND FOR CONSTRUCTION**  
Drawn By: **CB**  
Checked By: **SMM**  
Principal: **SMM**

Signed: \_\_\_\_\_  
Date: \_\_\_\_\_  
License No. \_\_\_\_\_  
Project Name

**Santuario San Martin De Porres**  
8301 Camino San Martin SW  
Westgate Heights  
Albuquerque, NM 87121

Sheet Title

**EROSION AND SEDIMENT CONTROL PLAN**

Sheet Number

**C-103**

Copyright © J M Z architects (All rights reserved)

LEGAL: Tract A, Westgate Heights

AREA: 4.555 acres (198,410 SF)

**EXISTING CONDITIONS:** The existing southeast portion of this church site was developed in 1981 and includes a 9,500 SF sanctuary building along with a 650 SF garage, and associated paved parking and landscaping. Two existing retention ponds are located at the northwest corner and eastern end of the site. The two abutting public streets are both higher than the retention pond areas.

**EROSION CONTROL:** Disturbed portions of the site will need to be kept wetted to minimize wind erosion. The site has a perimeter wall that will prevent sediment from being carried offsite. The existing detention pond area is proposed to be enlarged providing additional sediment storage. The impact on surrounding streets and properties should be minimized.

**EROSION CONTROL PLAN & POLLUTION PREVENTION NOTES**

1. CONTRACTOR IS RESPONSIBLE FOR OBTAINING A TOPSOIL DISTURBANCE PERMIT PRIOR TO BEGINNING WORK.
2. CONTRACTOR IS RESPONSIBLE FOR CLEARING ALL SEDIMENT FROM EXISTING RIGHT OF WAY.
3. CONTRACTOR IS RESPONSIBLE FOR MAINTAINING ALL STORM RUNOFF ON SITE.
4. REPAIR OF DAMAGED FACILITIES AND CLEAN UP OF SEDIMENT ACCUMULATION ON ADJACENT PROPERTIES AND IN PUBLIC FACILITIES IS THE RESPONSIBILITY OF THE CONTRACTOR.
5. ALL EXPOSED EARTH SURFACES SHALL BE PROTECTED FROM WIND AND WATER EROSION PRIOR TO FINAL ACCEPTANCE OF ANY PROJECT.
6. ALL DISTURBED AREAS MUST BE REVEGETATED.
7. PROJECT IS REQUIRED TO MAINTAIN A REGIMENT OF STREET SWEEPING AND CLEAN UP MEASURES IN THE EVENT OF TRACK OUT TO MINIMIZE AND PREVENT OFFSITE CONVEYANCES DURING CONSTRUCTION.