







1 TYPICAL CONC. CURB DETAIL
1/2" = 1'-0"




2 ACCESSIBLE PARKING SIGN
1/2" = 1'-0"




3 TYPICAL VAN ACCESSIBLE PARKING
NTS



FIRE HYDRANT LOCATIONS




SECTION



PLAN



5 REFUSE ENCLOSURE DETAILS
NTS

IF LESS THAN 40° SLOPE
AT FLARED SLOPES AT 1/12 MAX



6 CURB RAMP
NTS

NOTE: ACCESSIBLE
RAMP PER
ADA



Vicinity Map
Legal Description
LOT 4 COORDS-MENAL INDUSTRIAL PARK

SITE PLAN
SCALE: 1"=20'

AFD PLANS CHECKING OFFICE
924-3611
APPROVED/DISAPPROVED
HYDRANT(S) ONLY
SIGNATURE & DATE
KB 2291 GPR
7/2008 2 HRS RECD

PROJECT DATA:

OWNER: PADILLA MARBLE
ADDRESS: 6901 HUSEMAN PLACE SW
ZONING: M-1 CITY OF ALBUQUERQUE
SITE AREA: 42,960 S.F.
BUILDING AREA: 7200 S.F.
NET SITE AREA: 35,760 S.F.
LANDSCAPE AREA REQUIRED: 10% OF NET
3576 S.F.

LANDSCAPE AREA PROVIDED:
BUILDING TYPE OF CONSTRUCTION: VB
BUILDING OCCUPANCY GROUP:
SHOWROOM/OFFICES: M 1200 S.F.
WORK AREA: F2 6000 S.F.
NO OCCUPANCY SEPARATION REQUIRED PER
TABLE 302.3.2
ALLOWABLE AREA FOR BUILDING: 9000 S.F.
TABLE 503
HEIGHT OF BUILDING: 16'-0" EAVE HEIGHT
ALLOWABLE HEIGHT: 20'-0"
NUMBER OF STORIES: ONE
SPRINKLER SYSTEM NOT REQUIRED

OCCUPANT LOAD CALCULATIONS:




SHOWROOM/OFFICE: 1200 ÷ 60 = 20
WORK AREA: 6000 ÷ 200 = 30

PARKING CALCULATIONS:

SHOWROOM/OFFICE: 1/200
1200 ÷ 200 = 6
WORK AREA: 1/1000
6000 ÷ 1000 = 6
TOTAL 12
1 HC SPACE REQUIRED.

KEYED NOTES

- 1 EXISTING PROPERTY LINE
- 2 NEW STRUCTURE
- 3 NEW ENTRY DRIVE. REMOVE EXISTING CURB & GUTTER. BUILD NEW 32'-0" WIDE DRIVEPAD PER COA 2425
- 4 EXISTING STREET WITH CONCRETE CURB & GUTTER
- 5 GRAVEL FINES
- 6 REFUSE ENCLOSURE
- 7 PONDING AREA
- 8 6" DIA. STEEL BOLLARD- FILL SOLID W/ CONCRETE.
- 9 CONCRETE BOLLARD FOUNDATION
- 10 8" BLOCK WALL
- 11 NOT USED
- 12 10' UTILITY EASEMENT
- 13 SANITARY SEWER CONNECTION
- 14 WATER METER CONNECTION
- 15 ASPHALT PAVING
- 16 6" CONCRETE CURB
- 17 3/4" CHAMFER
- 18 4" CONCRETE SIDEWALK
- 19 LANDSCAPE AREA
- 20 HANDICAPPED CURB RAMP
- 21 PAINTED PARKING STRIPE
- 22 HANDICAPPED SIGN TO BE CENTERED IN FRONT OF PARKING SPACE.
- 23 2" GALVANIZED POLE
- 24 INTERNATIONAL HANDICAPPED SYMBOL
- 25 STRIPED HANDICAPPED ACCESS AREA
- 26 6'-0" CONCRETE PARKING BUMPER
- 27 12" DIA. x 42" CONCRETE FOOTING
- 28 #4 REBAR CONTINUOUS TOP & BOTTOM
- 29 2" DIA. x 24" CONCRETE FOOTING
- 30 BICYCLE RACK
- 31 6", 4,000 PSI, CONCRETE SLAB WITH 6X6 - 10X10 W/M
- 32 CONCRETE FOUNDATION FOR BLOCK ENCLOSURE WALL
- 33 4" THICK CONCRETE SIDEWALK AT PROPERTY LINE PER COA DRAWING 2430. SEE PLAN FOR DIMENSIONS.
- 34 UNIDIRECTIONAL WHEELCHAIR RAMPS PER COA 2426 MAXIMUM SLOPE 1:12



6-26-06


GUADALUPE ARCHITECTS
DAVID WEATHERMAN ARCHITECT
5961 GUADALUPE TRAIL, NW
ALBUQUERQUE, NEW MEXICO
(505) 343-9305

NEW FACILITY FOR
PADILLA MARBLE
6901 HUSEMAN PLACE SW ALBUQUERQUE, N.M.


SHEET

C1


RECEIVED
MAY 08 2008
HYDROLOGY
SECTION




1
TYPICAL
CONC. CURB DETAIL
1/2" = 1'-0"




2
ACCESSIBLE
PARKING SIGN
1/2" = 1'-0"




3
TYPICAL VAN
ACCESSIBLE PARKING
NTS




FIRE HYDRANT LOCATIONS



5
REFUSE ENCLOSURE DETAILS
NTS




PLAN




6
CURB RAMP
NTS

NOTE: ACCESSIBLE
RAMP PER
ADA



SITE PLAN
SCALE: 1"=20'



PROJECT DATA:

OWNER: PADILLA MARBLE
ADDRESS: 6901 HUSEMAN PLACE SW
ZONING: M-1 CITY OF ALBUQUERQUE
SITE AREA: 42,960 S.F.
BUILDING AREA: 7200 S.F.
NET SITE AREA: 35,760 S.F.
LANDSCAPE AREA REQUIRED: 10% OF NET
3576 S.F.

LANDSCAPE AREA PROVIDED:
BUILDING TYPE OF CONSTRUCTION: VB
BUILDING OCCUPANCY GROUP:
SHOWROOM/OFFICES: M 1200 S.F.
WORK AREA: F2 6000 S.F.
NO OCCUPANCY SEPARATION REQUIRED PER
TABLE 302.3.2
ALLOWABLE AREA FOR BUILDING: 9000 S.F.
TABLE 503
HEIGHT OF BUILDING: 16'-0" EAVE HEIGHT
ALLOWABLE HEIGHT: 20'-0"
NUMBER OF STORIES: ONE
SPRINKLER SYSTEM NOT REQUIRED

OCCUPANT LOAD CALCULATIONS:




SHOWROOM/OFFICE: 1200 ÷ 60 = 20
WORK AREA: 6000 ÷ 200 = 30

PARKING CALCULATIONS:

SHOWROOM/OFFICE: 1/200
1200 ÷ 200 = 6
WORK AREA: 1/1000
6000 ÷ 1000 = 6
TOTAL 12
1 HC SPACE REQUIRED.

KEYED NOTES

- EXISTING PROPERTY LINE
- NEW STRUCTURE
- NEW ENTRY DRIVE. REMOVE EXISTING CURB & GUTTER. BUILD NEW 32'-0" WIDE DRIVEPAD PER COA 2425
- EXISTING STREET WITH CONCRETE CURB & GUTTER
- GRAVEL FINES
- REFUSE ENCLOSURE
- PONDING AREA
- 6" DIA. STEEL BOLLARD- FILL SOLID W/ CONCRETE.
- CONCRETE BOLLARD FOUNDATION
- 8" BLOCK WALL
- NOT USED
- 10' UTILITY EASEMENT
- SANITARY SEWER CONNECTION
- WATER METER CONNECTION
- ASPHALT PAVING
- 6" CONCRETE CURB
- 3/4" CHAMFER
- 4" CONCRETE SIDEWALK
- LANDSCAPE AREA
- HANDICAPPED CURB RAMP
- PAINTED PARKING STRIPE
- HANDICAPPED SIGN TO BE CENTERED IN FRONT OF PARKING SPACE.
- 2" GALVANIZED POLE
- INTERNATIONAL HANDICAPPED SYMBOL
- STRIPED HANDICAPPED ACCESS AREA
- 6'-0" CONCRETE PARKING BUMPER
- 12" DIA. x 42" CONCRETE FOOTING
- #4 REBAR CONTINUOUS TOP & BOTTOM
- 2" DIA. x 24" CONCRETE FOOTING
- BICYCLE RACK
- 6", 4000 PSI, CONCRETE SLAB WITH 6X6 - 10X10 W/M
- CONCRETE FOUNDATION FOR BLOCK ENCLOSURE WALL
- 4" THICK CONCRETE SIDEWALK AT PROPERTY LINE PER COA DRAWING 2430. SEE PLAN FOR DIMENSIONS.
- UNIDIRECTIONAL WHEELCHAIR RAMPS PER COA 2426 MAXIMUM SLOPE 1:12



AFD PLANS CHECKING OFFICE
924-3611
APPROVED/DISAPPROVED
HYDRANT(S) ONLY
7/20/06
SIGNATURE & DATE

VB 2291 GA
7/20/06 2 HRS RECD

Not constructed
for site visit
12/19/07

6-26-06


GUADALUPE ARCHITECTS
DAVID WEATHERMAN ARCHITECT
5961 GUADALUPE TRAIL, NW
ALBUQUERQUE, NEW MEXICO
(505) 343-9305

NEW FACILITY FOR
PADILLA MARBLE
6901 HUSEMAN PLACE SW ALBUQUERQUE, N.M.


SHEET

C1


SHEET 1 of 1




1 TYPICAL CONC. CURB DETAIL
1/2" = 1'-0"



3 TYPICAL VAN ACCESSIBLE PARKING
NTS




FIRE HYDRANT LOCATIONS




SECTION

5 REFUSE ENCLOSURE DETAILS
NTS



PLAN




6 CURB RAMP
NTS



NOTE: ACCESSIBLE RAMP PER ADA

NOTE: SIGN AND MOUNTING HEIGHT TO BE IN ACCORDANCE WITH THE AMERICANS WITH DISABILITIES ACT.

2 ACCESSIBLE PARKING SIGN
1/2" = 1'-0"



4 TYPICAL SINGLE LOADED PARKING SPACE
NTS



SITE PLAN
SCALE: 1" = 20'

AFD PLANS CHECKING OFFICE
924-3611
APPROVED/DISAPPROVED
HYDRANT(S) ONLY
FEB 28 2006
SIGNATURE & DATE
VB 2291 GA
7200 # 2 HVS RECD

- PROJECT DATA:**
OWNER: PADILLA MARBLE
ADDRESS: 6901 HUSEMAN PLACE SW
ZONING: M-1 CITY OF ALBUQUERQUE
SITE AREA: 42,960 S.F.
BUILDING AREA: 7200 S.F.
NET SITE AREA: 35,760 S.F.
LANDSCAPE AREA REQUIRED: 10% OF NET 3576 S.F.
LANDSCAPE AREA PROVIDED: 3576 S.F.
BUILDING TYPE OF CONSTRUCTION: VB
BUILDING OCCUPANCY GROUP: M
SHOWROOM/OFFICES: M 1200 S.F.
WORK AREA: F2 6000 S.F.
NO OCCUPANCY SEPARATION REQUIRED PER TABLE 302.3.2
ALLOWABLE AREA FOR BUILDING: 9000 S.F. TABLE 503
HEIGHT OF BUILDING: 16'-0" EAVE HEIGHT
ALLOWABLE HEIGHT: 20'-0"
NUMBER OF STORIES: ONE
SPRINKLER SYSTEM NOT REQUIRED
- OCCUPANT LOAD CALCULATIONS:**
SHOWROOM/OFFICE: 1200 ÷ 60 = 20
WORK AREA: 6000 ÷ 200 = 30
- PARKING CALCULATIONS:**
SHOWROOM/OFFICE: 1/200
1200 ÷ 200 = 6
WORK AREA: 1/1000
6000 ÷ 1000 = 6
TOTAL 12
1 HC SPACE REQUIRED.
- KEYED NOTES**
- 1 EXISTING PROPERTY LINE
 - 2 NEW STRUCTURE
 - 3 NEW ENTRY DRIVE. REMOVE EXISTING CURB & GUTTER, BUILD NEW 32'-0" WIDE DRIVEPAD PER COA 2425
 - 4 EXISTING STREET WITH CONCRETE CURB & GUTTER
 - 5 GRAVEL FINES
 - 6 REFUSE ENCLOSURE
 - 7 PONDING AREA
 - 8 6" DIA. STEEL BOLLARD- FILL SOLID W/ CONCRETE.
 - 9 CONCRETE BOLLARD FOUNDATION
 - 10 8" BLOCK WALL
 - 11 NOT USED
 - 12 10' UTILITY EASEMENT
 - 13 SANITARY SEWER CONNECTION
 - 14 WATER METER CONNECTION
 - 15 ASPHALT PAVING
 - 16 6" CONCRETE CURB
 - 17 3/4" CHAMFER
 - 18 4" CONCRETE SIDEWALK
 - 19 LANDSCAPE AREA
 - 20 HANDICAPPED CURB RAMP
 - 21 PAINTED PARKING STRIPE
 - 22 HANDICAPPED SIGN TO BE CENTERED IN FRONT OF PARKING SPACE.
 - 23 2" GALVANIZED POLE
 - 24 INTERNATIONAL HANDICAPPED SYMBOL
 - 25 STRIPED HANDICAPPED ACCESS AREA
 - 26 6'-0" CONCRETE PARKING BUMPER
 - 27 12" DIA. x 42" CONCRETE FOOTING
 - 28 #4 REBAR CONTINUOUS TOP & BOTTOM
 - 29 2" DIA. x 24" CONCRETE FOOTING
 - 30 BICYCLE RACK
 - 31 6", 4,000 PSI, CONCRETE SLAB WITH 6X6 - 10X10 W/M
 - 32 CONCRETE FOUNDATION FOR BLOCK ENCLOSURE WALL
 - 33 4" THICK CONCRETE SIDEWALK AT PROPERTY LINE PER COA DRAWING 2430. SEE PLAN FOR DIMENSIONS.
 - 34 UNIDIRECTIONAL WHEELCHAIR RAMPS PER COA 2426 MAXIMUM SLOPE 1:12
- TRAFFIC CIRCULATION LAYOUT APPROVED
9/25/06
Signed: [Signature] Date: 9/25/06
- RECEIVED
SEP 28 2005
HYDROLOGY SECTION
- STATE OF NEW MEXICO
DAVID WEATHERMAN
NO. 1558
REGISTERED ARCHITECT








6-26-06

GUADALUPE ARCHITECTS
DAVID WEATHERMAN ARCHITECT
5961 GUADALUPE TRAIL, NW
ALBUQUERQUE, NEW MEXICO
(505) 343-9305




NEW FACILITY FOR
PADILLA MARBLE
6901 HUSEMAN PLACE SW ALBUQUERQUE, N.M.

SHEET

C1



5 REFUSE ENCLOSURE DETAILS
NTS



SITE PLAN
SCALE: 1"=20'

APD PLANS CHECKING OFFICE
924-3611
APPROVED/DISAPPROVED
HYDRANT(S) ONLY
FEB 8 2006
SIGNATURE & DATE

K-B 2291 GR
7200 # 2 HYS REGD

PROJECT DATA:

OWNER: PADILLA MARBLE
ADDRESS: 6901 HUSEMAN PLACE SW
ZONING: M-1 CITY OF ALBUQUERQUE
SITE AREA: 42,960 S.F.
BUILDING AREA: 1200 S.F.
NET SITE AREA: 35,760 S.F.
LANDSCAPE AREA REQUIRED: 10% OF NET
3576 S.F.



LANDSCAPE AREA PROVIDED:
BUILDING TYPE OF CONSTRUCTION: VB
BUILDING OCCUPANCY GROUP:
SHOWROOM/OFFICES: M 1200 S.F.
WORK AREA: F2 6000 S.F.
NO OCCUPANCY SEPARATION REQUIRED PER
TABLE 302.3.2
ALLOWABLE AREA FOR BUILDING: 9000 S.F.
TABLE 503
HEIGHT OF BUILDING: 16'-0" EAVE HEIGHT
ALLOWABLE HEIGHT: 20'-0"
NUMBER OF STORIES: ONE
SPRINKLER SYSTEM NOT REQUIRED

OCCUPANT LOAD CALCULATIONS:
SHOWROOM/OFFICE: 1200 ÷ 60 = 20
WORK AREA: 6000 ÷ 200 = 30

PARKING CALCULATIONS:
SHOWROOM/OFFICE: 1/200
1200 ÷ 200 = 6
WORK AREA: 1/1000
6000 ÷ 1000 = 6
TOTAL 12
HC SPACE REQUIRED.

KEYED NOTES

- 1 EXISTING PROPERTY LINE
- 2 NEW STRUCTURE
- 3 NEW ENTRY DRIVE
- 4 EXISTING STREET WITH CONCRETE CURB & GUTTER
- 5 GRAVEL FINES
- 6 REFUSE ENCLOSURE
- 7 PONDING AREA
- 8 6" DIA. STEEL BOLLARD- FILL SOLID W/ CONCRETE.
- 9 CONCRETE BOLLARD FOUNDATION
- 10 8" BLOCK WALL
- 11 NOT USED
- 12 10' UTILITY EASEMENT
- 13 SANITARY SEWER CONNECTION
- 14 WATER METER CONNECTION
- 15 ASPHALT PAVING
- 16 6" CONCRETE CURB
- 17 3/4" CHAMFER
- 18 4" CONCRETE SIDEWALK
- 19 LANDSCAPE AREA
- 20 HANDICAPPED CURB RAMP
- 21 PAINTED PARKING STRIPE
- 22 HANDICAPPED SIGN TO BE CENTERED IN FRONT OF PARKING SPACE.
- 23 2" GALVANIZED POLE
- 24 INTERNATIONAL HANDICAPPED SYMBOL
- 25 STRIPED HANDICAPPED ACCESS AREA
- 26 6'-0" CONCRETE PARKING BUMPER
- 27 12" DIA. x 42" CONCRETE FOOTING
- 28 #4 REBAR CONTINUOUS TOP & BOTTOM
- 29 2" DIA. x 24" CONCRETE FOOTING
- 30 BICYCLE RACK
- 31 6", 4,000 PSI, CONCRETE SLAB WITH 6X6 - 10X10 W/M
- 32 CONCRETE FOUNDATION FOR BLOCK ENCLOSURE WALL



6-26-06

GUADALUPE ARCHITECTS
DAVID WEATHERMAN ARCHITECT
5961 GUADALUPE TRAIL, NW
ALBUQUERQUE, NEW MEXICO
(505) 343-4905


NEW FACILITY FOR
PADILLA MARBLE
6901 HUSEMAN PLACE SW ALBUQUERQUE, N.M.

SHEET


C

PLAT FOR COORS-ARENAL INDUSTRIAL PARK SUBDIVISION

WITHIN
SECTION 34, 35 T 10 N, R 2 E, N.M.P.M.
CITY OF ALBUQUERQUE, BERNALILLO COUNTY, NEW MEXICO
JANUARY 2002



SURVEY PLAT



Legend


- FOUND 5/8" REBAR
- FOUND 2" IRON PIPE
- SET 5/8" REBAR WITH PLASTIC CAP STAMPED LS 8911.
- P.U.E. PUBLIC UTILITY EASEMENT
- PUBLIC UTILITY EASEMENT
- RIGHT OF WAY
- PROPERTY AND LOT BOUNDARY

△ CENTERLINE MONUMENTATION
CENTERLINE (IN LIEU OF R/W MONUMENTATION) TO BE INSTALLED AT ALL CENTERLINE P.O.'S, P.T.'S AND ANGLE POINTS, AND STREET INTERSECTION AS SHOWN HEREON, AND WILL CONSIST OF A FOUR INCH (4") ALUMINUM ALLOY CAP STAMPED: CITY OF ALBUQUERQUE CENTERLINE MONUMENT DO NOT DISTURB PLS 8911

ABQ
Engineering,
Inc.

Engineers • Planners
• Surveyors
• Construction Services
1631 Enbank NE, Suite C,
Albuquerque, NM 87112
505-255-7802
FAX 505-255-7902

RP-2



Legal Description

LOT 4 COORS-ARENAL INDUSTRIAL PARK

Drainage Calculations

Lot 4 Coors/Arenal Subdivision

Padilla's Marble

Basin A

Hydrology Calculations

Date: June 9, 2003

DPM - Section 22.2

Volume 2, January 1993

Precipitation Zone	1
100 Year Storm Depth, P (360)	2.2
100 year Storm Depth, P (10 day)	3.67

Treatment Area	A	B	C	D
Excess Precipitation Factors	0.44	0.67	0.69	1.37
Peak Discharge Factors	1.29	2.03	2.87	4.37

Land Treatment Area	Acres	Existing	Proposed
Type "D" (Roof)		0.00	0.00
Type "C" (Unpaved Roadway)		0.00	0.00
Type "B" (Irrigated Lawns)		0.00	0.00
Type "A" (Undeveloped)		0.67	0.67

Total (Acres) 0.67 0.67

Excess Precipitation(in) 0.44 1.42

Volume (100), cf	1069.49	3495.96
Volume (10), cf	716.86	2321.93
Volume (100, 10 day), cf	1069.49	5226.47
Q (100), cfs	0.86	2.33
Q (10), cfs	0.58	1.56

Lot 4 Coors/Arenal Subdivision

Padilla's Marble

Basin B

Hydrology Calculations

Date: June 9, 2003

DPM - Section 22.2

Volume 2, January 1993

Precipitation Zone	1
100 Year Storm Depth, P (360)	2.2
100 year Storm Depth, P (10 day)	3.67

Treatment Area	A	B	C	D
Excess Precipitation Factors	0.44	0.67	0.69	1.37
Peak Discharge Factors	1.29	2.03	2.87	4.37

Land Treatment Area	Acres	Existing	Proposed
Type "D" (Roof)		0.00	0.00
Type "C" (Unpaved Roadway)		0.00	0.00
Type "B" (Irrigated Lawns)		0.00	0.00
Type "A" (Undeveloped)		0.14	0.14

Total (Acres) 0.14 0.14

Excess Precipitation(in) 0.44 1.40

Volume (100), cf	253.91	773.47
Volume (10), cf	168.62	518.95
Volume (100, 10 day), cf	253.91	1268.72
Q (100), cfs	0.18	0.50
Q (10), cfs	0.12	0.34

Design Narrative

The site for the proposed Padilla's Marble Building is located on Huseman Place west of Coors Boulevard and south of Arenal Road. The site is lot 4 of the Coors Arenal Industrial Park Subdivision. The approved master drainage plan for the Coors Arenal Industrial Park Subdivision requires that the developed flows be contained on-site. As part of the approved plan a single pond was shown, with this development plan the site has been broken up into three drainage sub basins whereas all water will be contained on-site. The drainage calculations for the individual drainage basins are shown herein. The plan as proposed complies with the intent of the original drainage plan for the development. The site is not within a 100-year floodplain

Benchmark

PROJECT BENCHMARK

"NM-45-A"
X = 363,287.85
Y = 1,474,258.33

ELEV = 4960.973

LOCAL BENCHMARK

SOUTHEAST CORNER OF LOT 4 BEING
A 5/8" REBAR WITH CAP

ELEV = 4971.40

Legend

---	EXISTING CONTOUR
---	PROPOSED CONTOUR
---	BASIN BOUNDARY
---	DIRECTION OF FLOW
---	ROOF SLOPE
---	RIDGE LINE
73.16	PROPOSED SPOT ELEVATION
TC	TOP OF CURB
FL	FLOW LINE
TW	TOP OF WALL
BW	BOTTOM OF WALL

Pond Notes

POND A

AREA OF 72 CONTOUR 8,260.00 SF
AREA OF 71 CONTOUR 5,469.10 SF

$13,729.10/2 = 6,185.00 \times .5 = 6,864.55 \text{ CuFt}$

PONDING REQUIRED 5,226.47 CuFt

PONDING PROVIDED 6,864.55 CuFt

WATER SURFACE ELEV 4971.76

POND B

AREA OF 72 CONTOUR 1,771.85 SF
AREA OF 71 CONTOUR 1,385.50 SF

$3,157.35/2 = 1,578.67 \times 1.0 = 1,578.67 \text{ CuFt}$

PONDING REQUIRED 1,253.72 CuFt

PONDING PROVIDED 1,578.67 CuFt

WATER SURFACE ELEV 4971.79

POND C


AREA OF 72 CONTOUR 1,637.14 SF
AREA OF 71 CONTOUR 1,260.08 SF

$2,897.22/2 = 720.95 \times 1.0 = 1,448.61 \text{ CuFt}$

PONDING REQUIRED 1,394.85 CuFt

PONDING PROVIDED 1,448.61 CuFt

WATER SURFACE ELEV 4971.96



GRADING PLAN


SCALE: 1" = 20'

Engineer's Statement

I, the Engineer of record, certify that I have personally visited the site and the existing grades and contours depicted on this plan match what presently exists at the present location

MARTIN J. GARCIA, NMPE# 11767

ABQ
ENGINEERING, INC.
8739 Academy Rd. NE
Suite 130
Albuquerque, NM 87112
505-253-7002
Engineers • Planners
Construction Services



DO NOT SCALE DRAWINGS
CONTRACTOR TO VERIFY ALL
EXISTING CONDITIONS AND
DIMENSIONS. NOTIFY
ENGINEER/ARCHITECT OF ANY
DISCREPANCIES PRIOR TO
BEGINNING CONSTRUCTION

PADILLA'S MARBLE
6901 HUSEMAN PLACE S.W.
ALBUQUERQUE, NEW MEXICO

REV	DATE	DESCRIPTION
1	2007.07.03	DATE: JULY 3, 2008
2	2007.07.03	DATE: JULY 3, 2008
3	2007.07.03	DATE: JULY 3, 2008
4	2007.07.03	DATE: JULY 3, 2008
5	2007.07.03	DATE: JULY 3, 2008
6	2007.07.03	DATE: JULY 3, 2008
7	2007.07.03	DATE: JULY 3, 2008
8	2007.07.03	DATE: JULY 3, 2008
9	2007.07.03	DATE: JULY 3, 2008
10	2007.07.03	DATE: JULY 3, 2008

GRADING PLAN

C-101

Sheet 1 of 1