



- DATUM= 5000 FT
PROPERTY ADDRESS
University Blvd. SE
LEGAL DESCRIPTION
Parcel 2A, Sunport P
PROJECT BENCHMARK

TBM: SW property corner, a rebar with cap marked LS 4071. Elevation 5058.76 feet


SURVEY
Topographic and Field Measurement by
Precision Surveys, Inc.
Dated December, 1996

NOTES:

1. All proposed elevations assume 3" asphalt surfacing.
2. Contractor shall visit the site to field verify existing conditions.
3. All backfill and compaction shall be to 95% max density per ASTM D1557
4. All earthwork operations shall be performed in accordance with the project geotechnical report.
5. A topsoil disturbance permit is required prior to any earthwork operations.
6. The property boundary shown on this Plan is given for information only to describe the project limits. Property boundary information shown herein does not constitute a boundary survey. A boundary survey performed by a licensed New Mexico Registered Professional Surveyor is recommended prior to construction.
7. For calculations, 100 year/6 hour flows, maps and other information refer to Drainage Master Plan report.

SUNPORT PARK
DRAINAGE PLAN
PHASE ONE
ALBUQUERQUE, NEW MEXICO
PROJECT # 196-STP-SITE

REVISION DATE

rick bennett
architect


1118 Park Avenue SW
Albuquerque, New Mexico
87102

DATE _____

4-3-97

SHEET NUMBER

C-2



6039q-d1.dwg 3/7/97