


ESC Plan Standard Notes (2023-06-16)

1. All Erosion and Sediment Control (ESC) work on these plans, except as otherwise stated or provided hereon shall be permitted, constructed, inspected, and maintained in accordance with:
 - a. The City Ordinance § 14-5-2-11, the ESC Ordinance,
 - b. The EPA's 2022 Construction General Permit (CGP), and
 - c. The City Of Albuquerque Construction BMP Manual.
2. All BMP's must be installed prior to beginning any earth moving activities except as specified hereon in the Phasing Plan. Construction of earthen BMP's such as sediment traps, sediment basins, and diversion berms shall be completed and inspected prior to any other construction or earthwork. Self-inspection is required after installation of the BMPs and prior to beginning construction.
3. Self-inspections - In accordance with City Ordinance § 14-5-2-11(C)(1), "at a minimum a routine self-inspection is required to review the project for compliance with the Construction General Permit once every 14 days and after any precipitation event of 1/4 inch or greater until the site construction has been completed and the site determined as stabilized by the city. Reports of these inspections shall be kept by the person or entity authorized to direct the construction activities on the site and made available upon request.
4. Corrective action reports must be kept by the person or entity authorized to direct the construction activities on the site and made available upon request.
5. Final Stabilization and Notice of Termination (NOT) - In accordance with City Ordinance § 14-5-2-11(C)(1), self-inspections must continue until the site is "determined as stabilized by the city." The property owner/operator is responsible for determining when the "Conditions for Terminating CGP Coverage" per CGP Part 8.2 are satisfied and then for filing their Notice of Termination (NOT) with the EPA. Each operator may terminate CGP coverage only if one or more of the conditions in Part 8.2.1, 8.2.2, or 8.2.3 has occurred. After filing the NOT with the EPA, the property owner is responsible for requesting a Determination of Stabilization from the City.
6. When doing work in the City right-of-way (e.g. sidewalk, drive pads, utilities, etc.) prevent dirt from getting into the street. If dirt is present in the street, the street should be swept daily or prior to a rain event or contractor induced water event (e.g. curb cut or water test).
7. When installing utilities behind the curb, the excavated dirt should not be placed in the street.
8. When cutting the street for utilities the dirt shall be placed on the uphill side of the street cut and the area swept after the work is complete. A wattle or mulch sock may be placed at the toe of the excavated dirt pile if site constraints do not allow placing the excavated dirt on the uphill side of the street cut.
9. ESC Plans must show longitudinal street slope and street names. On streets where the longitudinal slope is steeper than 2.5%, wattles/mulch socks or j-hood silt fence shall be shown in the front yard swale or on the side of the street.



Do not vary grades as much as grading lanes.

[illegible]

Users and firms assume the responsibility for any damage resulting from the use of the information and the responsibility of the Property Owner.

Proteins of connection for lymphoid organs and the thymus gland are not included in the listing. See, CNA, dextran.

There are statistically significant differences in the mean values of the variables between the two groups.

Landscape 11 has a mean depth of 2' and the plan is all landscape with an industrial on the east.

is (Figure 4), while concentrated, relatively small, hydrocarbon pools are the result of a large number of small-scale processes and are therefore in danger of being overlooked.

It is the intent of the Code to comply with the City Development Code Development Ordinance.

Other assignment is the sole responsibility of the Project Owner.

Landscape assistance used for life supporting the Property Owner, the Property Owner and all landscaping & a long lasting and effective solution.

concerns against, and opposed, the training of the future blackboard teachers. It is surprising that the Lancaster school is regarded as the place to which the standards and major requirements of the Curriculum are based.

standards, and 200,000. Only past ethanol sales for the standards of the production of the American Oil Shale & other oil plant material will be a big issue, even if production not meeting the requirements will be involved here the project is

to be signed and the related expenses and are to occur on or prior.

LAWRENCE COLEMAN is a reporter for the *San Francisco Chronicle* and author of the book *The Question of the Speed of Light* (Doubleday, 1994). He is also the author of the book *The Question of the Speed of Light* (Doubleday, 1994).


LANDSCAPE 0758



Event Center
Albuquerque, NM 1611
Airtach Court SE

Landscape Plan

Designed By	dl jessell	REV: BONS
Drawn By	dlx	Comment
Approved By		
Date		
NEW MEXICO ONE CALL STATEWIDE - 811 OR 1-800-368-5887 (TAS) www.onecallnm.org Call two working days before you dig		
		File ID



LANDSCAPE LEGEND

1973		1974		1975		1976		1977		1978		1979		1980		1981		1982		1983		1984		1985		1986		1987		1988		1989		1990		1991		1992		1993		1994		1995		1996		1997		1998		1999		2000		2001		2002		2003		2004		2005		2006		2007		2008		2009		2010		2011		2012		2013		2014		2015		2016		2017		2018		2019		2020		2021		2022		2023		2024		2025		2026		2027		2028		2029		2030		2031		2032		2033		2034		2035		2036		2037		2038		2039		2040		2041		2042		2043		2044		2045		2046		2047		2048		2049		2050		2051		2052		2053		2054		2055		2056		2057		2058		2059		2060		2061		2062		2063		2064		2065		2066		2067		2068		2069		2070		2071		2072		2073		2074		2075		2076		2077		2078		2079		2080		2081		2082		2083		2084		2085		2086		2087		2088		2089		2090		2091		2092		2093		2094		2095		2096		2097		2098		2099		2100																																																																																																																																																																																																																																																					
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100	101	102	103	104	105	106	107	108	109	110	111	112	113	114	115	116	117	118	119	120	121	122	123	124	125	126	127	128	129	130	131	132	133	134	135	136	137	138	139	140	141	142	143	144	145	146	147	148	149	150	151	152	153	154	155	156	157	158	159	160	161	162	163	164	165	166	167	168	169	170	171	172	173	174	175	176	177	178	179	180	181	182	183	184	185	186	187	188	189	190	191	192	193	194	195	196	197	198	199	200	201	202	203	204	205	206	207	208	209	210	211	212	213	214	215	216	217	218	219	220	221	222	223	224	225	226	227	228	229	230	231	232	233	234	235	236	237	238	239	240	241	242	243	244	245	246	247	248	249	250	251	252	253	254	255	256	257	258	259	260	261	262	263	264	265	266	267	268	269	270	271	272	273	274	275	276	277	278	279	280	281	282	283	284	285	286	287	288	289	290	291	292	293	294	295	296	297	298	299	300	301	302	303	304	305	306	307	308	309	310	311	312	313	314	315	316	317	318	319	320	321	322	323	324	325	326	327	328	329	330	331	332	333	334	335	336	337	338	339	340	341	342	343	344	345	346	347	348	349	350	351	352	353	354	355	356	357	358	359	360	361	362	363	364	365	366	367	368	369	370	371	372	373	374	375	376	377	378	379	380	381	382	383	384	385	386	387	388	389	390	391	392	393	394	395	396	397	398	399	400	401	402	403	404	405	406	407	408	409	410	411	412	413	414	415	416	417	418	419	420	421	422	423	424	425	426	427	428	429	430	431	432	433	434	435	436	437	438	439	440	441	442	443	444	445	446	447	448	449	450	451	452	453	454	455	456	457	458	459	460	461	462	463	464	465	466	467	468	469	470	471	472	473	474	475	476	477	478	479	480	481	482	483	484	485	486	487	488	489	490	491	492	493	494	495	496	497	498	499	500

Shrubs & Groundcovers

	ON	12E	COTTONWOOD, WY	ON	12E	DATE	COLLECTOR	COMMENTS
1	●	Pike Tazewell		ON	12E			
2	●	Waco, Tazewell		ON	12E	1830		
3	●	Waco, Tazewell		ON	12E	1830		
4	●	Waco, Tazewell		ON	12E	1830		
5	●	Waco, Tazewell		ON	12E	1830		
6	●	Waco, Tazewell		ON	12E	1830		
7	●	Waco, Tazewell		ON	12E	1830		
8	●	Waco, Tazewell		ON	12E	1830		
9	●	Waco, Tazewell		ON	12E	1830		
10	●	Waco, Tazewell		ON	12E	1830		
11	●	Waco, Tazewell		ON	12E	1830		
12	●	Waco, Tazewell		ON	12E	1830		
13	●	Waco, Tazewell		ON	12E	1830		
14	●	Waco, Tazewell		ON	12E	1830		
15	●	Waco, Tazewell		ON	12E	1830		
16	●	Waco, Tazewell		ON	12E	1830		
17	●	Waco, Tazewell		ON	12E	1830		
18	●	Waco, Tazewell		ON	12E	1830		
19	●	Waco, Tazewell		ON	12E	1830		
20	●	Waco, Tazewell		ON	12E	1830		
21	●	Waco, Tazewell		ON	12E	1830		
22	●	Waco, Tazewell		ON	12E	1830		
23	●	Waco, Tazewell		ON	12E	1830		
24	●	Waco, Tazewell		ON	12E	1830		
25	●	Waco, Tazewell		ON	12E	1830		
26	●	Waco, Tazewell		ON	12E	1830		
27	●	Waco, Tazewell		ON	12E	1830		
28	●	Waco, Tazewell		ON	12E	1830		
29	●	Waco, Tazewell		ON	12E	1830		
30	●	Waco, Tazewell		ON	12E	1830		
31	●	Waco, Tazewell		ON	12E	1830		
32	●	Waco, Tazewell		ON	12E	1830		
33	●	Waco, Tazewell		ON	12E	1830		
34	●	Waco, Tazewell		ON	12E	1830		
35	●	Waco, Tazewell		ON	12E	1830		
36	●	Waco, Tazewell		ON	12E	1830		
37	●	Waco, Tazewell		ON	12E	1830		
38	●	Waco, Tazewell		ON	12E	1830		
39	●	Waco, Tazewell		ON	12E	1830		
40	●	Waco, Tazewell		ON	12E	1830		
41	●	Waco, Tazewell		ON	12E	1830		
42	●	Waco, Tazewell		ON	12E	1830		
43	●	Waco, Tazewell		ON	12E	1830		
44	●	Waco, Tazewell		ON	12E	1830		
45	●	Waco, Tazewell		ON	12E	1830		
46	●	Waco, Tazewell		ON	12E	1830		
47	●	Waco, Tazewell		ON	12E	1830		
48	●	Waco, Tazewell		ON	12E	1830		
49	●	Waco, Tazewell		ON	12E	1830		
50	●	Waco, Tazewell		ON	12E	1830		

LANDSCAPE CALCULATIONS


[illegible]



IRRIGATION LEGEND

IRRIGATION NOTES

1. CONSTRUCTION SHALL BE IN ACCORDANCE WITH THE STANDARD AND ALL APPLICABLE NATIONAL STANDARDS.
2. CONSTRUCTION SHALL BE IN ACCORDANCE WITH THE STANDARD AND ALL APPLICABLE NATIONAL STANDARDS.
3. CONSTRUCTION SHALL BE IN ACCORDANCE WITH THE STANDARD AND ALL APPLICABLE NATIONAL STANDARDS.
4. CONSTRUCTION SHALL BE IN ACCORDANCE WITH THE STANDARD AND ALL APPLICABLE NATIONAL STANDARDS.
5. CONSTRUCTION SHALL BE IN ACCORDANCE WITH THE STANDARD AND ALL APPLICABLE NATIONAL STANDARDS.






- NOTE:
1. ALL VALVES AND M / SCH 80 NIPPLES SHALL BE INSTALLED IN A 2\"/>

AVB VALVES AND M / SCH 80 NIPPLE RISERS


N12



- A. TREE TRUNK
B. 2\"/>

BUTTER PLACEMENT DETAIL


N13



1. ELECTRICAL WIRING TO BE INSTALLED BY OTHERS
2. ELECTRICAL WIRING TO BE INSTALLED BY OTHERS
3. ELECTRICAL WIRING TO BE INSTALLED BY OTHERS
4. ELECTRICAL WIRING TO BE INSTALLED BY OTHERS


CONTROLLER DETAIL

N14




TRENCHING DETAIL

N15



SLEEVE INSTALLATION DETAIL

N16



TREE PLANTING DETAIL

N17




SHRUB PLANTING DETAIL

N18




Erosion Control Sripap

Section 1.01



Erosion Control Paddling

Section 1.02



1-1 Water Harvesting

Section 1.03

1. ALL VALVES AND M / SCH 80 NIPPLES SHALL BE INSTALLED IN A 2\"/>

2. ELECTRICAL WIRING TO BE INSTALLED BY OTHERS
3. ELECTRICAL WIRING TO BE INSTALLED BY OTHERS
4. ELECTRICAL WIRING TO BE INSTALLED BY OTHERS

Event Center
Albuquerque, NM 1611
Airtech Court 22

Landscape Details

Designed By	DATE	REVISION
1/1	2014	
Approved By	DATE	REVISION
1/1	2014	
NEW MEXICO STATE	DATE	REVISION
STATEWIDE - 1/1	2014	
UNIVERSITY OF NEW MEXICO	DATE	REVISION
1/1	2014	



PROJECT NO. 2014-001
1/1-03