

CITY OF ALBUQUERQUE

Planning Department
Alan Varela, Director



Mayor Timothy M. Keller

February 24, 2022

Scott McGee, PE
Scott M. McGee PE, LLC
9700 Tanoan Dr. NE
Albuquerque, NM 87111

**RE: NM United Storage Room AA
5601 University Blvd. SE
Temporary Certificate of Occupancy - Approved
Engineers Stamp Date 12/7/2021 (R15D002A)
Engineers Certification Date 2/21/2022**

Dear Mr. McGee,

Based solely upon the certification received on 2/22/22 this plan is approved for release of Temporary Certificate of Occupancy by Hydrology.

PO Box 1293

If you have any questions, please contact me at 924-3986 or earmijo@cabq.gov.

Albuquerque

Sincerely,

NM 87103

Ernest Armijo, P.E.
Principal Engineer, Planning Dept.
Development Review Services

www.cabq.gov



City of Albuquerque

Planning Department

Development & Building Services Division

DRAINAGE AND TRANSPORTATION INFORMATION SHEET (REV 10/2018)

Project Title: _____ **Building Permit #:** _____ **Hydrology File #:** _____

DRB#: _____ **EPC#:** _____ **Work Order#:** _____

Legal Description: _____

City Address: _____

Applicant: _____ **Contact:** _____

Address: _____

Phone#: _____ **Fax#:** _____ **E-mail:** _____

Other Contact: _____ **Contact:** _____

Address: _____

Phone#: _____ **Fax#:** _____ **E-mail:** _____

TYPE OF DEVELOPMENT: _____ PLAT (# of lots) _____ RESIDENCE _____ DRB SITE _____ ADMIN SITE

IS THIS A RESUBMITTAL? _____ Yes _____ No

DEPARTMENT: _____ TRAFFIC/TRANSPORTATION _____ HYDROLOGY/DRAINAGE

Check all that Apply:

TYPE OF SUBMITTAL:

- _____ ENGINEER/ARCHITECT CERTIFICATION
- _____ PAD CERTIFICATION
- _____ CONCEPTUAL G & D PLAN
- _____ GRADING PLAN
- _____ DRAINAGE MASTER PLAN
- _____ DRAINAGE REPORT
- _____ FLOODPLAIN DEVELOPMENT PERMIT APPLIC
- _____ ELEVATION CERTIFICATE
- _____ CLOMR/LOMR
- _____ TRAFFIC CIRCULATION LAYOUT (TCL)
- _____ TRAFFIC IMPACT STUDY (TIS)
- _____ OTHER (SPECIFY) _____
- _____ PRE-DESIGN MEETING?

TYPE OF APPROVAL/ACCEPTANCE SOUGHT:


- _____ BUILDING PERMIT APPROVAL
- _____ CERTIFICATE OF OCCUPANCY
- _____ PRELIMINARY PLAT APPROVAL
- _____ SITE PLAN FOR SUB'D APPROVAL
- _____ SITE PLAN FOR BLDG. PERMIT APPROVAL
- _____ FINAL PLAT APPROVAL
- _____ SIA/ RELEASE OF FINANCIAL GUARANTEE
- _____ FOUNDATION PERMIT APPROVAL
- _____ GRADING PERMIT APPROVAL
- _____ SO-19 APPROVAL
- _____ PAVING PERMIT APPROVAL
- _____ GRADING/ PAD CERTIFICATION
- _____ WORK ORDER APPROVAL
- _____ CLOMR/LOMR
- _____ FLOODPLAIN DEVELOPMENT PERMIT
- _____ OTHER (SPECIFY) _____

DATE SUBMITTED: _____ **By:** _____

COA STAFF:

ELECTRONIC SUBMITTAL RECEIVED: _____

FEE PAID: _____



© 2021 Improve Group, Inc. Duplication or reproduction by any means without the express written consent of Improve Group, Inc. is a violation of federal and international law. The information contained in this document is the intellectual property of Improve Group, Inc. and all rights thereto are reserved.

R-15-Z

FF=5306.9

-
- FF=5306.9
 PROPOSED BUILDING FINISH FLOOR ELEVATION
 NEW SPOT ELEVATION
 NEW CONSTRUCTION
 RD
 TC
 AS-BUILT SPOT

LEGAL DESCRIPTION: TRACT 13 MESA DEL SOL INNOVATION PARK

PROJECT AREA: 0.3 AC (13,060 SF)

BENCHMARK: City of Albuquerque Station '5-R15' being a brass cap.
ELEV= 5306.674 (NAVD 1988)

FLOOD HAZARD: From FEMA Map 35001C0555H (8/16/2012), this site is identified as being within Zone 'X' which is determined to be an area of minimal flood hazard.

OFFSITE FLOW: The site does not accept offsite flow as University Blvd SE borders the site to the east. Undeveloped land surrounds the remainder of the site

EXISTING CONDITIONS: The site is currently developed as a fenced practice field with a compacted dirt parking area to the north.

PROPOSED IMPROVEMENTS: The proposed improvements include a 2,400 SF locker room building, parking, and connecting sidewalks.

DRAINAGE APPROACH: The site drainage pattern will follow historic conditions and include the onsite retention of developed runoff.

Existing land treatment: 100% C (Compacted dirt)
 PRECIPITATION ZONE: 3
 $Q = (3.45)(0.3) = 1.0 \text{ CFS}$
 Proposed land treatment: 74% C and 26% D
 $Q = [(0.74)(3.45) + (.26)(5.02)](0.3) = 1.2 \text{ CFS}$

$$\text{SWQ } V = (3,400)(0.42/12) = 119 \text{ CF}$$

This developed runoff will surface discharge to an onsite retention ponding area located east of the proposed building.

A. INSTALL NEW 6" HIGH MEDIAN CURB WITH 1' CURB OPENINGS (AT 12' ON CENTER) ADJACENT TO BUILDING. PLACE COBBLE BETWEEN CURB AND BUILDING.

B. INSTALL 4" THICK, 4000 PSI MOW STRIP ALONG NORTH SIDE OF BUILDING, BETWEEN NORTH WALL OF BLDG. AND BACK OF CURB. TOP OF MOW STRIP ELEVATION AT 5307.9' ALONG BUILDING.

GRADING AND DRAINAGE PLAN

C-101

GRADING AND DRAINAGE PLAN